## [Missouri University of Science & Technology]

From: Institutional Animal Care and Use Committee

Subject: Semiannual Report of the Program Review and Facility Inspection

Date: May 4<sup>th</sup>, 2020 (Date of IACUC Committee Meeting)

Constantinos Tsatsoulis

**Memorandum to:** 

This report summarizes the IACUC's results of its most recent program review and facility inspection, as required by the Public Health Service (PHS) Policy on Humane Care and Use of Laboratory Animals (Policy), Section IV.B.1.-3., the Guide for the Care and Use of Laboratory Animals (Guide), and the Animal Welfare Act (AWA) regulations, as applicable. Submission of semiannual reports to the Institutional Official is a condition of this institution's Animal Welfare Assurance with the NIH Office of Laboratory Animal Welfare (OLAW).

Since the last review, the following changes have occurred in the institution's program for animal care and use (PHS Policy IV.A.1.a.-i.): [optional]

Due to the federal social distancing guidelines and NIH OLAW memoir dated on March 16th, 2020, for COVID-19, a Zoom semi-annual meeting was held.

There were no changes of the institutional program since last review. A disaster plan for Missouri S&T's animal research facility was developed by Mr. Richard Watters. The plan included preparedness and response to pandemic and other contingency actions. The plan was discussed and included in the semi-annual meeting minutes.

 Description of the Nature and Extent of the Institution's Adherence to the PHS Policy, the Guide, and the AWA

Dehaitui	es from the Phs Policy, the Guide, and the AWA.
Select A	
	There were no departures during this reporting period.
[ ] B.	The following departures have been reviewed and approved by the IACUC: [include reason for each departure]

II. Deficiencies in the Institution's Animal Care and Use Program

Departures from the DHS Bolicy the Guide and the AWA

Animal Ca	are and Use Program Review Date(s): April 30 <sup>th</sup> , 2020
Select A	or B:
	There were no deficiencies in the program during this reporting period.  The following deficiencies have been identified: [describe each deficiency, identify each deficiency as either minor or significant, and provide a reasonable and specific plan and schedule for the correction of each deficiency, deficiencies may be recorded on a separate table and attached, the last page of OLAW's Sample Semiannual Program Review and Facility Inspection Checklist provides a sample table]

1
**************************************
Riversectoring
CANVOYA
approval
HUND NIM
1
1
ì

v12/1/2011

Semiannual Report

2