



## Inspection Report

---

HARRY K DUPREE  
P.O. Box 1050  
STUTT GART, AR 72160

Customer ID: **334026**  
Certificate: **71-G-0001**  
Site: 001  
USDA ARS HARRY K DUPREE

Type: FOCUSED INSPECTION  
Date: 16-SEP-2020

---

### 2.131(b)(2) Critical

#### 2.131(b)(2)

On 4 June 2020 an employee turned the air supply off to a tank of white bass to observe the female for spawning. The employee inadvertently forgot to turn the air supply back on in the tank. The next morning a caretaker came in and found the fish in the tank deceased. Employees must handle the fish expeditiously and as carefully as possible to prevent trauma, behavioral stress, physical harm or unnecessary discomfort. Failure to turn the air supply on created discomfort and physical harm to the fish in the tank. This incident was corrected by the IACUC instituting a policy that requires employees to visibly check for air and water in all tanks after handling fish within the building. The IACUC also requires a responsible employee to visually inspect all tanks with fish to ensure air and water supplies are functioning properly at the end of each work day.

This inspection and exit interview were conducted with facility representative.

---

**Prepared By:** DEBBIE CUNNINGHAM  
USDA, APHIS, Animal Care  
**Title:** VETERINARY MEDICAL  
OFFICER

**Date:**  
17-SEP-2020

**Received by Title:** Facility Representative

**Date:**  
17-SEP-2020



### Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
334026	71-G-0001	001	USDA ARS HARRY K DUPREE	16-SEP-2020

Count	Scientific Name	Common Name
000000	NONE	NONE
000000	Total	