



Inspection Report

Liberty Research Inc
P O Box 107, 170 State Rte 17 C
Waverly, NY 14892

Customer ID: **6799**
Certificate: **21-A-0047**
Site: 001
LIBERTY RESEARCH INC

Type: ROUTINE INSPECTION
Date: 07-JUL-2015

3.6(a)(2)(9)

PRIMARY ENCLOSURES.

In barrier #6, numerous plastic feeders were observed that were quite damaged; having jagged edges, scratches, and tears. Because of the damage, this equipment cannot be adequately sanitized.

For the health and safety of the animals, this equipment should be replaced.

Correct by August 7, 2015

3.6(a)(2)(10)

PRIMARY ENCLOSURES.

In barrier #6 there were enclosures containing female dogs with nursing puppies which were observed without proper support to prevent the puppies feet from falling through the mesh floors. The blankets which are normally kept in the enclosures had been removed during cleaning, however there was no additional surface which was provided which would prevent the puppies feet from falling through the open spaces of the grate. A surface needs to be provided at all times in order to prevent the puppies feet from falling through the mesh floors thereby preventing possible injury. The facility needs to correct this issue.

*****Correct from this day forward

3.6(b)(1)(2)(2) REPEAT

PRIMARY ENCLOSURES.

A random selection of feline enclosures in barrier #5 and barrier #12 yielded the following areas of non compliance: enclosure #013H measured 121 inches x 30 inches for an area of 25.2 square feet. This enclosure housed 9 cats. the required area for this many cats within this enclosure is 27 square feet. Enclosure #14AG measured 91 inches x 30 inches for an area of 19 square feet. This enclosure housed 9 cats, with a required square footage for this many cats within this enclosure being 27 square feet. Enclosure #AG measured 91 inches x 30 inches for an area of 19 square feet. This enclosure housed 9 cats. The required area for this many cats within this enclosure is 27 square feet. Enclosure #19G measured 152 inches x 30 inches for an area of 32 square feet. This enclosure housed 22 cats. The required area for this many cats within this enclosure is 66 square feet. In barrier #12 Room 1203 enclosure #1203.009 measured 16 feet x 30 inches for an area of 40 square feet. This enclosure housed 20 cats.

Prepared By: KERI LUPO, D V M USDA, APHIS, Animal Care

Date:
07-JUL-2015

Title: VETERINARY MEDICAL OFFICER 6023

Received by Title: COLONY MANAGER

Date:
07-JUL-2015

Obtained by Rise for Animals.



Inspection Report

The required area for this many cats within this enclosure is 60 square feet. Enclosure #1203.005 measured 16 feet x 30 inches for an area of 40 square feet. This enclosure housed 21 cats. The required area for this many cats within this enclosure is 63 square feet.

The facility must ensure that animals are provided with the proper amount of space under regulation. The facility is completing renovation of a building that will provide additional space.

An exit briefing was conducted with the facility representatives.

Additional Inspectors

Lopinto John, Veterinary Medical Officer

Prepared By: KERI LUPO, D V M USDA, APHIS, Animal Care

Date:
07-JUL-2015

Title: VETERINARY MEDICAL OFFICER 6023

Received by Title: COLONY MANAGER

Date:
07-JUL-2015

Obtained by Rise for Animals.



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
6799	21-A-0047	001	LIBERTY RESEARCH INC	07-JUL-15

Count	Scientific Name	Common Name
000465	<i>Canis lupus familiaris</i>	DOG ADULT
000147	<i>Canis lupus familiaris</i>	DOG PUPPY
001641	<i>Felis silvestris catus</i>	CAT ADULT
001196	<i>Felis silvestris catus</i>	CAT KITTEN
003449	Total	