



Inspection Report

Bioqual Inc
4 Research Court Suite 100
Rockville, MD 20850

Customer ID: 93
Certificate: 51-R-0036
Site: 002
BIOQUAL

Type: FOCUSED INSPECTION
Date: 21-MAR-2019

3.125(a) CRITICAL

FACILITIES, GENERAL.

During a study involving ferrets, one ferret was entrapped by a perch and subsequently died. The facility determined that the cause of death was related to effects of the entrapment.

The housing facility should be constructed such that it would protect the animals from injury.

As a corrective action, the facility removed all of the perches from the ferret primary enclosures.

Corrected prior to this inspection.

This inspection and exit interview were conducted with facility representatives.

Additional Inspectors

Nooyen Amy, Veterinary Medical Officer

Prepared By: SCHNELL MICHAEL, D V M

SCHNELL MICHAEL, D V M USDA, APHIS, Animal Care

Title: VETERINARY MEDICAL OFFICER 6100

Date:
21-MAR-2019

Received By:

Title:

Date:
21-MAR-2019



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
93	51-R-0036	002	BIOQUAL	21-MAR-19

No Animals were Inspected.

Count	Scientific Name	Common Name
000000	NONE	NONE
000000	Total	