

**From:** [Ward, Joan \(NIH/OD\) \[E\]](#)  
**To:** [kennettmr@missouri.edu](mailto:kennettmr@missouri.edu)  
**Cc:** (b) (6) [Gibbens, Robert - APHIS](#); [Wilkom, Gavin \(NIH/NHLBI\) \[E\]](#)  
**Subject:** OLAW Case A3394-4E.  
**Date:** Wednesday, June 19, 2019 1:22:41 PM  
**Attachments:** [3123\\_001.pdf](#)

---

Dear Dr. Kennett,

Attached please find Dr. Brent Morse's final response to OLAW Case A3394-4E.

If you have any questions, feel free to contact us by phone or by e-mail.

Regards,  
Joan

*Joan Ward  
Program Specialist  
Office of Laboratory Animal Welfare  
National Institutes of Health  
6700B Rockledge Dr., Suite 2500  
Bethesda, MD 20892  
301-496-7163  
[wardjoa@od.nih.gov](mailto:wardjoa@od.nih.gov)*



DEPARTMENT OF HEALTH & HUMAN SERVICES

PUBLIC HEALTH SERVICE  
NATIONAL INSTITUTES OF HEALTH

FOR US POSTAL SERVICE DELIVERY:

Office of Laboratory Animal Welfare  
6700B Rockledge Drive, Suite 2500, MSC 6910  
Bethesda, Maryland 20892-6910  
Home Page: <http://grants.nih.gov/grants/olaw/olaw.htm>

FOR EXPRESS MAIL:

Office of Laboratory Animal Welfare  
6700B Rockledge Drive, Suite 2500  
Bethesda, Maryland 20817  
Telephone: (301) 496-7163  
Facsimile: (301) 402-7065

June 19, 2019

Re: Animal Welfare Assurance  
A3394-01 [OLAW Case 4E]

Ms. Michele Kennett  
Associate Vice Chancellor for Research  
University of Missouri- Columbia  
(b) (4) Jesse Hall  
Columbia, MO 65212

Dear Ms. Kennett,

The Office of Laboratory Animal Welfare (OLAW) acknowledges receipt of your June 12, 2019 letter reporting an instance of noncompliance with the PHS Policy on Humane Care and Use of Laboratory Animals at the University of Missouri. We received the initial prompt report via an email on June 5th. According to the information provided, OLAW understands that on the morning of June 3, 2019 it was discovered that a section of flooring over a drain trough had come up in a farrowing crate. All three of the piglets had fallen into the trough and one piglet was recovered and returned to the sow. Piglet and sow are doing well. The other two piglets were not recovered despite having a plumber check the drain pipes for several hours. These animals were supported by PHS funding (U42OD011140).

Corrective and preventive actions include visually and manually inspecting floor pieces over the troughs to assure they are seated correctly and have no visual flaws before putting pregnant sows in the farrowing crates. In addition, drain plugs will be kept in the trough drains when piglets are small.

The prompt consideration of this matter by the University of Missouri was consistent with the philosophy of institutional self-regulation. Similarly, the actions taken to prevent recurrence of the issue were appropriate. We appreciate being informed of this unfortunate matter and find no cause for further action by this office.

Sincerely,

(b) (6)

Brent C. Morse, DVM  
Director  
Division of Compliance Oversight  
Office of Laboratory Animal Welfare

cc: IACUC Contact  
Dr. Robert M. Gibbens, USDA, APHIS, AC  
Gavin Wilkom, NHLBI Office of Grants Management