# I. Semiannual Program Review Checklist <sup>i</sup> (as adapted from OLAW)

## Institutional Policies and Responsibilities $\sqrt{}$

## Date: August 19, 2020

1.	An	nimal Care and Use Program	<b>A</b> *	М	S	С	NA
	•	Responsibility for animal well-being is assumed by all members of the program ( <i>Guide</i> , <u>p 1</u> ) [must]	x				
	•	IO has authority to allocate needed resources (Guide, p 13)	Х				
	•	Resources necessary to manage program of veterinary care are provided ( <i>Guide</i> , <u>p 14</u> ) [must]	x				
	•	Sufficient resources are available to manage the program, including training of personnel in accord with regulations and the <i>Guide</i> ( <i>Guide</i> , <u>pp 11</u> , <u>15</u> )	x				
	•	Program needs are regularly communicated to IO by AV and/or IACUC (Guide, p 13)	X				
	•	Responsibilities for daily animal care and facility management are assigned to specific					
		individual(s) when a full-time veterinarian is not available on site (Guide, p 14) [must]					X
	•	Inter-institutional collaborations are described in formal written agreements ( <i>Guide</i> , $\underline{p}$ 15)	x				
	•	Written agreements address responsibilities, animal ownership, and IACUC oversight ( <i>Guide</i> , <u>p 15</u> )	X				
2.	Di	saster Planning and Emergency Preparedness	<b>A</b> *	м	s	С	NA
	•	Disaster plans for each facility to include satellite locations are in place (Guide, p 35, p			_		
		75) [must]					
	•	Plans include provisions for euthanasia (Guide, p 35) [must]	X				
	•	Plans include triage plans to meet institutional and investigators' needs (Guide, p 35)				X1	
	•	Plans define actions to prevent animal injury or death due to HVAC or other failures ( <i>Guide</i> , <u>p 35</u> )	x				
	•	Plans describe preservation of critical or irreplaceable animals (Guide, p 35)	Х				
	•	Plans include essential personnel and their training (Guide, p 35)	Х				
	•	Animal facility plans are approved by the institution and incorporated into overall response plan ( <i>Guide</i> , <u>p 35</u> )	x				
	•	Law enforcement and emergency personnel are provided a copy and integration with overall plan is in place ( <i>Guide</i> , $p$ 35)	x				
3.	IA	CUC	<b>A</b> *	м	S	С	NA
	•	Meets as necessary to fulfill responsibilities ( <i>Guide</i> , <u>p 25</u> ) [must]	X				
	•	IACUC Members named in protocols or with conflicts recuse themselves from protocol decisions ( <i>Guide</i> , <u>p 26</u> ) [must]	x				
	•	Continuing IACUC oversight after initial protocol approval is in place ( <i>Guide</i> , <u>p 33</u> )				X 2	
	•	IACUC evaluates the effectiveness of training programs ( <i>Guide</i> , <u>p 15</u> )	x			[	
_							
4.	IA	CUC Protocol Review - Special Considerations	<b>A</b> *	М	S	C	NA
	•	Humane endpoints are established for studies that involve tumor models, infectious diseases, vaccine challenge, pain modeling, trauma, production of monoclonal antibodies, assessment of toxicologic effects, organ or system failure, and models of	x				
		cardiovascular shock ( <i>Guide</i> , <u>p 27</u> )	v			<u> </u>	
-	•	For pilot studies, a system to communicate with the IACUC is in place ( <i>Guide</i> , <u>p 28</u> )	X				
	•	For genetically modified animals, enhanced monitoring and reporting is in place ( <i>Guide</i> , <u>p 28</u> )					
	•	Restraint devices are justified in the animal use protocols ( <i>Guide</i> , <u>p 29</u> ) [must]	X				
	•	Alternatives to physical restraint are considered ( <i>Guide</i> , <u>p 29</u> )	X				
	•	Period of restraint is the minimum to meet scientific objectives ( <i>Guide</i> , <u>p 29</u> )	X				
<u> </u>	•	Training of animals to adapt to restraint is provided ( <i>Guide</i> , <u>p 29</u> )	X				
<u> </u>	•	Animals that fail to adapt are removed from study ( <i>Guide</i> , <u>p 29</u> )	X				
-	•	Appropriate observation intervals of restrained animals are provided ( <i>Guide</i> , <u>p 29</u> )	X X				
	•	Veterinary care is provided if lesions or illness result from restraint ( <i>Guide</i> , <u>p 30</u> ) [must]					
1	٠	Explanations of purpose and duration of restraint are provided to study personnel	X			1	

		(Guide, <u>p 30</u> )					
	•	Multiple surgical procedures on a single animal are justified and outcomes evaluated ( <i>Guide</i> , $p 30$ )	x				
	•	Major versus minor surgical procedures are evaluated on a case-by-case basis ( <i>Guide</i> , <u>p 30</u> )	x				
	•	Multiple survival procedure justifications in non-regulated species conform to regulated species standards ( <i>Guide</i> , <u>p 30</u> )	x				
	•	Animals on food/fluid restriction are monitored to ensure nutritional needs are met $(Guide, p 31)$ (see notes)	x				
	•	Body weights for food/fluid restricted animals are recorded at least weekly ( <i>Guide</i> , $\underline{p}$ <u>31</u> ) (see notes)	X				
	•	Daily written records are maintained for food/fluid restricted animals (Guide, p 31)	X				
	•	Pharmaceutical grade chemicals are used , when available, for animal-related procedures ( <i>Guide</i> , <u>p 31</u> )	x				
	•	(Guide, <u>p 31</u> )	X				
	•	regulations applicable in study area ( <i>Guide</i> , <u>p 32</u> )	X				
	•	Disposition plans are considered for species removed from the wild (Guide, p 32)	X				
	•	Toe-clipping should only be used when no alternative method of identification is available performed aseptically and with pain relief ( <i>Guide</i> , $p_{,75}$ )	X				
5.	IA	CUC Membership and Functions	<b>A</b> *	м	S	С	NA
	•	IACUC is comprised of at least 5 members, appointed by CEO (PHS Policy, IV.A.3.)	X				
	•	Members include a veterinarian, a scientist, a nonscientist, and a nonaffiliated non-lab animal user ( <i>Guide</i> , $p \ 24$ ) <sup>ii</sup>	X				
	•	IACUC authority and resources for oversight and evaluation of institution's program are provided ( <i>Guide</i> , <u>p 14</u> )	×				
		IACUC conducts semiannual evaluations of institutional animal care and use program (PHS Policy, <u>IV.B.</u> )	X				
		Conducts semiannual inspections of institutional animal facilities (PHS Policy, <u>IV.B.</u> )	X				
	•	IACUC organizationally reports to the Institutional Official (PHS Policy, <u>IV.A.1.b.</u> )	X				
	•	Methods for reporting and investigating animal welfare concerns are in place ( <i>Guide</i> , <u>p</u> <u>23</u> ) [must]					
	•	Reviews and investigates concerns about animal care and use at institution <sup>iii</sup> (PHS Policy, <u>IV.B.</u> )	X				
	•	Procedures are in place for review, approval, and suspension of animal activities <sup>iv</sup> (PHS Policy, <u>IV.B.</u> )					
	•	activities (PHS Policy, <u>IV.B.</u> )	X				
	•	Policies are in place for special procedures (e.g., genetically modified animals, restraint, multiple survival surgery, food and fluid regulation, field investigations) ( <i>Guide</i> , <u>p 27-32</u> )	X				
	•	Requests for exemptions from major survival surgical procedure restrictions are made to USDA/APHIS <sup>v</sup> ( <i>Guide</i> , <u>p 30</u> ) [must]	X				
6.	IA	CUC Training	<b>A</b> *	Μ	S	С	NA
-	•	All IACUC members should receive:	V				1
$\vdash$		Formal orientation to institution's program (Guide, p 17)     Copy of current PHS Assurance	X X			<u> </u>	+
-		<ul> <li>Copy of current PHS Assurance</li> <li>Training on legislation, regulations, guidelines, and policies (<i>Guide</i>, <u>p 17</u>)</li> </ul>	X			<u> </u>	+
-			X			<u> </u>	+
		(Guide, <u>p 17</u> )					
			X			<u> </u>	
		<ul> <li>Ongoing training/education (<i>Guide</i>, <u>p 17</u>)</li> </ul>	X				
7.	IA •	CUC Records and Reporting Requirements <sup>vi</sup> Semiannual report to the IO (PHS Policy, <u>IV.B.</u> )	<b>A</b> *	М	s	С	NA
-							1

Uploaded to Animal Research Laboratory Overview (ARLO) on 04/29/2021

	<ul> <li>Includes minority IACUC views</li> </ul>	X				
	<ul> <li>Describes IACUC-approved departures from the Guide or PHS Policy and the</li> </ul>	Х				
	reasons for each departure <sup>vii</sup>					
	<ul> <li>Distinguishes significant from minor deficiencies</li> </ul>	X				
	<ul> <li>Includes a plan and schedule for correction for each deficiency identified<sup>viii</sup></li> </ul>				<b>X</b> <sup>3</sup>	
•	Reports to OLAW (PHS Policy, IV.F.)					
	• Annual report to OLAW documents program changes, dates of the semiannual	Х				
	program reviews and facility inspections and includes any minority views					
	<ul> <li>Promptly advises OLAW of serious/ongoing Guide deviations or PHS Policy</li> </ul>	Х				
	noncompliance ( <u>NOT-OD-05-034</u> )					
	<ul> <li>Institute must promptly advise OLAW of any suspension of an animal activity by the IACUC (NOT-OD-05-034)</li> </ul>	X				
	Reports to U.S. Department of Agriculture (USDA) or Federal funding agency <sup>ix</sup>					
-	<ul> <li>Annual report to USDA contains required information including all</li> </ul>	X				
	exceptions/exemptions	^				
	<ul> <li>Reporting mechanism to USDA is in place for IACUC-approved exceptions to the</li> </ul>	X				
	regulations and standards	<b>^</b>				
	<ul> <li>Reports are filed within 15 days for failures to adhere to timetable for correction of</li> </ul>	x				
	significant deficiencies					
	<ul> <li>Promptly reports suspensions of activities by the IACUC to USDA and any Federal</li> </ul>	x				
	funding agency					
•	Records (PHS Policy, <u>IV.E.</u> )					
	• IACUC meeting minutes and semiannual reports to the IO are maintained for 3	Х				
	years					
	<ul> <li>Records of IACUC reviews of animal activities include all required information<sup>x</sup></li> </ul>	X				
	<ul> <li>Records of IACUC reviews are maintained for 3 years after the completion of the</li> </ul>	X				
	study					
~		. *		_	_	
8. Ve	eterinary Care (See also next section - Veterinary Care)	<b>A</b> *	М	S	C	NA
•	An arrangement for veterinarian(s) with training or experience in lab animal medicine	X				
	is in place including backup veterinary care <sup>xi</sup>					
•	Veterinary access to all animals is provided (Guide, p 14) [must]	X				
•	Veterinary access to all animals is provided ( <i>Guide</i> , <u>p 14</u> ) [must] Direct or delegated authority is given to the veterinarian to oversee all aspects of	x x				
•	Veterinary access to all animals is provided ( <i>Guide</i> , <u>p 14</u> ) [must] Direct or delegated authority is given to the veterinarian to oversee all aspects of animal care and use ( <i>Guide</i> , <u>p 14</u> ) [must]	X				
•	Veterinary access to all animals is provided ( <i>Guide</i> , <u>p 14</u> ) [must] Direct or delegated authority is given to the veterinarian to oversee all aspects of animal care and use ( <i>Guide</i> , <u>p 14</u> ) [must] Veterinarian provides consultation when pain and distress exceeds anticipated level in	X				
•	Veterinary access to all animals is provided ( <i>Guide</i> , <u>p 14</u> ) [must] Direct or delegated authority is given to the veterinarian to oversee all aspects of animal care and use ( <i>Guide</i> , <u>p 14</u> ) [must] Veterinarian provides consultation when pain and distress exceeds anticipated level in protocol ( <i>Guide</i> , <u>p 5</u> ) [must]	x x				
•	Veterinary access to all animals is provided ( <i>Guide</i> , <u>p 14</u> ) [must] Direct or delegated authority is given to the veterinarian to oversee all aspects of animal care and use ( <i>Guide</i> , <u>p 14</u> ) [must] Veterinarian provides consultation when pain and distress exceeds anticipated level in protocol ( <i>Guide</i> , <u>p 5</u> ) [must] Veterinarian provides clinical guidance when interventional control is not possible	X				
•	Veterinary access to all animals is provided ( <i>Guide</i> , <u>p 14</u> ) [must] Direct or delegated authority is given to the veterinarian to oversee all aspects of animal care and use ( <i>Guide</i> , <u>p 14</u> ) [must] Veterinarian provides consultation when pain and distress exceeds anticipated level in protocol ( <i>Guide</i> , <u>p 5</u> ) [must] Veterinarian provides clinical guidance when interventional control is not possible ( <i>Guide</i> , <u>p 5</u> ) [must]	x x x				
•	Veterinary access to all animals is provided ( <i>Guide</i> , <u>p 14</u> ) [must] Direct or delegated authority is given to the veterinarian to oversee all aspects of animal care and use ( <i>Guide</i> , <u>p 14</u> ) [must] Veterinarian provides consultation when pain and distress exceeds anticipated level in protocol ( <i>Guide</i> , <u>p 5</u> ) [must] Veterinarian provides clinical guidance when interventional control is not possible ( <i>Guide</i> , <u>p 5</u> ) [must] Regular communication occurs between veterinarian and IACUC ( <i>Guide</i> , <u>p 14</u> )	X X X X				
•	Veterinary access to all animals is provided ( <i>Guide</i> , <u>p 14</u> ) [must] Direct or delegated authority is given to the veterinarian to oversee all aspects of animal care and use ( <i>Guide</i> , <u>p 14</u> ) [must] Veterinarian provides consultation when pain and distress exceeds anticipated level in protocol ( <i>Guide</i> , <u>p 5</u> ) [must] Veterinarian provides clinical guidance when interventional control is not possible ( <i>Guide</i> , <u>p 5</u> ) [must] Regular communication occurs between veterinarian and IACUC ( <i>Guide</i> , <u>p 14</u> ) Veterinarian(s) have experience and training in species used ( <i>Guide</i> , <u>p 15</u> ) [must]	X X X X X				
•	Veterinary access to all animals is provided ( <i>Guide</i> , <u>p 14</u> ) [must] Direct or delegated authority is given to the veterinarian to oversee all aspects of animal care and use ( <i>Guide</i> , <u>p 14</u> ) [must] Veterinarian provides consultation when pain and distress exceeds anticipated level in protocol ( <i>Guide</i> , <u>p 5</u> ) [must] Veterinarian provides clinical guidance when interventional control is not possible ( <i>Guide</i> , <u>p 5</u> ) [must] Regular communication occurs between veterinarian and IACUC ( <i>Guide</i> , <u>p 14</u> )	X X X X				
•	Veterinary access to all animals is provided ( <i>Guide</i> , <u>p 14</u> ) [must] Direct or delegated authority is given to the veterinarian to oversee all aspects of animal care and use ( <i>Guide</i> , <u>p 14</u> ) [must] Veterinarian provides consultation when pain and distress exceeds anticipated level in protocol ( <i>Guide</i> , <u>p 5</u> ) [must] Veterinarian provides clinical guidance when interventional control is not possible ( <i>Guide</i> , <u>p 5</u> ) [must] Regular communication occurs between veterinarian and IACUC ( <i>Guide</i> , <u>p 14</u> ) Veterinarian(s) have experience and training in species used ( <i>Guide</i> , <u>p 15</u> ) [must] Veterinarian(s) have experience in facility administration/management ( <i>Guide</i> , <u>p 15</u> )	X X X X X X X		S	C	
•	Veterinary access to all animals is provided ( <i>Guide</i> , <u>p 14</u> ) [must] Direct or delegated authority is given to the veterinarian to oversee all aspects of animal care and use ( <i>Guide</i> , <u>p 14</u> ) [must] Veterinarian provides consultation when pain and distress exceeds anticipated level in protocol ( <i>Guide</i> , <u>p 5</u> ) [must] Veterinarian provides clinical guidance when interventional control is not possible ( <i>Guide</i> , <u>p 5</u> ) [must] Regular communication occurs between veterinarian and IACUC ( <i>Guide</i> , <u>p 14</u> ) Veterinarian(s) have experience and training in species used ( <i>Guide</i> , <u>p 15</u> ) [must] Veterinarian(s) have experience in facility administration/management ( <i>Guide</i> , <u>p 15</u> )	X X X X X	M	S	C	NA
•	Veterinary access to all animals is provided ( <i>Guide</i> , <u>p 14</u> ) [must] Direct or delegated authority is given to the veterinarian to oversee all aspects of animal care and use ( <i>Guide</i> , <u>p 14</u> ) [must] Veterinarian provides consultation when pain and distress exceeds anticipated level in protocol ( <i>Guide</i> , <u>p 5</u> ) [must] Veterinarian provides clinical guidance when interventional control is not possible ( <i>Guide</i> , <u>p 5</u> ) [must] Regular communication occurs between veterinarian and IACUC ( <i>Guide</i> , <u>p 14</u> ) Veterinarian(s) have experience and training in species used ( <i>Guide</i> , <u>p 15</u> ) [must] Veterinarian(s) have experience in facility administration/management ( <i>Guide</i> , <u>p 15</u> ) <b>ersonnel Qualifications and Training</b> All personnel are adequately educated, trained, and/or qualified in basic principles of	X X X X X X X	M	S	C	NA
•	Veterinary access to all animals is provided ( <i>Guide</i> , <u>p 14</u> ) [must] Direct or delegated authority is given to the veterinarian to oversee all aspects of animal care and use ( <i>Guide</i> , <u>p 14</u> ) [must] Veterinarian provides consultation when pain and distress exceeds anticipated level in protocol ( <i>Guide</i> , <u>p 5</u> ) [must] Veterinarian provides clinical guidance when interventional control is not possible ( <i>Guide</i> , <u>p 5</u> ) [must] Regular communication occurs between veterinarian and IACUC ( <i>Guide</i> , <u>p 14</u> ) Veterinarian(s) have experience and training in species used ( <i>Guide</i> , <u>p 15</u> ) [must] Veterinarian(s) have experience in facility administration/management ( <i>Guide</i> , <u>p 15</u> ) <b>ersonnel Qualifications and Training</b> All personnel are adequately educated, trained, and/or qualified in basic principles of laboratory animal science. Personnel included: [must]	X X X X X X X	M	S	C	NA
•	Veterinary access to all animals is provided ( <i>Guide</i> , <u>p 14</u> ) [must] Direct or delegated authority is given to the veterinarian to oversee all aspects of animal care and use ( <i>Guide</i> , <u>p 14</u> ) [must] Veterinarian provides consultation when pain and distress exceeds anticipated level in protocol ( <i>Guide</i> , <u>p 5</u> ) [must] Veterinarian provides clinical guidance when interventional control is not possible ( <i>Guide</i> , <u>p 5</u> ) [must] Regular communication occurs between veterinarian and IACUC ( <i>Guide</i> , <u>p 14</u> ) Veterinarian(s) have experience and training in species used ( <i>Guide</i> , <u>p 15</u> ) [must] Veterinarian(s) have experience in facility administration/management ( <i>Guide</i> , <u>p 15</u> ) <b>ersonnel Qualifications and Training</b> All personnel are adequately educated, trained, and/or qualified in basic principles of laboratory animal science. Personnel included: [must]	X X X X X X A <sup>*</sup>		S	C	NA
•	Veterinary access to all animals is provided ( <i>Guide</i> , <u>p 14</u> ) [must] Direct or delegated authority is given to the veterinarian to oversee all aspects of animal care and use ( <i>Guide</i> , <u>p 14</u> ) [must] Veterinarian provides consultation when pain and distress exceeds anticipated level in protocol ( <i>Guide</i> , <u>p 5</u> ) [must] Veterinarian provides clinical guidance when interventional control is not possible ( <i>Guide</i> , <u>p 5</u> ) [must] Regular communication occurs between veterinarian and IACUC ( <i>Guide</i> , <u>p 14</u> ) Veterinarian(s) have experience and training in species used ( <i>Guide</i> , <u>p 15</u> ) [must] Veterinarian(s) have experience in facility administration/management ( <i>Guide</i> , <u>p 15</u> ) <b>ersonnel Qualifications and Training</b> All personnel are adequately educated, trained, and/or qualified in basic principles of laboratory animal science. Personnel included: [must] o Veterinary/other professional staff ( <i>Guide</i> , <u>p 15-16</u> )	X X X X X X X A*	M		C	
•	Veterinary access to all animals is provided ( <i>Guide</i> , <u>p 14</u> ) [must] Direct or delegated authority is given to the veterinarian to oversee all aspects of animal care and use ( <i>Guide</i> , <u>p 14</u> ) [must] Veterinarian provides consultation when pain and distress exceeds anticipated level in protocol ( <i>Guide</i> , <u>p 5</u> ) [must] Veterinarian provides clinical guidance when interventional control is not possible ( <i>Guide</i> , <u>p 5</u> ) [must] Regular communication occurs between veterinarian and IACUC ( <i>Guide</i> , <u>p 14</u> ) Veterinarian(s) have experience and training in species used ( <i>Guide</i> , <u>p 15</u> ) [must] Veterinarian(s) have experience in facility administration/management ( <i>Guide</i> , <u>p 15</u> ) <b>ersonnel Qualifications and Training</b> All personnel are adequately educated, trained, and/or qualified in basic principles of laboratory animal science. Personnel included: [must] o Veterinary/other professional staff ( <i>Guide</i> , <u>p 15-16</u> ) o IACUC members ( <i>Guide</i> , <u>p 17</u> )	X X X X X X X X X X X		S	C	NA
•	<ul> <li>Veterinary access to all animals is provided (<i>Guide</i>, p 14) [must]</li> <li>Direct or delegated authority is given to the veterinarian to oversee all aspects of animal care and use (<i>Guide</i>, p 14) [must]</li> <li>Veterinarian provides consultation when pain and distress exceeds anticipated level in protocol (<i>Guide</i>, p 5) [must]</li> <li>Veterinarian provides clinical guidance when interventional control is not possible (<i>Guide</i>, p 5) [must]</li> <li>Regular communication occurs between veterinarian and IACUC (<i>Guide</i>, p 14)</li> <li>Veterinarian(s) have experience and training in species used (<i>Guide</i>, p 15) [must]</li> <li>Veterinarian(s) have experience in facility administration/management (<i>Guide</i>, p 15)</li> <li>ersonnel Qualifications and Training</li> <li>All personnel are adequately educated, trained, and/or qualified in basic principles of laboratory animal science. Personnel included: [must]</li> <li>Veterinary/other professional staff (<i>Guide</i>, p 15-16)</li> <li>IACUC members (<i>Guide</i>, p 17)</li> <li>Animal care personnel (<i>Guide</i>, p 16)</li> <li>Research investigators, instructors, technicians, trainees, and students (<i>Guide</i>, p 16-17)</li> </ul>	X X X X X X X X X X X	M		C	NA
•	<ul> <li>Veterinary access to all animals is provided (<i>Guide</i>, p 14) [must]</li> <li>Direct or delegated authority is given to the veterinarian to oversee all aspects of animal care and use (<i>Guide</i>, p 14) [must]</li> <li>Veterinarian provides consultation when pain and distress exceeds anticipated level in protocol (<i>Guide</i>, p 5) [must]</li> <li>Veterinarian provides clinical guidance when interventional control is not possible (<i>Guide</i>, p 5) [must]</li> <li>Regular communication occurs between veterinarian and IACUC (<i>Guide</i>, p 14)</li> <li>Veterinarian(s) have experience and training in species used (<i>Guide</i>, p 15) [must]</li> <li>Veterinarian(s) have experience in facility administration/management (<i>Guide</i>, p 15)</li> <li>Personnel Qualifications and Training</li> <li>All personnel are adequately educated, trained, and/or qualified in basic principles of laboratory animal science. Personnel included: [must]</li> <li>Veterinary/other professional staff (<i>Guide</i>, p 15-16)</li> <li>IACUC members (<i>Guide</i>, p 16)</li> <li>Research investigators, instructors, technicians, trainees, and students (<i>Guide</i>, pp 16-17)</li> <li>Continuing education for program and research staff provided to ensure high quality</li> </ul>	X X X X X X X X X X X	M			NA
•	<ul> <li>Veterinary access to all animals is provided (<i>Guide</i>, p 14) [must]</li> <li>Direct or delegated authority is given to the veterinarian to oversee all aspects of animal care and use (<i>Guide</i>, p 14) [must]</li> <li>Veterinarian provides consultation when pain and distress exceeds anticipated level in protocol (<i>Guide</i>, p 5) [must]</li> <li>Veterinarian provides clinical guidance when interventional control is not possible (<i>Guide</i>, p 5) [must]</li> <li>Regular communication occurs between veterinarian and IACUC (<i>Guide</i>, p 14)</li> <li>Veterinarian(s) have experience and training in species used (<i>Guide</i>, p 15) [must]</li> <li>Veterinarian(s) have experience in facility administration/management (<i>Guide</i>, p 15)</li> <li>Personnel Qualifications and Training</li> <li>All personnel are adequately educated, trained, and/or qualified in basic principles of laboratory animal science. Personnel included: [must]</li> <li>Veterinary/other professional staff (<i>Guide</i>, p 15-16)</li> <li>IACUC members (<i>Guide</i>, p 17)</li> <li>Animal care personnel (<i>Guide</i>, p 16)</li> <li>Research investigators, instructors, technicians, trainees, and students (<i>Guide</i>, pp 16-17)</li> <li>Continuing education for program and research staff provided to ensure high quality care and reinforce training (<i>Guide</i>, pp 16-17)</li> </ul>	X X X X X X X X X X	M			NA
•	<ul> <li>Veterinary access to all animals is provided (<i>Guide</i>, p 14) [must]</li> <li>Direct or delegated authority is given to the veterinarian to oversee all aspects of animal care and use (<i>Guide</i>, p 14) [must]</li> <li>Veterinarian provides consultation when pain and distress exceeds anticipated level in protocol (<i>Guide</i>, p 5) [must]</li> <li>Veterinarian provides clinical guidance when interventional control is not possible (<i>Guide</i>, p 5) [must]</li> <li>Regular communication occurs between veterinarian and IACUC (<i>Guide</i>, p 14)</li> <li>Veterinarian(s) have experience and training in species used (<i>Guide</i>, p 15) [must]</li> <li>Veterinarian(s) have experience in facility administration/management (<i>Guide</i>, p 15)</li> <li>Personnel Qualifications and Training</li> <li>All personnel are adequately educated, trained, and/or qualified in basic principles of laboratory animal science. Personnel included: [must]</li> <li>Veterinary/other professional staff (<i>Guide</i>, p 15-16)</li> <li>IACUC members (<i>Guide</i>, p 16)</li> <li>Research investigators, instructors, technicians, trainees, and students (<i>Guide</i>, pp 16-17)</li> <li>Continuing education for program and research staff provided to ensure high quality care and reinforce training (<i>Guide</i>, pp 16-17)</li> <li>Training is available prior to starting animal activity (<i>Guide</i>, p 17)</li> </ul>	X X X X X X X X X X X X X X X	M			
• • • • •	<ul> <li>Veterinary access to all animals is provided (<i>Guide</i>, p 14) [must]</li> <li>Direct or delegated authority is given to the veterinarian to oversee all aspects of animal care and use (<i>Guide</i>, p 14) [must]</li> <li>Veterinarian provides consultation when pain and distress exceeds anticipated level in protocol (<i>Guide</i>, p 5) [must]</li> <li>Veterinarian provides clinical guidance when interventional control is not possible (<i>Guide</i>, p 5) [must]</li> <li>Regular communication occurs between veterinarian and IACUC (<i>Guide</i>, p 14)</li> <li>Veterinarian(s) have experience and training in species used (<i>Guide</i>, p 15) [must]</li> <li>Veterinarian(s) have experience in facility administration/management (<i>Guide</i>, p 15)</li> <li><b>ersonnel Qualifications and Training</b></li> <li>All personnel are adequately educated, trained, and/or qualified in basic principles of laboratory animal science. Personnel included: [must]</li> <li>Veterinary/other professional staff (<i>Guide</i>, p 15-16)</li> <li>IACUC members (<i>Guide</i>, p 16)</li> <li>Research investigators, instructors, technicians, trainees, and students (<i>Guide</i>, pp 16-17)</li> <li>Continuing education for program and research staff provided to ensure high quality care and reinforce training (<i>Guide</i>, pp 16-17)</li> <li>Training is available prior to starting animal activity (<i>Guide</i>, p 17)</li> </ul>	X X X X X X X X X X X	M			
• • • • • •	<ul> <li>Veterinary access to all animals is provided (<i>Guide</i>, <u>p</u> 14) [must]</li> <li>Direct or delegated authority is given to the veterinarian to oversee all aspects of animal care and use (<i>Guide</i>, <u>p</u> 14) [must]</li> <li>Veterinarian provides consultation when pain and distress exceeds anticipated level in protocol (<i>Guide</i>, <u>p</u> 5) [must]</li> <li>Veterinarian provides clinical guidance when interventional control is not possible (<i>Guide</i>, <u>p</u> 5) [must]</li> <li>Regular communication occurs between veterinarian and IACUC (<i>Guide</i>, <u>p</u> 14)</li> <li>Veterinarian(s) have experience and training in species used (<i>Guide</i>, <u>p</u> 15) [must]</li> <li>Veterinarian(s) have experience in facility administration/management (<i>Guide</i>, <u>p</u> 15)</li> <li>ersonnel Qualifications and Training</li> <li>All personnel are adequately educated, trained, and/or qualified in basic principles of laboratory animal science. Personnel included: [must]</li> <li>Veterinary/other professional staff (<i>Guide</i>, <u>p</u> 15-16)</li> <li>IACUC members (<i>Guide</i>, <u>p</u> 16)</li> <li>Research investigators, instructors, technicians, trainees, and students (<i>Guide</i>, <u>pp</u> 16-17)</li> <li>Continuing education for program and research staff provided to ensure high quality care and reinforce training (<i>Guide</i>, <u>pp</u> 16-17)</li> <li>Training is available prior to starting animal activity (<i>Guide</i>, <u>p</u> 17)</li> <li>Training is documented (<i>Guide</i>, <u>p</u> 15)</li> <li>Training program content includes: (<i>Guide</i>, <u>p</u> 17)</li> </ul>	X X X X X X X X X X X X X X X	M			
• • • • • •	Veterinary access to all animals is provided ( <i>Guide</i> , <u>p</u> 14) [must] Direct or delegated authority is given to the veterinarian to oversee all aspects of animal care and use ( <i>Guide</i> , <u>p</u> 14) [must] Veterinarian provides consultation when pain and distress exceeds anticipated level in protocol ( <i>Guide</i> , <u>p</u> 5) [must] Veterinarian provides clinical guidance when interventional control is not possible ( <i>Guide</i> , <u>p</u> 5) [must] Regular communication occurs between veterinarian and IACUC ( <i>Guide</i> , <u>p</u> 14) Veterinarian(s) have experience and training in species used ( <i>Guide</i> , <u>p</u> 15) [must] Veterinarian(s) have experience in facility administration/management ( <i>Guide</i> , <u>p</u> 15) <b>ersonnel Qualifications and Training</b> All personnel are adequately educated, trained, and/or qualified in basic principles of laboratory animal science. Personnel included: [must] • Veterinary/other professional staff ( <i>Guide</i> , <u>p</u> 15-16) • IACUC members ( <i>Guide</i> , <u>p</u> 17) • Animal care personnel ( <i>Guide</i> , <u>p</u> 16) • Research investigators, instructors, technicians, trainees, and students ( <i>Guide</i> , <u>pp</u> 16-17) Continuing education for program and research staff provided to ensure high quality care and reinforce training ( <i>Guide</i> , <u>pp</u> 16-17) Training is available prior to starting animal activity ( <i>Guide</i> , <u>p</u> 17) • Methods for reporting concerns ( <i>Guide</i> , <u>p</u> 17)	X X X X X X X X X X X X X X	M			
• • • • • •	Veterinary access to all animals is provided ( <i>Guide</i> , p 14) [must] Direct or delegated authority is given to the veterinarian to oversee all aspects of animal care and use ( <i>Guide</i> , p 14) [must] Veterinarian provides consultation when pain and distress exceeds anticipated level in protocol ( <i>Guide</i> , p 5) [must] Veterinarian provides clinical guidance when interventional control is not possible ( <i>Guide</i> , p 5) [must] Regular communication occurs between veterinarian and IACUC ( <i>Guide</i> , p 14) Veterinarian(s) have experience and training in species used ( <i>Guide</i> , p 15) [must] Veterinarian(s) have experience in facility administration/management ( <i>Guide</i> , p 15) <b>ersonnel Qualifications and Training</b> All personnel are adequately educated, trained, and/or qualified in basic principles of laboratory animal science. Personnel included: [must] • Veterinary/other professional staff ( <i>Guide</i> , p 15-16) • IACUC members ( <i>Guide</i> , p 17) • Animal care personnel ( <i>Guide</i> , p 16) • Research investigators, instructors, technicians, trainees, and students ( <i>Guide</i> , pp 16-17) Continuing education for program and research staff provided to ensure high quality care and reinforce training ( <i>Guide</i> , p 15) Training is available prior to starting animal activity ( <i>Guide</i> , p 17) Training is documented ( <i>Guide</i> , p 15) Training program content includes: ( <i>Guide</i> , p 17) • Methods for reporting concerns ( <i>Guide</i> , p 17) • Humane practices of animal care (e.g., housing, husbandry, handling) x <sup>ii</sup>	X X X X X X X X X X X X X X X X X	M			
• • • • • •	Veterinary access to all animals is provided ( <i>Guide</i> , p 14) [must] Direct or delegated authority is given to the veterinarian to oversee all aspects of animal care and use ( <i>Guide</i> , p 14) [must] Veterinarian provides consultation when pain and distress exceeds anticipated level in protocol ( <i>Guide</i> , p 5) [must] Veterinarian provides clinical guidance when interventional control is not possible ( <i>Guide</i> , p 5) [must] Regular communication occurs between veterinarian and IACUC ( <i>Guide</i> , p 14) Veterinarian(s) have experience and training in species used ( <i>Guide</i> , p 15) [must] Veterinarian(s) have experience in facility administration/management ( <i>Guide</i> , p 15) <b>ersonnel Qualifications and Training</b> All personnel are adequately educated, trained, and/or qualified in basic principles of laboratory animal science. Personnel included: [must] • Veterinary/other professional staff ( <i>Guide</i> , p 15-16) • IACUC members ( <i>Guide</i> , p 16) • Research investigators, instructors, technicians, trainees, and students ( <i>Guide</i> , pp 16-17) Continuing education for program and research staff provided to ensure high quality care and reinforce training ( <i>Guide</i> , p 16-17) Training is available prior to starting animal activity ( <i>Guide</i> , p 17) Training is available prior to starting animal activity ( <i>Guide</i> , p 17) Training program content includes: ( <i>Guide</i> , p 17) • Methods for reporting concerns ( <i>Guide</i> , p 17) • Humane practices of animal care (e.g., housing, husbandry, handling) x <sup>ii</sup> • Humane practices of animal use (e.g., research procedures, use of anesthesia, pre-	X X X X X X X X X X X X X X X X X X	M			
• • • • • •	Veterinary access to all animals is provided ( <i>Guide</i> , p 14) [must] Direct or delegated authority is given to the veterinarian to oversee all aspects of animal care and use ( <i>Guide</i> , p 14) [must] Veterinarian provides consultation when pain and distress exceeds anticipated level in protocol ( <i>Guide</i> , p 5) [must] Veterinarian provides clinical guidance when interventional control is not possible ( <i>Guide</i> , p 5) [must] Regular communication occurs between veterinarian and IACUC ( <i>Guide</i> , p 14) Veterinarian(s) have experience and training in species used ( <i>Guide</i> , p 15) [must] Veterinarian(s) have experience in facility administration/management ( <i>Guide</i> , p 15) <b>ersonnel Qualifications and Training</b> All personnel are adequately educated, trained, and/or qualified in basic principles of laboratory animal science. Personnel included: [must] • Veterinary/other professional staff ( <i>Guide</i> , p 15-16) • IACUC members ( <i>Guide</i> , p 17) • Animal care personnel ( <i>Guide</i> , p 16) • Research investigators, instructors, technicians, trainees, and students ( <i>Guide</i> , pp 16-17) Continuing education for program and research staff provided to ensure high quality care and reinforce training ( <i>Guide</i> , p 15) Training is available prior to starting animal activity ( <i>Guide</i> , p 17) Training is documented ( <i>Guide</i> , p 15) Training program content includes: ( <i>Guide</i> , p 17) • Methods for reporting concerns ( <i>Guide</i> , p 17) • Humane practices of animal care (e.g., housing, husbandry, handling) x <sup>ii</sup>	X X X X X X X X X X X X X X X X X	M			

						1
	(PHS Policy, <u>IV.A.1.q.</u> )					
	<ul> <li>Research/testing methods that minimize animal pain or distress (PHS Policy,</li> </ul>	X				
	<u>IV.A.1.q.</u> )					
	• Use of hazardous agents, including access to OSHA chemical hazard notices where	X				
	applicable ( <i>Guide</i> , <u>p 20</u> )					
	<ul> <li>Animal care and use legislation (Guide, p 17)</li> </ul>	X				
	<ul> <li>IACUC function (Guide, p 17)</li> </ul>	X				
	<ul> <li>Ethics of animal use and Three R's (Guide, <u>p 17</u>)</li> </ul>	X				
		. *	••	_	_	
10.	Occupational Health and Safety of Personnel	<b>A</b> *	Μ	S	С	NA
•	Program is in place and is consistent with federal, state, and local regulations (Guide, g	X				
	<u>17</u> ) [must]					
•	Program covers all personnel who work in laboratory animal facilities (Guide, p 18)	<b>X</b> <sup>5</sup>				
•	Changing, washing, and showering facilities are available as appropriate (Guide, p 19)	X				
•	Hazardous facilities are separated from other areas and identified as limited access	X				
	(Guide, <u>p 19</u> )					
•	Personnel training is provided based on risk (e.g., zoonoses, hazards, personal	X				
	hygiene, special precautions, animal allergies) (Guide, <u>p 20</u> )	<u> </u>				
•	Personal hygiene procedures are in place (e.g., work clothing, eating/drinking/smoking	X				
	policies) ( <i>Guide</i> , <u>p 20</u> )	<u> </u>				ļ
•	Procedures for use, storage, and disposal of hazardous biologic, chemical, and physical	X				
	agents are in place (Guide, p 21)	<u> </u>				ļ
•	Personal Protective Equipment for the work area is appropriate and available (Guide, p	X				
	21)					
•	Program for medical evaluation and preventive medicine for personnel includes:					
	<ul> <li>Pre-employment evaluation including health history (Guide, p 22)</li> </ul>	X				
	<ul> <li>Immunizations as appropriate (e.g., rabies, tetanus) and tests as appropriate</li> </ul>	X				
	(Guide, <u>p 22)</u>	<u> </u>				
	• Zoonosis surveillance as appropriate (e.g., Q-fever, tularemia, Hantavirus, plague)	X				
	(Guide, <u>p 23</u> )					
	• Procedures for reporting and treating injuries, including accidents, bites, allergies,	X				
	etc. ( <i>Guide</i> , <u>p 23</u> )	<u> </u>				
	• Promotes early diagnosis of allergies including preexisting conditions ( <i>Guide</i> , <u>p 22</u> )					
	• Considers confidentiality and other legal factors as required by federal, state and	X				
	local regulations (Guide, p 22) [must]					
•	Waste anesthetic gases are scavenged (Guide, p 21)	X <sup>6</sup>				
•	Hearing protection is provided in high noise areas (Guide, p 22)	X				
•	Respiratory protection is available when performing airborne particulate work (Guide, g	X				
	<u>22)</u>					
•	Special precautions for personnel who work with nonhuman primates, their tissues or					
	body fluids include:	V				
	• Tuberculosis screening provided for all exposed personnel ( <i>Guide</i> , <u>p 23</u> )	X				
	<ul> <li>Training and implementation of procedures for bites, scratches, or injuries</li> </ul>	x				
	associated with macaques ( <i>Guide</i> , <u>p 23</u> )					
	<ul> <li>PPE is provided including gloves, arm protection, face masks, face shields, or</li> </ul>	x				
	goggles ( <i>Guide</i> , <u>p 21</u> )					
	<ul> <li>Injuries associated with macaques are carefully evaluated and treatment</li> </ul>	x				
	implemented (Guide, p 23)					
•	Occupational safety and health of field studies is reviewed by EH&S, and/or Occ.Health Physician, and/or OACU Staff ( <i>Guide</i> , $p 32$ )	X				
11.	Personnel Security	۸*	м	s	С	NA
•	Preventive measures in place include pre-employment screening, and physical and IT					
	security ( <i>Guide</i> , $p 23$ )	<b>X</b> <sup>7</sup>				
				-	-	
12.	Investigating & Reporting Animal Welfare Concerns	<b>A</b> *	Μ	S	С	NA
•	Methods for investigating and reporting animal welfare concerns are established	x				
	(Guide, p 23) [must]	<u> </u>				
•	Reported concerns and corrective actions are documented ( <i>Guide</i> , <u>p.24</u> )	X				
•	Mechanisms for reporting concerns are posted in facility and at applicable website with	X				

instructions ( <i>Guide</i> , <u>p_24</u> )			
<ul> <li>Includes multiple contacts (<i>Guide</i>, <u>p 24</u>)</li> </ul>	Χ		
<ul> <li>Includes anonymity, whistle blower policy, nondiscrimination and reprisal</li> </ul>	Χ		
protection ( <i>Guide</i> , <u>p 24</u> )			

```
A = acceptable
```

- $\mathbf{S}$  = significant deficiency (is or may be a threat to animal health or safety)
- C = change in program (PHS Policy <u>IV.A.1.a.-i.</u>) (include in semiannual report to IO and in annual report to OLAW)
- **NA** = not applicable

#### NOTES:

- 1. Section 2. Disaster Planning and Emergency Preparedness (Plans include triage plans to meet institutional and investigators' needs) (change in program):
  - has developed a flow chart with tiered response preparation for plan and unplanned events.
- 2. Section 3. IACUC. (Continuing IACUC oversight after initial protocol approval is in place) (change in program):

A new Post Approval Monitoring (PAM) Policy was approved by the ACUC (May 2020).

**3.** Section **5.** IACUC Membership and Functions. (Policies are in place for special procedures (e.g., genetically modified animals, restraint, multiple survival surgery, food and fluid regulation, field investigations) (*change in program*):

The Animal Care and Use Program Policy was revised and approved by the ACUC to include a definition of field studies (June 2020).

4. Section. 9 Personnel Qualifications and Training (All personnel are adequately educated, trained, and/or qualified in basic principles of laboratory animal science. Personnel included: Research investigators, instructors, technicians, trainees, and students) (change in program):

The Training and Education Policy was revised to reflect the "Working with the IACUC" CITI module training to be completed by research personnel once every 5 years (May 2020).

#### 5. Section 10. Occupational Health and Safety of Personnel

(Program covers *all* personnel who work in laboratory animal facilities):

The reported that classification of visitors to labs and associated University liability needs to be clearly defined. It is suggested by the AV reported that covers all visitors counsel take a look at the current visitor waiver form and consider coming up with a form that covers all visitors coming into the animal facilities (i.e. visiting scholar, volunteer, contractor, etc). The Visitor Policy should be reviewed and edited. An update will be provided at the next semi-annual program review.

- 6. Section 10. Occupational Health and Safety of Personnel (Waste anesthetic gases are scavenged): Waste anesthetic gases are scavenged. has monitoring in place but plans to implement a badge monitoring system in areas where anesthetic gases are used. An update will be provided at the next semi-annual program review.
- **7. Section 11. Personnel Security** (Preventive measures in place include pre-employment screening, and physical and IT security):

continues to work with UCPD to improve efficiency of security measures and ensure that all appropriate individuals have access consistently.

**M** = minor deficiency

## **Veterinary Care**

### Date: August 19, 2020

1.	Clir	nical Care and Management	<b>A</b> *	Μ	S	С	NA
	•	Veterinary program offers high quality of care and ethical standards ( <i>Guide</i> , <u>p 105</u> ) [must]	X				
	•	Veterinarian provides guidance to all personnel to ensure appropriate husbandry, handling, treatment, anesthesia, analgesia, and euthanasia ( <i>Guide</i> , <u>p 106</u> )	X				
		Veterinarian provides oversight to surgery and perioperative care ( <i>Guide</i> , <u>p 106</u> )	X				
		Veterinary care program is appropriate for program requirements (Guide, pp 113-114)					
	•	Veterinarian(s) is familiar with species and use of animals and has access to medical and experimental treatment records ( <i>Guide</i> , <u>p 114</u> )	X				
	•	Procedures to triage and prioritize incident reports are in place (Guide, p 114)	Х				
	•	Procedures are in place to address:					
		<ul> <li>Problems with experiments to determine course of treatment in consultation with investigator(<i>Guide</i>, <u>p 114</u>)</li> </ul>	x				
		<ul> <li>Recurrent or significant health problems with the IACUC and documentation of treatments and outcomes (<i>Guide</i>, <u>p 114</u>)</li> </ul>	x				
		• Veterinary review and oversight of medical and animal use records (Guide, p 115)	X				
		Procedures established for timely reporting of animal injury, illness, or disease ( <i>Guide</i> , <u>p 114</u> ) [must]	x				
		Procedures established for veterinary assessment, treatment, or euthanasia (Guide, $p 114$ ) [must]	X				
		Veterinarian is authorized to treat, relieve pain, and/or euthanize ( <i>Guide</i> , <u>p 114</u> ) [must]	X				
2.		imal Procurement and Transportation/Preventive Medicine	<b>A</b> *	М	s	С	NA
		Procedures for lawful animal procurement are in place (Guide, p 106) [must]	X				
		Sufficient facilities and expertise are confirmed prior to procurement (Guide, p 106)	X				
		Procurement is linked to IACUC review and approval (Guide, p 106)	X				
<u> </u>		Population status of wildlife species is considered prior to procurement ( <i>Guide</i> , <u>p 106</u> )					
<u> </u>		Appropriate records are maintained on animal acquisition ( <i>Guide</i> , <u>p 106</u> )	X				
<u> </u>		Animal vendors are evaluated to meet program needs and quality ( <i>Guide</i> , <u>p 106</u> )	X				
		Breeding colonies are based on need and managed to minimize numbers ( <i>Guide</i> , $p = 107$ )	X				
		Procedures for compliance with animal transportation regulations, including international requirements, are in place ( <i>Guide</i> , <u>p 107</u> ) [must]	X				
			X				
		Movement of animals is planned to minimize transit time and deliveries are planned to	X				
		ensure receiving personnel are available (Guide, pp 107-108)					
<u> </u>		Appropriate loading and unloading facilities are available ( <i>Guide</i> , <u>p 109</u> )	X				
<b> </b>		Environment at receiving site is appropriate (Guide, p 109)	X				
		Policies in place on separation by species, source, and health status ( <i>Guide</i> , <u>pp 109</u> , <u>111-112</u> )	X				
<u> </u>		Procedures in place for quarantine to include zoonoses prevention ( <i>Guide</i> , <u>p 110</u> )	X				
		Quarantined animals from different shipments are handled separately or physically separated ( <i>Guide</i> , <u>p 110</u> )	X				
		Procedures in place for stabilization/acclimation (Guide, pp 110-111)	X				
		Policies in place for isolation of sick animals (Guide, p 112)	X				
		Program is in place for surveillance, diagnosis, treatment and control of disease to include daily observation ( <i>Guide</i> , <u>p 112</u> )	X				
	•	Diagnostic resources are available for preventive health program ( <i>Guide</i> , <u>p 112</u> )	X				
3.		rgery	$\mathbf{A}^*$	Μ	S	С	NA
		Surgical outcomes are assessed and corrective changes instituted (Guide, p 115)	X				
		Researchers have appropriate training to ensure good technique ( <i>Guide</i> , <u>p 115</u> ) [must]	x				
		Pre-surgical plans are developed and include veterinary input (e.g., location, supplies, anesthetic and analgesic use, peri-operative care, recordkeeping) ( <i>Guide</i> , <u>p 116</u> )	X				
		Aseptic surgery is conducted in dedicated facilities or spaces, unless exception justified	X				

			1			-	
L		and IACUC approved (Guide, p 116)				<u> </u>	
	•	Surgical procedures including laparoscopic procedures are categorized as major or minor ( <i>Guide</i> , <u>pp 117-118</u> )	x				
	•	For nonsurvival surgery, the site is clipped, gloves are worn and instruments and area are clean ( $Guide$ , <u>p 118</u> )	x				
	•	Aseptic technique is followed for survival surgical procedures (Guide, pp 118-119)	Х				
	•	Effective procedures for sterilizing instruments and monitoring expiration dates on sterile packs are in place ( <i>Guide</i> , <u>p 119</u> )		<b>X</b> <sup>8</sup>			
	•	Procedures for monitoring surgical anesthesia and analgesia are in place ( <i>Guide</i> , $p$ 119)	X				
	•	For aquatic species, skin surfaces are kept moist during surgical procedures ( <i>Guide</i> , <u>p</u> 119)	X				
	•	Post-operative monitoring and care are provided by trained personnel and documented (e.g., thermoregulation, physiologic function, analgesia, infection, removal of skin closures) ( <i>Guide</i> , pp 119-120)	X				
4.	Pa	in, Distress, Anesthesia and Analgesia	<b>A</b> *	м	S	С	NA
	•	Guidelines for assessment and categorization of pain, distress and animal wellbeing are provided during training ( <i>Guide</i> , p 121)	X				
	•		X				
	٠	Painful procedures are monitored to ensure appropriate analgesic management ( <i>Guide</i> , <u>p 122</u> )	X				
	•	Nonpharmacologic control of pain is considered as an element of postprocedural care ( <i>Guide</i> , $p$ 122)	X				
	•	Procedures are in place to assure antinociception before surgery begins ( <i>Guide</i> , <u>p</u> <u>122</u> ) [must]	X				
	•	Guidelines for selection and use of analgesics and anesthetics are in place and regularly reviewed and updated ( <i>Guide</i> , <u>p 122</u> )	X				
	•	Special precautions for the use of paralytics are in place to ensure anesthesia <sup>xiv</sup> (Guide, <u>p 123</u> )	X				
5.	Eu	thanasia	<b>A</b> *	М	S	С	NA
	•	Methods are consistent with AVMA Guidelines on Euthanasia unless approved by the IACUC ( <i>Guide</i> , <u>p 123</u> )				X9	
	•	that avoid distress and consider animal age and species (Guide, pp 123-124)	X				
	•	psychological stress to personnel (Guide, p 124)	X				
	•	Procedures and training are in place to ensure death is confirmed ( <i>Guide</i> , <u>p 124</u> ) [must]	x				
6.	Dr	ug Storage and Control	<b>A</b> *	м	S	С	NA
	•		x				
	•	Drug records and storage procedures are reviewed during facility inspections (Guide, $\underline{p}$ 115)	X				
	•	expiration date (Guide, p 122) [must]	x				
	•	recorded legally and safely (Guide, p 122)	X				
NC	DTES:						
	8.	<b>Veterinary Care Section 3. Surgery:</b> (procedures for sterilizing instruments and m dates on sterile packs are in place) ( <i>minor</i> )	nonit	oring	exp	irati	on
		Autoclaves in areas not maintained by are not consistently monitored.	wil	l woi	rk w	ith	

and **second second second** to identify all autoclaves in use for animal-related studies so that appropriate monitoring procedures can be put in place. Follow-up will be provided at the next semiannual program review.

**9. Veterinary Care Section 5. Euthanasia** (Methods are consistent with AVMA Guidelines on Euthanasia unless approved by the IACUC) (*change in program*):

Euthanasia guidelines were updated to include revisions to the 2020 AVMA Guidelines on Euthanasia.

# **II. Semiannual Facility Inspection Checklist** (as adapted from OLAW)

### **Terrestrial Animal Housing and Support Areas**

## Date: August 19, 2020

#### **Location: Campus Animal Facilities**

		<b>A</b> *	Μ	S	С	NA
•	Location:					
	o animal areas separate from personnel areas (Guide, p 134)	X				
	<ul> <li>separation of species (Guide, p 111)</li> </ul>	Х				
	<ul> <li>separation by disease status (Guide, p 111)</li> </ul>	X				
	<ul> <li>security and access control (Guide, p 151)</li> </ul>	Х				
•	Construction:					
	o corridors (Guide, p 136)	Х				
	o animal room doors ( <i>Guide</i> , <u>p 137</u> )	X				
	o exterior windows (Guide, p 137)	Х				
	o floors (Guide, p 137)	Х				
	o drainage (Guide, p 138)	X				
	• walls and ceilings (Guide, p 138)	Х				
	• heating ventilation and air conditioning (Guide, p 139)	Х				
	<ul> <li>power and lighting (Guide, p 141)</li> </ul>	Х				
	o noise control (Guide, p 142)	X				
	<ul> <li>vibration control (Guide, p 142))</li> </ul>	X				<u> </u>
	<ul> <li>environmental monitoring (Guide, p 143)</li> </ul>	X				<u> </u>
•	Room/Cage:					
	<ul> <li>temperature and humidity (<i>Guide</i>, <u>p 43</u>)</li> </ul>	X				
	<ul> <li>ventilation and air quality (Guide, p 45)</li> </ul>	X				
	<ul> <li>illumination (Guide, p 47)</li> </ul>	X				
	<ul> <li>noise and vibration (<i>Guide</i>, <u>p 49</u>)</li> </ul>	X				
•	Primary Enclosure:					
	<ul> <li>space meets physiologic, behavioral <sup>xv</sup>, and social<sup>xvi</sup> needs (<i>Guide</i>, <u>pp 51</u>, <u>55-63</u>)</li> </ul>	X				
	<ul> <li>secure environment provided (<i>Guide</i>, <u>p 51</u>)</li> </ul>	X				
	<ul> <li>durable, nontoxic materials in good repair and no risk of injury (<i>Guide</i>, <u>p 51</u>)</li> </ul>	x				<u> </u>
	<ul> <li>flooring is safe and appropriate for species (<i>Guide</i>, <u>p 51</u>)</li> </ul>	x				
	<ul> <li>adequate bedding and structures for resting, sleeping, breeding (<i>Guide</i>, <u>p 52</u>)</li> </ul>	x				<u> </u>
	<ul> <li>objective assessments of housing and management are made (<i>Guide</i>, <u>p 52</u>)</li> </ul>	x				
	<ul> <li>procedures for routine husbandry are documented (<i>Guide</i>, <u>p 52</u>)</li> </ul>	x				
	$\circ$ socially housed animals can escape or hide to avoid aggression ( <i>Guide</i> , <u>p 55</u> )	x				
	<ul> <li>cage height provides adequate clearance (<i>Guide</i>, <u>p 56</u>)</li> </ul>	x				
	<ul> <li>animals express natural postures, can turn around, access food and water, and</li> </ul>	x				
	rest away from urine and feces ( <i>Guide</i> , <u>p 56</u> ) [must]	^				
	<ul> <li>rationale<sup>xvii</sup> for <i>Guide</i>/USDA space exceptions approved by IACUC and based on</li> </ul>	x				
	performance indices ( <i>Guide</i> , <u>p 56</u> )	^				
	<ul> <li>nonhuman primates are socially housed except for scientific, veterinary or</li> </ul>	x				
	behavior reasons ( <i>Guide</i> , <u>pp 58-59</u> )	^				
	<ul> <li>single housing of nonhuman primates is for shortest duration possible (<i>Guide</i>, <u>p</u>)</li> </ul>	x				
	(0) single housing of homitation primates is for shortest duration possible ( $0u/dc, p$	^				
	<ul> <li>o opportunities for release into larger enclosures is considered for single caged</li> </ul>	x				+
	nonhuman primates ( <i>Guide</i> , <u>p 60</u> )	^				
-	Environmental Enrichment, Behavioral and Social Management:				L	
-	<ul> <li>structures and resources promote species typical behavior (<i>Guide</i>, <u>pp 52-54</u>)</li> </ul>	X				
		Â				
		^				
	developed and reviewed regularly by IACUC, researchers and veterinarian					
	(Guide, pp 53, 58, 60, 63)	v			<u> </u>	+
	<ul> <li>animal care personnel receive training to identify abnormal animal behaviors</li> </ul>	X				

	(Guide, <u>p 53</u> )	
	stability of pairs or groups is monitored for incompatibility ( <i>Guide</i> , <u>p 64</u> )	X
(	single housing is justified for social species ( <i>Guide</i> , <u>p 64</u> )	X
(	single housing is limited to the minimum period necessary ( <i>Guide</i> , $p \frac{64}{2}$ )	X
(	additional enrichment for single housed animals is provided ( <i>Guide</i> , <u>p 64</u> )	X
(	single housing is reviewed regularly by IACUC and veterinarian ( <i>Guide</i> , <u>p 64</u> )	X
(	habituation to routine procedures is part of enrichment program ( <i>Guide</i> , <u>p 64</u> )	X
	Sheltered or Outdoor Housing: (e.g., barns, corrals, pastures, islands)	
	weather protection and opportunity for retreat ( <i>Guide</i> , <u>p 54</u> ) [must]	X
(	appropriate size ( <i>Guide</i> , <u>p 54</u> )	X
(	ventilation and sanitation of shelter (no waste/moisture build-up) ( <i>Guide</i> , <u>p 54</u> )	X
(	animal acclimation ( <i>Guide</i> , <u>p 55</u> )	X
	social compatibility ( <i>Guide</i> , $p 55$ )	X
	appropriate security ( <i>Guide</i> , <u>p 55</u> )	X
	Naturalistic Environments:	
	animals added /removed with consideration of effect on group ( <i>Guide</i> , $p$ 55)	X
	adequate food, fresh water, and shelter ensured ( <i>Guide</i> , <u>p 55</u> )	X
	Food:	
	feeding schedule and procedures including caloric intake management ( <i>Guide</i> , pp	X
	<u>65-67</u> )	
(	contamination prevention ( <i>Guide</i> , <u>p 65</u> )	X
	vendor quality control ( <i>Guide</i> , <u>p 66</u> )	X
	storage in sealed containers ( <i>Guide</i> , <u>p 66</u> )	X
	expiration date labeling ( <i>Guide</i> , $\underline{p}$ <u>66</u> )	X
	vermin control ( <i>Guide</i> , <u>p 66</u> )	X
	o rotation of stocks ( <i>Guide</i> , <u>p 66</u> )	X
	Water:	
	ad libitum unless justified ( <i>Guide</i> , <u>pp 67-68</u> )	X
(	QC procedures (Guide, pp 67-68)	X
•	Bedding and Nesting Materials:	
	species appropriate ( <i>Guide</i> , <u>pp 68-69</u> )	X
(	keeps animals dry ( <i>Guide</i> , <u>pp 68-69</u> )	X
(	QC procedures ( <i>Guide</i> , pp 68-69)	X
(	minimizes scientific variables ( <i>Guide</i> , <u>pp 68-69</u> )	X
• 5	Sanitation:	
	frequency of bedding/substrate change (Guide, p 70)	X
(	cleaning and disinfection of microenvironment ( <i>Guide</i> , <u>pp 70-71</u> )	X
(	cleaning and disinfection of macroenvironment (Guide, p 72)	X
(	assessing effectiveness ( <i>Guide</i> , <u>p 73</u> )	X
•	Waste Disposal:	· _ · _ · _ /
	procedures for collection ( <i>Guide</i> , <u>pp 73-74</u> )	X
	procedures for storage and disposal ( <i>Guide</i> , <u>pp 73-74</u> )	X
(	hazardous wastes are rendered safe before removal from facility (Guide, pp 73-	X
	<u>74</u> ) [must]	
	animal carcasses (Guide, pp 73-74)	X
•	Pest Control:	
	Begular monitoring (Guide, <u>p 74</u> )	X
0	documented program including control of rodent pests and insecticide use	X
	(Guide, <u>p 74</u> )	
•	Emergency, Weekend, and Holiday Animal Care:	
	care provided by qualified personnel every day ( <i>Guide</i> , <u>p</u> 74)	X
	provision for accessible contact information ( <i>Guide</i> , <u>p.74</u> )	X
	monitoring of backup systems ( <i>Guide</i> , <u>p 143</u> )	X
0	veterinary care available after hours, weekends, and holidays (Guide, pp 74,	X
	<u>114</u> ) [must]	
		X
• ]	Identification:	
(	cage/rack cards contain required information (Guide, p 75)	X
(	genotype information included and standardized nomenclature used when	X

applicable (Guide, p <u>75</u> )		
	X	
clinical records accessible and contain appropriate information (Guide, pp 75-76)	X	
records are provided when animals are transferred between institutions ( <i>Guide</i> , <u>p</u> <u>75</u> )	2 X	
eding Genetics and Nomenclature:		
appropriate genetic records, management and monitoring procedures ( <i>Guide</i> , $p = 76$ )		X10
		Xsee
		10
	X	
adequate space for equipment, supplies, food, bedding and refuse (Guide, p 141)	) <b>X</b>	
bedding in vermin-free area and protected from contamination(Guide, p 141)	X	
food in vermin-free, temperature and humidity controlled area and protected	X	
	Y	
	× ×	
	^	
	X	
adequate space for locker rooms, administration and training (Guide, p 135)	X	
	cordkeeping: clinical records accessible and contain appropriate information ( <i>Guide</i> , <u>pp 75-76</u> ) records are provided when animals are transferred between institutions ( <i>Guide</i> , <u>p</u> 75) eeding Genetics and Nomenclature: appropriate genetic records, management and monitoring procedures ( <i>Guide</i> , <u>p</u> 76) phenotypes that affect wellbeing are reported to IACUC and effectively managed ( <i>Guide</i> , <u>p 77</u> ) orage: adequate space for equipment, supplies, food, bedding and refuse ( <i>Guide</i> , <u>p 141</u> ) bedding in vermin-free area and protected from contamination( <i>Guide</i> , <u>p 141</u> )	cordkeeping:Xclinical records accessible and contain appropriate information ( <i>Guide</i> , pp 75-76)Xrecords are provided when animals are transferred between institutions ( <i>Guide</i> , pX75)Seding Genetics and Nomenclature:appropriate genetic records, management and monitoring procedures ( <i>Guide</i> , p76)76)76)phenotypes that affect wellbeing are reported to IACUC and effectively managed ( <i>Guide</i> , p 77)Xadequate space for equipment, supplies, food, bedding and refuse ( <i>Guide</i> , p 141)Xbedding in vermin-free area and protected from contamination( <i>Guide</i> , p 141)Xfood in vermin-free, temperature and humidity controlled area and protectedXfrom contamination ( <i>Guide</i> , p 141)Xcarcass and animal tissue storage is separate, refrigerated below 7°C and cleanable ( <i>Guide</i> , p 141)X

**S** = significant deficiency (is or may be a threat to animal health or safety)

C = change in program (PHS Policy <u>IV.A.1.a.-i.</u>) (include in semiannual report to IO and in annual report to OLAW)NA = not applicable

#### NOTES:

10. Breeding Genetics and Nomenclature: (appropriate genetic records, management and monitoring procedures; phenotypes that affect wellbeing are reported to IACUC and effectively managed): (change in program)

The Animal Use Protocol (AUP) form was updated to clarify phenotypes and strains that may require additional support and care.

## Aquatic Animal Housing and Support Areas (as adapted from OLAW)

#### Date: August 19, 2020 Location: Campus Animal Facilities

Location:     animal areas separate from personnel areas (Guide, p.134)     separation of species (Guide, p.111)     security and access control (Guide, p.111)     security and access control (Guide, p.151)     Construction:     corridors (Guide, p.135)     corridors (Guide, p.137)     control (Guide, p.137)     construction:     corridors (Guide, p.137, 150)     x      construction:     corridors (Guide, p.138, 150)     construction:     constr				<b>A</b> *	Μ	S	С	NA
• separation of species (Guide, p.111)       X         • separation by disease status (Guide, p.151)       X         • Construction:       • corridors (Guide, p.136)       X         • corridors (Guide, p.137)       X       •         • exterior windows (Guide, p.137)       X       •         • exterior windows (Guide, p.137, 150)       X       •         • exterior windows (Guide, p.137, 150)       X       •         • of rainage (Guide, p.138, 150)       X       •         • walls and cellings (Guide, p.138, 150)       X       •         • mails and cellings (Guide, p.142)       X       •         • noise control (Guide, p.142)       X       •         • noise control (Guide, p.142)       X       •         • vibration control (Guide, p.142)       X       •         • othorine, chloramines, chemical, and reactive bioproducts are removed or neutralized prior to use in aquatic systems (Guide, p.28) [must]       X         • Chlorine, chloramines, chemical, and reactive bioproducts are removed or neutralized prior to use in aquatic systems (Guide, p.28) [must]       X         • tiffe Support System:       •       •       •         • water source is based on appropriate controls and research requirements (Guide, X       •         • p.79)       •       biolifter is of sufficient	٠	Lo						
<ul> <li>separation by disease status (<i>Guide</i>, p.111)</li> <li>security and access control (<i>Guide</i>, p.151)</li> <li>Construction:</li> <li>corridors (<i>Guide</i>, p. 136)</li> <li>animal room doors (<i>Guide</i>, p. 137, 150)</li> <li>exterior windows (<i>Guide</i>, p. 137, 150)</li> <li>exterior windows (<i>Guide</i>, p. 137, 150)</li> <li>floors (<i>Guide</i>, p. 137, 150)</li> <li>drainage (<i>Guide</i>, p. 138, 150)</li> <li>drainage (<i>Guide</i>, p. 138, 150)</li> <li>heating ventilation and air conditioning (<i>Guide</i>, p. 139, 150-151)</li> <li>power and lighting (<i>Guide</i>, p. 141, 150)</li> <li>noise control (<i>Guide</i>, p. 142)</li> <li>vibration control (<i>Guide</i>, p. 142)</li> <li>orviormemental monitoring (<i>Guide</i>, p. 143)</li> <li>water guality:</li> <li>standards for acceptable quality are established (<i>Guide</i>, p. 78)</li> <li>water source is based on appropriate controls and research requirements (<i>Guide</i>, X p. 729)</li> <li>biofilter is of sufficient size to process bioload (<i>Guide</i>, p. 28, 26) [must]</li> <li>Temperature and humidity (<i>Guide</i>, p. 943, 80-81)</li> <li>ventilation and air quality (<i>Guide</i>, p. 923)</li> <li>allows social interaction for social species (<i>Gui</i></li></ul>		0						<u> </u>
<ul> <li>security and access control (<i>Guide</i>, p.151)</li> <li>Construction:         <ul> <li>corridors (<i>Guide</i>, p.132)</li> <li>corridors (<i>Guide</i>, p.132)</li> <li>animal room doors (<i>Guide</i>, p.137, 150)</li> <li>exterior windows (<i>Guide</i>, p. p.137, 150)</li> <li>floors (<i>Guide</i>, p.p.137, 150)</li> <li>drainage (<i>Guide</i>, p.p. 138, 150)</li> <li>walls and ceilings (<i>Guide</i>, p.p. 138, 150)</li> <li>walls and ceilings (<i>Guide</i>, p.p. 138, 150)</li> <li>beating ventilation and air conditioning (<i>Guide</i>, pp.139, 150-151)</li> <li>power and lighting (<i>Guide</i>, p. 141, 150)</li> <li>noise control (<i>Guide</i>, p. 142)</li> <li>walter quality:</li> <li>standards for acceptable quality are established (<i>Guide</i>, p. 73)</li> <li>chlorine, chloramines, chemical, and reactive bioproducts are removed or X</li> <li>neutralized prior to use in aquatic systems (<i>Guide</i>, p. 28) [must]</li> </ul> </li> <li>Life Support System:         <ul> <li>water source is based on appropriate controls and research requirements (<i>Guide</i>, X</li> <li>p.79)</li> <li>blofilter is of sufficient size to process bioload (<i>Guide</i>, p. 80) [must]</li> <li>temperature, Humidity and Ventilation/Nilumination/Noise and Vibration:             <ul> <li>temperature and humidity (<i>Guide</i>, p. 43, 80-81)</li> <li>water focure</li> <li>allows for normal physiological and behavioral needs (<i>Guide</i>, p. 82)</li> <li>privides appropriate water quality and monitoring (<i>Guide</i>, p. 82)</li> <li>allows social interaction for <i>Gocial</i> species (<i>Guide</i>, p. 82)</li> <li>constructed of nontoxic materials (<i>Guide</i>, p. 82)</li> <li>allows social interaction (<i>Guide</i>, p. 82)</li> <li>constructed of nontoxic materials (<i>Guide</i>, p. 82)</li></ul></li></ul></li></ul>		0		_				<u> </u>
Construction:		0						
<ul> <li>corridors (Guide, p.132, 150)</li> <li>animal room doors (Guide, pp.137, 150)</li> <li>exterior windows (Guide, pp.137, 150)</li> <li>floors (Guide, pp.137, 150)</li> <li>drainage (Guide, pp.138, 150)</li> <li>walls and cellings (Guide, pp.138, 150)</li> <li>walls and cellings (Guide, pp.138, 150)</li> <li>walls and cellings (Guide, pp.138, 150)</li> <li>heating ventilation and air conditioning (Guide, pp.139, 150-151)</li> <li>power and lighting (Guide, pp.141, 150)</li> <li>noise control (Guide, p. 142)</li> <li>vibration control (Guide, p. 142)</li> <li>vibration control (Guide, p. 142)</li> <li>standards for acceptable quality are established (Guide, p. 76)</li> <li>standards for acceptable quality are established (Guide, p. 72)</li> <li>standards for acceptable quality are established (Guide, p. 72)</li> <li>standards for acceptable quality are established (Guide, p. 72)</li> <li>chlorine, chioramines, chemical, and reactive bioproducts are removed or X</li> <li>neutralized prior to use in aquatic systems (Guide, p. 278, 86) [must]</li> <li>Life Support System:</li> <li>water source is based on appropriate controls and research requirements (Guide, X</li> <li>p.72)</li> <li>biofilter is of sufficient size to process bioload (Guide, p. 80) [must]</li> <li>Temperature, Hundity and Ventilation/Noise and Vibration:</li> <li>temperature and humidity (Guide, p. 43, 80-83)</li> <li>ventilation and air quality (Guide, p. 94, 81)</li> <li>Rimary Enclosure:</li> <li>allows for normal physiological and behavioral needs (Guide, p. 82)</li> <li>provides a papropriate water quality and monitoring (Guide, p. 82)</li> <li>allows access to food and waster removal (Guide, p. 82)</li> <li>allows access to food and waster removal (Guide, p. 82)</li> <li>allows access to food and waster removal (Guide, p. 82)</li> <li>allows access to food and waster removal (Guide, p. 82)</li> <li>al</li></ul>				X				
<ul> <li>animal room doors (<i>Guide</i>, pp 137, 150)</li> <li>exterior windows (<i>Guide</i>, pp 137, 150)</li> <li>floors (<i>Guide</i>, pp 137, 150)</li> <li>drainage (<i>Guide</i>, pp 138, 150)</li> <li>walls and cellings (<i>Guide</i>, pp 138, 150)</li> <li>batalis and cellings (<i>Guide</i>, pp 138, 150)</li> <li>power and lighting (<i>Guide</i>, pp 138, 150)</li> <li>power and lighting (<i>Guide</i>, pp 138, 150)</li> <li>noise control (<i>Guide</i>, pp 142, 150)</li> <li>vibration control (<i>Guide</i>, pp 142, 150)</li> <li>vibration control (<i>Guide</i>, pp 142, 150)</li> <li>walter Quality:</li> <li>standards for acceptable quality are established (<i>Guide</i>, p 78)</li> <li>watter Quality:</li> <li>standards for acceptable quality are established (<i>Guide</i>, p 78)</li> <li>watter System:</li> <li>othorine, chloramines, chemical, and reactive bioproducts are removed or neutralized prior to use in aquatic systems (<i>Guide</i>, p 50) [must]</li> <li>Life Support System:</li> <li>water source is based on appropriate controls and research requirements (<i>Guide</i>, X (1997))</li> <li>bofilter is of sufficient size to process bioload (<i>Guide</i>, p 50) [must]</li> <li>temperature, Humidity and Ventilation/Illumination/Noise and Vibration:</li> <li>temperature and numility (<i>Guide</i>, pp 43, 80-61)</li> <li>ventilation and air quality (<i>Guide</i>, pp 43, 80-61)</li> <li>ventilation and air quality (<i>Guide</i>, pp 43, 80-7)</li> <li>allows social interaction for social species (<i>Guide</i>, p 52)</li> <li>allows social interactor for social species (<i>Guide</i>, p 52)</li> <li>provides a balanced, stable environment (<i>Guide</i>, p 52)</li> <li>provides a balanced, stable environment (<i>Guide</i>, p 22)</li> <li>allows access to food and waste removal (<i>Guide</i>, p 52)</li> <li>allows access to food and waste removal (<i>Guide</i>, p 52)</li> <li>space needs of species are evaluated by IACUC during program evaluations and facility inspections (<i>Guide</i>, p 82)</li> <li>prevents ele</li></ul>	•	Co						
<ul> <li>exterior windows (<i>Guide</i>, p. 132)</li> <li>floors (<i>Guide</i>, pp. 137, 150)</li> <li>floors (<i>Guide</i>, pp. 138, 150)</li> <li>walls and ceillings (<i>Guide</i>, pp. 138, 150)</li> <li>walls and ceillings (<i>Guide</i>, pp. 138, 150)</li> <li>walls and ceillings (<i>Guide</i>, pp. 138, 150)</li> <li>heating ventilation and air conditioning (<i>Guide</i>, pp. 139, 150-151)</li> <li>power and lighting (<i>Guide</i>, pp. 141, 150)</li> <li>noise control (<i>Guide</i>, p. 142)</li> <li>vibration control (<i>Guide</i>, p. 142)</li> <li>environmental monitoring (<i>Guide</i>, p. 143)</li> <li>Water Quality:</li> <li>standards for acceptable quality are established (<i>Guide</i>, p. 78)</li> <li>chlorine, chloramines, chemical, and reactive bioproducts are removed or neutralized prior to use in aquatic systems (<i>Guide</i>, p. 278, 86) [must]</li> <li>Life Support System:</li> <li>water source is based on appropriate controls and research requirements (<i>Guide</i>, X</li> <li>p. 729)</li> <li>biofilter is of sufficient size to process bioload (<i>Guide</i>, p. 80) [must]</li> <li>Temperature, Humidity and Ventilation/Illumination/Noise and Vibration:</li> <li>temperature and humidity (<i>Guide</i>, p. 24, 80-81)</li> <li>ventilation and air quality (<i>Guide</i>, p. 24, 80-81)</li> <li>villumination (<i>Guide</i>, p. 94, 81)</li> <li>noise and vibration (<i>Guide</i>, p. 949, 81)</li> <li>Primary Enclosure:</li> <li>allows for normal physiological and behavioral needs (<i>Guide</i>, p. 82)</li> <li>provides a balanced, stable environment (<i>Guide</i>, p. 82)</li> <li>constructed of nontoxic (<i>Guide</i>, p. 82)</li> <li>secticts escape and entrapment (<i>Guide</i>, p. 82)</li> <li>allows success to food and waster removal (<i>Guide</i>, p. 82)</li> <li>provides appropriate water quality and monitoring (<i>Guide</i>, p. 82)</li> <li>secticts escape and entrapment (<i>Guide</i>, p. 82)</li> <li>secticts escape and entrapment (<i>Guide</i>, p. 82)</li> <li>secticts escape and entrapment (<i>Guide</i>, p.</li></ul>		0						
<ul> <li>floors (<i>Guide</i>, pp 132, 150)</li> <li>drainage (<i>Guide</i>, pp 138, 150)</li> <li>walls and cellings (<i>Guide</i>, pp 138, 150)</li> <li>heating ventilation and air conditioning (<i>Guide</i>, pp 139, 150-151)</li> <li>power and lighting (<i>Guide</i>, pp 141, 150)</li> <li>noise control (<i>Guide</i>, pp 142)</li> <li>vibration control (<i>Guide</i>, p. 143)</li> <li>Water Quality:</li> <li>standards for acceptable quality are established (<i>Guide</i>, p. 78)</li> <li>chlorine, chloramines, chemical, and reactive bioproducts are removed or neutralized prior to use in aquatic systems (<i>Guide</i>, p. 28) [must]</li> <li>Life Support System:</li> <li>water source is based on appropriate controls and research requirements (<i>Guide</i>, X p. 79)</li> <li>biofilter is of sufficient size to process bioload (<i>Guide</i>, p. 80) [must]</li> <li>Temperature, Humidity and Ventilation/Illumination/Noise and Vibration:</li> <li>temperature and humidity (<i>Guide</i>, pp 45, 81)</li> <li>ventilation and air quality (<i>Guide</i>, pp 45, 81)</li> <li>standors for normal physiological and behavioral needs (<i>Guide</i>, p. 82)</li> <li>allows social interaction for social species (<i>Guide</i>, p. 82)</li> <li>provides a balanced, stable environment (<i>Guide</i>, p. 82)</li> <li>provides a balanced, stable environment (<i>Guide</i>, p. 82)</li> <li>constructed of nontoxic materials (<i>Guide</i>, p. 82)</li> <li>allows access to food and waste removal (<i>Guide</i>, p. 82)</li> <li>constructed of nontoxic materials (<i>Guide</i>, p. 82)</li> <li>secter de altrapment (<i>Guide</i>, p. 82)</li> <li>constructed of nontoxic (<i>Guide</i>, p. 82)</li> <li>provides appropriate water p. 82)</li> <li>space needs of species are evaluated by IACUC during program evaluations and facility inspections (<i>Guide</i>, p. 82)</li> <li>secontructed of nontoxic materials (<i>Guide</i></li></ul>		0	animal room doors ( <i>Guide</i> , <u>pp 137</u> , <u>150</u> )	X				
<ul> <li>drainage (<i>Guide</i>, pp 138, 150)</li> <li>walls and cellings (<i>Guide</i>, pp 138, 150)</li> <li>heating ventilation and air conditioning (<i>Guide</i>, pp 139, 150-151)</li> <li>power and lighting (<i>Guide</i>, pp 141, 150)</li> <li>noise control (<i>Guide</i>, p 142)</li> <li>vibration control (<i>Guide</i>, p 142)</li> <li>vibration control (<i>Guide</i>, p 142)</li> <li>environmental monitoring (<i>Guide</i>, p 143)</li> <li>water Quality:</li> <li>standards for acceptable quality are established (<i>Guide</i>, p 78)</li> <li>chlorine, chloramines, chemical, and reactive bioproducts are removed or neutralized prior to use in aquatic systems (<i>Guide</i>, p 278, 96) [must]</li> <li>Life Support System:         <ul> <li>water source is based on appropriate controls and research requirements (<i>Guide</i>, X p 79)</li> <li>blofilter is of sufficient size to process bioload (<i>Guide</i>, p 90) [must]</li> <li>X</li> </ul> </li> <li>Temperature, Humidity and Ventilation/Illumination/Noise and Vibration:             <ul> <li>temperature and humidity (<i>Guide</i>, pp 43, 80-61)</li> <li>ventilation (<i>Guide</i>, pp 49, 81)</li> <li>ventilation (<i>Guide</i>, pp 49, 81)</li> </ul> </li> <li>onise and vibration (<i>Guide</i>, pp 49, 81)</li> <li>Primary Enclosure:             <ul> <li>allows social interaction for social species (<i>Guide</i>, p 82)</li> <li>provides a balanced, stable environment (<i>Guide</i>, p 82)</li> <li>constructed of nontoxic materials (<i>Guide</i>, p 82)</li> <li>strict of nortoxic materials (<i>Guide</i>, p 82)</li> <li>space needs of species are evaluated by IACUC during program evaluations and fractical hazards (<i>Guide</i>, p 82)</li> <li>constructed of nontoxic materials (<i>Guide</i>, p 82)</li> <li>space needs of species are evaluated by IACUC during program evaluations and fracility inspections (<i>Guide</i>, p 82)</li> <li>spa</li></ul></li></ul>		0	exterior windows ( <i>Guide</i> , <u>p 137</u> )	X				
<ul> <li>walls and cellings (<i>Guide</i>, <u>pp 138, 150</u>)</li> <li>heating ventilation and air conditioning (<i>Guide</i>, <u>pp 139, 150-151</u>)</li> <li>power and lighting (<i>Guide</i>, <u>pp 141, 150</u>)</li> <li>noise control (<i>Guide</i>, <u>pp 142</u>)</li> <li>vibration control (<i>Guide</i>, <u>pp 142</u>)</li> <li>vibration control (<i>Guide</i>, <u>p 142</u>)</li> <li>environmental monitoring (<i>Guide</i>, <u>p 143</u>)</li> <li>Water Quality:</li> <li>standards for acceptable quality are established (<i>Guide</i>, <u>p 78</u>)</li> <li>K</li> <li>Chlorine, chloramines, chemical, and reactive bioproducts are removed or neutralized prior to use in aquatic systems (<i>Guide</i>, <u>pp 78</u>, <u>86</u>) [must]</li> <li>Life Support System:</li> <li>water source is based on appropriate controls and research requirements (<i>Guide</i>, X <u>p 79</u>)</li> <li>biofilter is of sufficient size to process bioload (<i>Guide</i>, <u>p 80</u>) [must]</li> <li>Temperature, Humidity and Ventilation/Illumination/Noise and Vibration:</li> <li>temperature and humidity (<i>Guide</i>, <u>pp 43, 80-81</u>)</li> <li>ventilation and air quality (<i>Guide</i>, <u>pp 43, 80-81</u>)</li> <li>ventilation and air quality (<i>Guide</i>, <u>pp 43, 80-81</u>)</li> <li>N</li> <li>noise and vibration (<i>Guide</i>, <u>pp 49, 81</u>)</li> <li>Primary Enclosure:</li> <li>allows for normal physiological and behavioral needs (<i>Guide</i>, <u>p 82</u>)</li> <li>provides a balanced, stable environment (<i>Guide</i>, <u>p 82</u>)</li> <li>allows access to food and waste removal (<i>Guide</i>, <u>p 82</u>)</li> <li>allows access to food and waste removal (<i>Guide</i>, <u>p 82</u>)</li> <li>allows access to food and waste removal (<i>Guide</i>, <u>p 82</u>)</li> <li>allows access to food and waste removal (<i>Guide</i>, <u>p 82</u>)</li> <li>provides appropriate water quality and monitoring (<i>Guide</i>, <u>p 82</u>)</li> <li>space needs of species are evaluated by IACUC during program evaluations and X facility inspections (<i>Guide</i>, <u>p 83</u>)</li> <li>prevents electrical hazards (<i>Guide</i>, <u>p 83</u>)</li> <li>prevents electrical ha</li></ul>		0	floors ( <i>Guide</i> , <u>pp 137</u> , <u>150</u> )					
<ul> <li>heating ventilation and air conditioning (<i>Guide</i>, pp 139, 150-151)</li> <li>power and lighting (<i>Guide</i>, pp 141, 150)</li> <li>noise control (<i>Guide</i>, p 142)</li> <li>vibration control (<i>Guide</i>, p 142)</li> <li>environmental monitoring (<i>Guide</i>, p 143)</li> <li>Water Quality:</li> <li>standards for acceptable quality are established (<i>Guide</i>, p 78)</li> <li>chlorine, chloramines, chemical, and reactive bioproducts are removed or</li> <li>neutralized prior to use in aquatic systems (<i>Guide</i>, p 278, 36) [must]</li> <li>Life Support System:         <ul> <li>water source is based on appropriate controls and research requirements (<i>Guide</i>, X</li> <li>p.79)</li> <li>biofilter is of sufficient size to process bioload (<i>Guide</i>, p 280) [must]</li> <li>Temperature, Humidity and Ventilation/Noise and Vibration:</li> <li>temperature and humidity (<i>Guide</i>, pp 43, 80-81)</li> <li>water source is based on appropriate controls and research requirements (<i>Guide</i>, X</li> <li>p.79)</li> <li>biofilter is of sufficient size to process bioload (<i>Guide</i>, p. 80) [must]</li> <li>temperature, Humidity and Ventilation/Noise and Vibration:</li> <li>temperature, and humidity (<i>Guide</i>, pp 45, 81)</li> <li>illowis for normal physiological and behavioral needs (<i>Guide</i>, p. 82)</li> <li>provides abalanced, stable environment (<i>Guide</i>, p. 82)</li> <li>provides abalanced, stable environment (<i>Guide</i>, p. 82)</li> <li>allows access to food and waste removal (<i>Guide</i>, p. 82)</li> <li>allows access to food and waste removal (<i>Guide</i>, p. 82)</li> <li>allows access to food and servence (<i>Guide</i>, p. 82)</li> <li>allows access to food and servence (<i>Guide</i>, p. 82)</li> <li>space needs of species are evaluated by IACUC during program evaluations and facility inspections (<i>Guide</i>, p. 82)</li></ul></li></ul>		0	drainage ( <i>Guide</i> , <u>pp 138</u> , <u>150</u> )	X				
<ul> <li>power and lighting (<i>Guide</i>, pp 141, 150)</li> <li>noise control (<i>Guide</i>, p 142)</li> <li>vibration control (<i>Guide</i>, p 142)</li> <li>vibration control (<i>Guide</i>, p 142)</li> <li>environmental monitoring (<i>Guide</i>, p 143)</li> <li>Water Quality:</li> <li>standards for acceptable quality are established (<i>Guide</i>, p 78)</li> <li>chlorine, chloramines, chemical, and reactive bioproducts are removed or neutralized prior to use in aquatic systems (<i>Guide</i>, p p78, 86) [must]</li> <li>Life Support System:         <ul> <li>water source is based on appropriate controls and research requirements (<i>Guide</i>, X p 79)</li> <li>bolitter is of sufficient size to process bioload (<i>Guide</i>, p 80) [must]</li> </ul> </li> <li>Temperature, Humidity and Ventilation/Illumination/Noise and Vibration:         <ul> <li>temperature, Humidity (<i>Guide</i>, pp 45, 81)</li> <li>water source is based on appropriate controls and research requirements (<i>Guide</i>, X p 79)</li> <li>bolifter is of sufficient size to process bioload (<i>Guide</i>, p 80) [must]</li> <li>temperature, Humidity (<i>Guide</i>, pp 43, 80-81)</li> <li>ventilation and air quality (<i>Guide</i>, pp 45, 81)</li> <li>ventilation and air quality (<i>Guide</i>, pp 49, 81)</li> </ul> <li>Primary Enclosure:         <ul> <li>allows for normal physiological and behavioral needs (<i>Guide</i>, p 82)</li> <li>provides abalanced, stable environment (<i>Guide</i>, p 82)</li> <li>provides appropriate water quality and monitoring (<i>Guide</i>, p 82)</li> <li>allows access to food and waste removal (<i>Guide</i>, p 82)</li> <li>allows access to food and waste removal (<i>Guide</i>, p 82)</li> <li>allows access of opervention (<i>Guide</i>, p 82)</li> <li>space needs of species are evaluated by IACUC during program evaluations and facility inspections (<i>Guide</i>, p 82)</li> <li>sprevents</li></ul></li></li></ul>		0	walls and ceilings ( <i>Guide</i> , <u>pp 138</u> , <u>150</u> )	X				
<ul> <li>power and lighting (<i>Guide</i>, pp 141, 150)</li> <li>noise control (<i>Guide</i>, p 142)</li> <li>vibration control (<i>Guide</i>, p 142)</li> <li>vibration control (<i>Guide</i>, p 142)</li> <li>environmental monitoring (<i>Guide</i>, p 143)</li> <li>Water Quality:</li> <li>standards for acceptable quality are established (<i>Guide</i>, p 78)</li> <li>standards for acceptable quality are established (<i>Guide</i>, p 78)</li> <li>standards for acceptable quality are established (<i>Guide</i>, p 78)</li> <li>chlorine, chloramines, chemical, and reactive bioproducts are removed or neutralized prior to use in aquatic systems (<i>Guide</i>, pp 73, 86) [must]</li> <li>Life Support System:         <ul> <li>water source is based on appropriate controls and research requirements (<i>Guide</i>, X p.79)</li> <li>biofilter is of sufficient size to process bioload (<i>Guide</i>, p 80) [must]</li> <li>Temperature, Humidity and Ventilation/Illumination/Noise and Vibration:</li></ul></li></ul>		0	heating ventilation and air conditioning ( <i>Guide</i> , pp 139, 150-151)	X				
<ul> <li>noise control (Guide, p.142)</li> <li>vibration control (Guide, p.142)</li> <li>vibration control (Guide, p.142)</li> <li>environmental monitoring (Guide, p.143)</li> <li>Water Quality:</li> <li>standards for acceptable quality are established (Guide, p.78)</li> <li>K</li> <li>chlorine, chloramines, chemical, and reactive bioproducts are removed or neutralized prior to use in aquatic systems (Guide, p.778), 86) [must]</li> <li>Life Support System:         <ul> <li>water source is based on appropriate controls and research requirements (Guide, X</li> <li>p.79)</li> <li>biofilter is of sufficient size to process bioload (Guide, p. 80) [must]</li> <li>Temperature, Humidity and Ventilation/Illumination/Noise and Vibration:</li></ul></li></ul>		0		x				<u> </u>
<ul> <li>vibration control (<i>Guide</i>, p.142)</li> <li>environmental monitoring (<i>Guide</i>, p.143)</li> <li>Water Quality:</li> <li>standards for acceptable quality are established (<i>Guide</i>, p.78)</li> <li>chlorine, chloramines, chemical, and reactive bioproducts are removed or neutralized prior to use in aquatic systems (<i>Guide</i>, p.978, 86) [must)</li> <li>Life Support System:         <ul> <li>water source is based on appropriate controls and research requirements (<i>Guide</i>, X</li> <li>p.79)</li> <li>biofilter is of sufficient size to process bioload (<i>Guide</i>, p.80) [must]</li> <li>Temperature, Humidity (<i>Guide</i>, pp.43, 80-81)</li> <li>ventilation and air quality (<i>Guide</i>, pp.43, 80-81)</li> <li>ventilation and air quality (<i>Guide</i>, pp.43, 81)</li> <li>ventilation and air quality (<i>Guide</i>, pp.45, 81)</li> <li>ventilation and air quality (<i>Guide</i>, pp.45, 81)</li> <li>ventilation and air quality (<i>Guide</i>, pp.45, 81)</li> <li>allows for normal physiological and behavioral needs (<i>Guide</i>, p.82)</li> <li>provides a balanced, stable environment (<i>Guide</i>, p.82)</li> <li>provides a balanced, stable environment (<i>Guide</i>, p.82)</li> <li>allows social interaction for social species (<i>Guide</i>, p.82)</li> <li>allows social netrapment (<i>Guide</i>, p.82)</li> <li>allows social hazards (<i>Guide</i>, p.82)</li> <li>allows and started observation (<i>Guide</i>, p.82)</li> <li>space needs of species are evaluated by IACUC during program evaluations and facility inspections (<i>Guide</i>, p.83)</li> <li>space needs of species are evaluated by IACUC during program evaluations and facility inspections (<i>Guide</i>, p.83)</li> <li>semi-aquatic reptiles are provide terrestrial areas (<i>Guide</i>, p.83)</li> <li>semi-aquatic reptiles are provided terrestrial areas (<i>Guide</i>, p.83)</li> <li>semi-</li></ul></li></ul>								<u> </u>
<ul> <li>environmental monitoring (<i>Guide</i>, p.143)</li> <li>Water Quality:</li> <li>standards for acceptable quality are established (<i>Guide</i>, p.78)</li> <li>chlorine, chloramines, chemical, and reactive bioproducts are removed or neutralized prior to use in aquatic systems (<i>Guide</i>, pp78, 86) [must]</li> <li>Life Support System:         <ul> <li>water source is based on appropriate controls and research requirements (<i>Guide</i>, X p.79)</li> <li>biofilter is of sufficient size to process bioload (<i>Guide</i>, p.80) [must]</li> <li>Temperature, Humidity and Ventilation/Illumination/Noise and Vibration:</li></ul></li></ul>		-						
<ul> <li>Water Quality:         <ul> <li>standards for acceptable quality are established (<i>Guide</i>, p.78)</li> <li>chlorine, chloramines, chemical, and reactive bioproducts are removed or neutralized prior to use in aquatic systems (<i>Guide</i>, pp78, 86) [must]</li> </ul> </li> <li>Life Support System:         <ul> <li>water source is based on appropriate controls and research requirements (<i>Guide</i>, X, p.79)</li> <li>biofilter is of sufficient size to process bioload (<i>Guide</i>, p.80) [must]</li> <li>Temperature, Humidity and Ventilation/Illumination/Noise and Vibration:                 <ul></ul></li></ul></li></ul>		-						<u> </u>
<ul> <li>standards for acceptable quality are established (<i>Guide</i>, p.78)</li> <li>chlorine, chloramines, chemical, and reactive bioproducts are removed or neutralized prior to use in aquatic systems (<i>Guide</i>, pp78, 86) [must]</li> <li>Life Support System:         <ul> <li>water source is based on appropriate controls and research requirements (<i>Guide</i>, X p.79)</li> <li>biofilter is of sufficient size to process bioload (<i>Guide</i>, p.80) [must]</li> <li>Temperature, Humidity and Ventilation/Illumination/Noise and Vibration:</li></ul></li></ul>	•			~				L
<ul> <li>chlorine, chloramines, chemical, and reactive bioproducts are removed or neutralized prior to use in aquatic systems (<i>Guide</i>, p278, 86) [must]</li> <li>Life Support System:         <ul> <li>water source is based on appropriate controls and research requirements (<i>Guide</i>, X</li> <li>p.79)</li> <li>biofilter is of sufficient size to process bioload (<i>Guide</i>, p 80) [must]</li> <li>Temperature, Humidity and Ventilation/Illumination/Noise and Vibration:</li></ul></li></ul>	-			X				
neutralized prior to use in aquatic systems (Guide, pp78, 36) [must]         • Life Support System:         • water source is based on appropriate controls and research requirements (Guide, X         p.79)         • biofilter is of sufficient size to process bioload (Guide, p.80) [must]         X         • Temperature, Humidity and Ventilation/Illumination/Noise and Vibration:         • temperature and humidity (Guide, pp 43, 80-81)         X         • ventilation and air quality (Guide, pp 43, 80-81)         X         • ventilation (Guide, pp 47, 81)         X         • noise and vibration (Guide, pp 49, 81)         X         • allows for normal physiological and behavioral needs (Guide, p 82)         • allows social interaction for social species (Guide, p 82)         ×         • provides a balanced, stable environment (Guide, p 82)         ×         • provides appropriate water quality and monitoring (Guide, p 82)         ×         • allows undisturbed observation (Guide, p 82)         ×       ×         • allows undisturbed observation (Guide, p 82)         ×       ×         • prevents electrical hazards (Guide, p 82)         ×       ×         • allows undisturbed observation (Guide, p 82)         ×       <								<u> </u>
<ul> <li>Life Support System:         <ul> <li>water source is based on appropriate controls and research requirements (<i>Guide</i>, X</li> <li>p_79)</li> <li>biofilter is of sufficient size to process bioload (<i>Guide</i>, p 80) [must]</li> </ul> </li> <li>Temperature, Humidity and Ventilation/Illumination/Noise and Vibration:         <ul> <li>temperature and humidity (<i>Guide</i>, pp 43, 80-81)</li> <li>ventilation and air quality (<i>Guide</i>, pp 45, 81)</li> <li>ventilation (<i>Guide</i>, pp 47, 81)</li> <li>noise and vibration (<i>Guide</i>, pp 49, 81)</li> <li>noise and vibration (<i>Guide</i>, pp 49, 81)</li> <li>Primary Enclosure:                 <ul> <li>allows for normal physiological and behavioral needs (<i>Guide</i>, p 82)</li> <li>provides a balanced, stable environment (<i>Guide</i>, p 82)</li> <li>provides a balanced, stable environment (<i>Guide</i>, p 82)</li> <li>allows social interaction for social species (<i>Guide</i>, p 82)</li> <li>provides a balanced, stable environment (<i>Guide</i>, p 82)</li> <li>allows undisturbed observation (<i>Guide</i>, p 82)</li> <li>allows undisturbed observation (<i>Guide</i>, p 82)</li> <li>sconstructed of nontoxic materials (<i>Guide</i>, p 82)</li> <li>space needs of species are evaluated by IACUC during program evaluations and facility inspections (<i>Guide</i>, p 83)</li> <li>space needs of species are evaluated by IACUC during program evaluations and facility inspections (<i>Guide</i>, p 83)</li> <li>semi-aquatic reptiles are provided terrestrial areas (<i>Guide</i>, p 83)</li> <li>semi-aquatic reptiles are provided terrestrial areas (<i>Guide</i>, p 83)</li> <li>nets are cleaned, disinfected and managed to avoid contamination of systems (<i>Guide</i>, p 84)</li></ul></li></ul></li></ul>		0		<b>^</b>				
<ul> <li>water source is based on appropriate controls and research requirements (<i>Guide</i>, X p.79)</li> <li>biofilter is of sufficient size to process bioload (<i>Guide</i>, p.80) [must]</li> <li>Temperature, Humidity and Ventilation/Illumination/Noise and Vibration:         <ul> <li>temperature and humidity (<i>Guide</i>, pp 43, 80-81)</li> <li>temperature and humidity (<i>Guide</i>, pp 43, 80-81)</li> <li>ventilation and air quality (<i>Guide</i>, pp 45, 81)</li> <li>ventilation (<i>Guide</i>, pp 47, 81)</li> <li>noise and vibration (<i>Guide</i>, pp 49, 81)</li> </ul> </li> <li>Primary Enclosure:         <ul> <li>allows for normal physiological and behavioral needs (<i>Guide</i>, p 82)</li> <li>allows social interaction for social species (<i>Guide</i>, p 82)</li> <li>provides a balanced, stable environment (<i>Guide</i>, p 82)</li> <li>provides a balanced, stable environment (<i>Guide</i>, p 82)</li> <li>allows access to food and waste removal (<i>Guide</i>, p 82)</li> <li>restricts escape and entrapment (<i>Guide</i>, p 82)</li> <li>allows undisturbed observation (<i>Guide</i>, p 82)</li> <li>constructed of nontoxic materials (<i>Guide</i>, p 82)</li> <li>space needs of species are evaluated by IACUC during program evaluations and facility inspections (<i>Guide</i>, p 83)</li> </ul> </li> <li>Environmental Enrichment, Social Housing, Behavioral and Social Management:</li></ul>		1.14						L
p 79)       biofilter is of sufficient size to process bioload ( <i>Guide</i> , p 80) [must]       X         • Temperature, Humidity and Ventilation/Illumination/Noise and Vibration:       x         • temperature and humidity ( <i>Guide</i> , pp 43, 30-81)       X         • ventilation and air quality ( <i>Guide</i> , pp 45, 81)       X         • oventilation and air quality ( <i>Guide</i> , pp 45, 81)       X         • lllumination ( <i>Guide</i> , pp 47, 81)       X         • noise and vibration ( <i>Guide</i> , pp 49, 81)       X         • allows for normal physiological and behavioral needs ( <i>Guide</i> , p 82)       X         • allows social interaction for social species ( <i>Guide</i> , p 82)       X         • provides a balanced, stable environment ( <i>Guide</i> , p 82)       X         • provides a paropriate water quality and monitoring ( <i>Guide</i> , p 82)       X         • allows access to food and waste removal ( <i>Guide</i> , p 82)       X         • allows access to food and waste removal ( <i>Guide</i> , p 82)       X         • allows undisturbed observation ( <i>Guide</i> , p 82)       X         • allows undisturbed observation ( <i>Guide</i> , p 82)       X         • allows access to food and waste removal ( <i>Guide</i> , p 82)       X         • restricts escape and entrapment ( <i>Guide</i> , p 82)       X         • allows undisturbed observation ( <i>Guide</i> , p 82)       X         • constructed of nontoxic materials ( <i>Guide</i> , p 82)	•			Y				
<ul> <li>biofilter is of sufficient size to process bioload (<i>Guide</i>, <u>p</u> 80) [must]</li> <li>Temperature, Humidity and Ventilation/Illumination/Noise and Vibration:         <ul> <li>temperature and humidity (<i>Guide</i>, <u>pp 43</u>, 80-81)</li> <li>ventilation and air quality (<i>Guide</i>, <u>pp 45</u>, 81)</li> <li>ventilation and air quality (<i>Guide</i>, <u>pp 45</u>, 81)</li> <li>illumination (<i>Guide</i>, <u>pp 47</u>, 81)</li> <li>noise and vibration (<i>Guide</i>, <u>pp 49</u>, 81)</li> </ul> </li> <li>Primary Enclosure:         <ul> <li>allows for normal physiological and behavioral needs (<i>Guide</i>, <u>p 82</u>)</li> <li>allows social interaction for social species (<i>Guide</i>, <u>p 82</u>)</li> <li>provides a balanced, stable environment (<i>Guide</i>, <u>p 82</u>)</li> <li>provides a parporpriate water quality and monitoring (<i>Guide</i>, <u>p 82</u>)</li> <li>allows access to food and waste removal (<i>Guide</i>, <u>p 82</u>)</li> <li>restricts escape and entrapment (<i>Guide</i>, <u>p 82</u>)</li> <li>constructed of nontoxic materials (<i>Guide</i>, <u>p 82</u>)</li> <li>prevents electrical hazards (<i>Guide</i>, <u>p 82</u>)</li> <li>space needs of species are evaluated by IACUC during program evaluations and facility inspections (<i>Guide</i>, <u>p 83</u>)</li> <li>Environmental Enrichment, Social Housing, Behavioral and Social Management:</li></ul></li></ul>		0		′ <b>^</b>				
<ul> <li>Temperature, Humidity and Ventilation/Illumination/Noise and Vibration:         <ul> <li>temperature and humidity (<i>Guide</i>, pp 43, 30-81)</li> <li>ventilation and air quality (<i>Guide</i>, pp 45, 81)</li> <li>ventilation (<i>Guide</i>, pp 47, 81)</li> <li>illumination (<i>Guide</i>, pp 47, 81)</li> <li>noise and vibration (<i>Guide</i>, pp 49, 81)</li> </ul> </li> <li>Primary Enclosure:         <ul> <li>allows for normal physiological and behavioral needs (<i>Guide</i>, p 82)</li> <li>allows for normal physiological and behavioral needs (<i>Guide</i>, p 82)</li> <li>allows social interaction for social species (<i>Guide</i>, p 82)</li> <li>provides a balanced, stable environment (<i>Guide</i>, p 82)</li> <li>provides appropriate water quality and monitoring (<i>Guide</i>, p 82)</li> <li>allows undisturbed observation (<i>Guide</i>, p 82)</li> <li>restricts escape and entrapment (<i>Guide</i>, p 82)</li> <li>allows undisturbed observation (<i>Guide</i>, p 82)</li> <li>constructed of nontoxic materials (<i>Guide</i>, p 82)</li> <li>prevents electrical hazards (<i>Guide</i>, p 82)</li> <li>prevents electrical hazards (<i>Guide</i>, p 82)</li> <li>space needs of species are evaluated by IACUC during program evaluations and facility inspections (<i>Guide</i>, p 83)</li> </ul> </li> <li>Environmental Enrichment, Social Housing, Behavioral and Social Management:         <ul> <li>enrichment elicits appropriate behaviors and is safe (<i>Guide</i>, p 83)</li> <li>handling is kept to a minimum and appropriate techniques are in place at facility or protocol level (<i>Guide</i>, p 84)</li> <li>nets are cleaned, disinfected and managed to avoid contamination of systems (<i>Guide</i>, p 84)</li> </ul> </li> </ul>				v				
<ul> <li>temperature and humidity (<i>Guide</i>, pp 43, 30-81)</li> <li>ventilation and air quality (<i>Guide</i>, pp 45, 81)</li> <li>ventilation (<i>Guide</i>, pp 47, 81)</li> <li>noise and vibration (<i>Guide</i>, pp 49, 81)</li> <li>noise and vibration (<i>Guide</i>, pp 49, 81)</li> <li>Primary Enclosure:         <ul> <li>allows for normal physiological and behavioral needs (<i>Guide</i>, p 82)</li> <li>allows for normal physiological and behavioral needs (<i>Guide</i>, p 82)</li> <li>allows social interaction for social species (<i>Guide</i>, p 82)</li> <li>provides a balanced, stable environment (<i>Guide</i>, p 82)</li> <li>provides appropriate water quality and monitoring (<i>Guide</i>, p 82)</li> <li>allows access to food and waste removal (<i>Guide</i>, p 82)</li> <li>allows undisturbed observation (<i>Guide</i>, p 82)</li> <li>allows undisturbed observation (<i>Guide</i>, p 82)</li> <li>allows undisturbed observation (<i>Guide</i>, p 82)</li> <li>constructed of nontoxic materials (<i>Guide</i>, p 82)</li> <li>prevents electrical hazards (<i>Guide</i>, p 82)</li> <li>prevents electrical hazards (<i>Guide</i>, p 82)</li> <li>space needs of species are evaluated by IACUC during program evaluations and facility inspections (<i>Guide</i>, p 83)</li> </ul> </li> <li>Environmental Enrichment, Social Housing, Behavioral and Social Management:         <ul> <li>enrichment elicits appropriate behaviors and is safe (<i>Guide</i>, p 83)</li> <li>kallow safe (<i>Guide</i>, p 84)</li> <li>nets are cleaned, disinfected and managed to avoid contamination of systems (<i>Guide</i>, p 84)</li> </ul> </li> </ul>			· · · · · ·	X				
<ul> <li>ventilation and air quality (<i>Guide</i>, pp 45, 81)</li> <li>illumination (<i>Guide</i>, pp 47, 81)</li> <li>noise and vibration (<i>Guide</i>, pp 49, 81)</li> <li>Primary Enclosure:         <ul> <li>allows for normal physiological and behavioral needs (<i>Guide</i>, p 82)</li> <li>Primary Enclosure:</li> <li>allows social interaction for social species (<i>Guide</i>, p 82)</li> <li>provides a balanced, stable environment (<i>Guide</i>, p 82)</li> <li>provides a papropriate water quality and monitoring (<i>Guide</i>, p 82)</li> <li>provides appropriate water quality and monitoring (<i>Guide</i>, p 82)</li> <li>allows access to food and waste removal (<i>Guide</i>, p 82)</li> <li>allows access to food and waste removal (<i>Guide</i>, p 82)</li> <li>centricts escape and entrapment (<i>Guide</i>, p 82)</li> <li>allows undisturbed observation (<i>Guide</i>, p 82)</li> <li>constructed of nontoxic materials (<i>Guide</i>, p 82)</li> <li>prevents electrical hazards (<i>Guide</i>, p 82)</li> <li>space needs of species are evaluated by IACUC during program evaluations and facility inspections (<i>Guide</i>, p 83)</li> </ul> </li> <li>Environmental Enrichment, Social Housing, Behavioral and Social Management:             <ul> <li>enrichment elicits appropriate behaviors and is safe (<i>Guide</i>, p 83)</li> <li>semi-aquatic reptiles are provided terrestrial areas (<i>Guide</i>, p 83)</li> <li>handling is kept to a minimum and appropriate techniques are in place at facility X</li></ul></li></ul>	•	Те						
<ul> <li>Illumination (<i>Guide</i>, <u>pp 47, 81</u>)</li> <li>noise and vibration (<i>Guide</i>, <u>pp 49, 81</u>)</li> <li>Primary Enclosure:         <ul> <li>allows for normal physiological and behavioral needs (<i>Guide</i>, <u>p 82</u>)</li> <li>allows social interaction for social species (<i>Guide</i>, <u>p 82</u>)</li> <li>provides a balanced, stable environment (<i>Guide</i>, <u>p 82</u>)</li> <li>provides a palanced, stable environment (<i>Guide</i>, <u>p 82</u>)</li> <li>provides a propriate water quality and monitoring (<i>Guide</i>, <u>p 82</u>)</li> <li>allows access to food and waste removal (<i>Guide</i>, <u>p 82</u>)</li> <li>allows access to food and waste removal (<i>Guide</i>, <u>p 82</u>)</li> <li>restricts escape and entrapment (<i>Guide</i>, <u>p 82</u>)</li> <li>allows undisturbed observation (<i>Guide</i>, <u>p 82</u>)</li> <li>constructed of nontoxic materials (<i>Guide</i>, <u>p 82</u>)</li> <li>space needs of species are evaluated by IACUC during program evaluations and facility inspections (<i>Guide</i>, <u>p 83</u>)</li> </ul> </li> <li>Environmental Enrichment, Social Housing, Behavioral and Social Management:         <ul> <li>enrichment elicits appropriate behaviors and is safe (<i>Guide</i>, <u>p 83</u>)</li> <li>semi-aquatic reptiles are provided terrestrial areas (<i>Guide</i>, <u>p 83</u>)</li> <li>k</li> <li>semi-aquatic reptiles are provided terrestrial areas (<i>Guide</i>, <u>p 83</u>)</li> <li>k</li> <li>nets are cleaned, disinfected and managed to avoid contamination of systems (<i>Guide</i>, <u>p 84</u>)</li> <li>nets are cleaned, disinfected and managed to avoid contamination of systems (<i>Guide</i>, <u>p 84</u>)</li> </ul> </li> </ul>		0						<u> </u>
<ul> <li>noise and vibration (<i>Guide</i>, <u>pp</u> 49, <u>81</u>)</li> <li>Primary Enclosure:         <ul> <li>allows for normal physiological and behavioral needs (<i>Guide</i>, <u>p</u> 82)</li> <li>allows social interaction for social species (<i>Guide</i>, <u>p</u> 82)</li> <li>provides a balanced, stable environment (<i>Guide</i>, <u>p</u> 82)</li> <li>provides appropriate water quality and monitoring (<i>Guide</i>, <u>p</u> 82)</li> <li>provides appropriate water quality and monitoring (<i>Guide</i>, <u>p</u> 82)</li> <li>allows access to food and waste removal (<i>Guide</i>, <u>p</u> 82)</li> <li>allows access to food and waste removal (<i>Guide</i>, <u>p</u> 82)</li> <li>restricts escape and entrapment (<i>Guide</i>, <u>p</u> 82)</li> <li>allows undisturbed observation (<i>Guide</i>, <u>p</u> 82)</li> <li>constructed of nontoxic materials (<i>Guide</i>, <u>p</u> 82)</li> <li>prevents electrical hazards (<i>Guide</i>, <u>p</u> 82)</li> <li>space needs of species are evaluated by IACUC during program evaluations and facility inspections (<i>Guide</i>, <u>p</u> 83)</li> </ul> </li> <li>Environmental Enrichment, Social Housing, Behavioral and Social Management:         <ul> <li>enrichment elicits appropriate behaviors and is safe (<i>Guide</i>, <u>p</u> 83)</li> <li>semi-aquatic reptiles are provided terrestrial areas (<i>Guide</i>, <u>p</u> 83)</li> <li>handling is kept to a minimum and appropriate techniques are in place at facility X</li> <li>or protocol level (<i>Guide</i>, <u>p</u> 84)</li> <li>nets are cleaned, disinfected and managed to avoid contamination of systems X</li> <li>(<i>Guide</i>, <u>p</u> 84)</li> </ul> </li> </ul>		0	ventilation and air quality ( <i>Guide</i> , <u>pp 45</u> , <u>81</u> )					
<ul> <li>Primary Enclosure:         <ul> <li>allows for normal physiological and behavioral needs (<i>Guide</i>, p 82)</li> <li>allows social interaction for social species (<i>Guide</i>, p 82)</li> <li>provides a balanced, stable environment (<i>Guide</i>, p 82)</li> <li>provides appropriate water quality and monitoring (<i>Guide</i>, p 82)</li> <li>provides appropriate water quality and monitoring (<i>Guide</i>, p 82)</li> <li>allows access to food and waste removal (<i>Guide</i>, p 82)</li> <li>allows access to food and waste removal (<i>Guide</i>, p 82)</li> <li>allows undisturbed observation (<i>Guide</i>, p 82)</li> <li>constructed of nontoxic materials (<i>Guide</i>, p 82)</li> <li>prevents electrical hazards (<i>Guide</i>, p 82)</li> <li>space needs of species are evaluated by IACUC during program evaluations and facility inspections (<i>Guide</i>, p 83)</li> </ul> </li> <li>Environmental Enrichment, Social Housing, Behavioral and Social Management:         <ul> <li>enrichment elicits appropriate behaviors and is safe (<i>Guide</i>, p 83)</li> <li>semi-aquatic reptiles are provided terrestrial areas (<i>Guide</i>, p 83)</li> <li>A semi-aquatic reptiles are provided terrestrial areas (<i>Guide</i>, p 83)</li> <li>A semi-aquatic reptiles are provided terrestrial areas (<i>Guide</i>, p 83)</li> <li>A semi-aquatic reptiles are provided terrestrial areas (<i>Guide</i>, p 83)</li> <li>A semi-aquatic reptiles are provided terrestrial areas (<i>Guide</i>, p 83)</li> <li>A semi-aquatic reptiles are provided terrestrial areas (<i>Guide</i>, p 83)</li> <li>A semi-aquatic reptiles are provided terrestrial areas (<i>Guide</i>, p 83)</li> <li>A semi-aquatic reptiles are provided terrestrial areas (<i>Guide</i>, p 83)</li> <li>A semi-aquatic reptiles are provided terrestrial areas (<i>Guide</i>, p 84)</li> <li>o nets are cleaned, disinfected</li></ul></li></ul>		0	illumination ( <i>Guide</i> , <u>pp 47</u> , <u>81</u> )	X				
<ul> <li>Primary Enclosure:         <ul> <li>allows for normal physiological and behavioral needs (<i>Guide</i>, <u>p</u> 82)</li> <li>allows social interaction for social species (<i>Guide</i>, <u>p</u> 82)</li> <li>provides a balanced, stable environment (<i>Guide</i>, <u>p</u> 82)</li> <li>provides a popropriate water quality and monitoring (<i>Guide</i>, <u>p</u> 82)</li> <li>provides appropriate water quality and monitoring (<i>Guide</i>, <u>p</u> 82)</li> <li>allows access to food and waste removal (<i>Guide</i>, <u>p</u> 82)</li> <li>allows access to food and waste removal (<i>Guide</i>, <u>p</u> 82)</li> <li>restricts escape and entrapment (<i>Guide</i>, <u>p</u> 82)</li> <li>restricts escape and entrapment (<i>Guide</i>, <u>p</u> 82)</li> <li>allows undisturbed observation (<i>Guide</i>, <u>p</u> 82)</li> <li>constructed of nontoxic materials (<i>Guide</i>, <u>p</u> 82)</li> <li>constructed of nontoxic materials (<i>Guide</i>, <u>p</u> 82)</li> <li>prevents electrical hazards (<i>Guide</i>, <u>p</u> 82)</li> <li>space needs of species are evaluated by IACUC during program evaluations and facility inspections (<i>Guide</i>, <u>p</u> 83)</li> </ul> </li> <li>Environmental Enrichment, Social Housing, Behavioral and Social Management:         <ul> <li>enrichment elicits appropriate behaviors and is safe (<i>Guide</i>, <u>p</u> 83)</li> <li>semi-aquatic reptiles are provided terrestrial areas (<i>Guide</i>, <u>p</u> 83)</li> <li>handling is kept to a minimum and appropriate techniques are in place at facility is protocol level (<i>Guide</i>, <u>p</u> 84)</li> </ul> </li> <li>o nets are cleaned, disinfected and managed to avoid contamination of systems (<i>Guide</i>, <u>p</u> 84)</li> </ul>		0	noise and vibration ( <i>Guide</i> , pp 49, 81)	X				
<ul> <li>allows for normal physiological and behavioral needs (<i>Guide</i>, p 82)</li> <li>allows social interaction for social species (<i>Guide</i>, p 82)</li> <li>provides a balanced, stable environment (<i>Guide</i>, p 82)</li> <li>provides appropriate water quality and monitoring (<i>Guide</i>, p 82)</li> <li>allows access to food and waste removal (<i>Guide</i>, p 82)</li> <li>allows access to food and waste removal (<i>Guide</i>, p 82)</li> <li>allows access to food and waste removal (<i>Guide</i>, p 82)</li> <li>allows access to food and waste removal (<i>Guide</i>, p 82)</li> <li>restricts escape and entrapment (<i>Guide</i>, p 82)</li> <li>restricts escape and entrapment (<i>Guide</i>, p 82)</li> <li>allows undisturbed observation (<i>Guide</i>, p 82)</li> <li>constructed of nontoxic materials (<i>Guide</i>, p 82)</li> <li>constructed of nontoxic materials (<i>Guide</i>, p 82)</li> <li>prevents electrical hazards (<i>Guide</i>, p 82)</li> <li>space needs of species are evaluated by IACUC during program evaluations and facility inspections (<i>Guide</i>, p 83)</li> <li>Environmental Enrichment, Social Housing, Behavioral and Social Management:</li> <li>enrichment elicits appropriate behaviors and is safe (<i>Guide</i>, p 83)</li> <li>semi-aquatic reptiles are provided terrestrial areas (<i>Guide</i>, p 83)</li> <li>handling is kept to a minimum and appropriate techniques are in place at facility or protocol level (<i>Guide</i>, p 84)</li> <li>nets are cleaned, disinfected and managed to avoid contamination of systems (<i>Guide</i>, p 84)</li> </ul>	•	Pr		_				
<ul> <li>allows social interaction for social species (<i>Guide</i>, p 82)</li> <li>provides a balanced, stable environment (<i>Guide</i>, p 82)</li> <li>provides appropriate water quality and monitoring (<i>Guide</i>, p 82)</li> <li>allows access to food and waste removal (<i>Guide</i>, p 82)</li> <li>allows access to food and waste removal (<i>Guide</i>, p 82)</li> <li>restricts escape and entrapment (<i>Guide</i>, p 82)</li> <li>allows undisturbed observation (<i>Guide</i>, p 82)</li> <li>constructed of nontoxic materials (<i>Guide</i>, p 82)</li> <li>constructed of nontoxic materials (<i>Guide</i>, p 82)</li> <li>prevents electrical hazards (<i>Guide</i>, p 82)</li> <li>space needs of species are evaluated by IACUC during program evaluations and facility inspections (<i>Guide</i>, p 83)</li> <li>Environmental Enrichment, Social Housing, Behavioral and Social Management:</li> <li>enrichment elicits appropriate behaviors and is safe (<i>Guide</i>, p 83)</li> <li>semi-aquatic reptiles are provided terrestrial areas (<i>Guide</i>, p 83)</li> <li>handling is kept to a minimum and appropriate techniques are in place at facility or protocol level (<i>Guide</i>, p 84)</li> <li>nets are cleaned, disinfected and managed to avoid contamination of systems X</li> </ul>				X				
<ul> <li>provides a balanced, stable environment (<i>Guide</i>, p 82)</li> <li>provides appropriate water quality and monitoring (<i>Guide</i>, p 82)</li> <li>allows access to food and waste removal (<i>Guide</i>, p 82)</li> <li>restricts escape and entrapment (<i>Guide</i>, p 82)</li> <li>restricts escape and entrapment (<i>Guide</i>, p 82)</li> <li>allows undisturbed observation (<i>Guide</i>, p 82)</li> <li>constructed of nontoxic materials (<i>Guide</i>, p 82)</li> <li>constructed of nontoxic materials (<i>Guide</i>, p 82)</li> <li>prevents electrical hazards (<i>Guide</i>, p 82)</li> <li>space needs of species are evaluated by IACUC during program evaluations and facility inspections (<i>Guide</i>, p 83)</li> <li>Environmental Enrichment, Social Housing, Behavioral and Social Management:         <ul> <li>enrichment elicits appropriate behaviors and is safe (<i>Guide</i>, p 83)</li> <li>semi-aquatic reptiles are provided terrestrial areas (<i>Guide</i>, p 83)</li> <li>bandling is kept to a minimum and appropriate techniques are in place at facility are protocol level (<i>Guide</i>, p 84)</li> <li>ents are cleaned, disinfected and managed to avoid contamination of systems (<i>Guide</i>, p 84)</li> </ul> </li> </ul>								
<ul> <li>provides appropriate water quality and monitoring (Guide, p 82)</li> <li>allows access to food and waste removal (Guide, p 82)</li> <li>restricts escape and entrapment (Guide, p 82)</li> <li>allows undisturbed observation (Guide, p 82)</li> <li>allows undisturbed observation (Guide, p 82)</li> <li>constructed of nontoxic materials (Guide, p 82)</li> <li>constructed of nontoxic materials (Guide, p 82)</li> <li>prevents electrical hazards (Guide, p 82)</li> <li>space needs of species are evaluated by IACUC during program evaluations and facility inspections (Guide, p 83)</li> <li>Environmental Enrichment, Social Housing, Behavioral and Social Management:</li> <li>enrichment elicits appropriate behaviors and is safe (Guide, p 83)</li> <li>semi-aquatic reptiles are provided terrestrial areas (Guide, p 83)</li> <li>handling is kept to a minimum and appropriate techniques are in place at facility X</li> <li>nets are cleaned, disinfected and managed to avoid contamination of systems (Guide, p 84)</li> <li>nets are cleaned, disinfected and managed to avoid contamination of systems X</li> </ul>		-		_				
<ul> <li>allows access to food and waste removal (<i>Guide</i>, <u>p</u> 82)</li> <li>restricts escape and entrapment (<i>Guide</i>, <u>p</u> 82)</li> <li>allows undisturbed observation (<i>Guide</i>, <u>p</u> 82)</li> <li>allows undisturbed observation (<i>Guide</i>, <u>p</u> 82)</li> <li>constructed of nontoxic materials (<i>Guide</i>, <u>p</u> 82)</li> <li>prevents electrical hazards (<i>Guide</i>, <u>p</u> 82)</li> <li>prevents electrical hazards (<i>Guide</i>, <u>p</u> 82)</li> <li>space needs of species are evaluated by IACUC during program evaluations and facility inspections (<i>Guide</i>, <u>p</u> 83)</li> <li>Environmental Enrichment, Social Housing, Behavioral and Social Management:         <ul> <li>enrichment elicits appropriate behaviors and is safe (<i>Guide</i>, <u>p</u> 83)</li> <li>semi-aquatic reptiles are provided terrestrial areas (<i>Guide</i>, <u>p</u> 83)</li> <li>handling is kept to a minimum and appropriate techniques are in place at facility X</li> <li>nets are cleaned, disinfected and managed to avoid contamination of systems (<i>Guide</i>, <u>p</u> 84)</li> <li>Food:</li> </ul> </li> </ul>		-						
<ul> <li>restricts escape and entrapment (<i>Guide</i>, p 82)</li> <li>allows undisturbed observation (<i>Guide</i>, p 82)</li> <li>constructed of nontoxic materials (<i>Guide</i>, p 82)</li> <li>prevents electrical hazards (<i>Guide</i>, p 82)</li> <li>prevents electrical hazards (<i>Guide</i>, p 82)</li> <li>space needs of species are evaluated by IACUC during program evaluations and facility inspections (<i>Guide</i>, p 83)</li> <li>Environmental Enrichment, Social Housing, Behavioral and Social Management:</li> <li>enrichment elicits appropriate behaviors and is safe (<i>Guide</i>, p 83)</li> <li>semi-aquatic reptiles are provided terrestrial areas (<i>Guide</i>, p 83)</li> <li>handling is kept to a minimum and appropriate techniques are in place at facility X</li> <li>nets are cleaned, disinfected and managed to avoid contamination of systems (<i>Guide</i>, p 84)</li> <li>Food:</li> </ul>								<u> </u>
<ul> <li>allows undisturbed observation (<i>Guide</i>, p 82)</li> <li>constructed of nontoxic materials (<i>Guide</i>, p 82)</li> <li>prevents electrical hazards (<i>Guide</i>, p 82)</li> <li>space needs of species are evaluated by IACUC during program evaluations and facility inspections (<i>Guide</i>, p 83)</li> <li>Environmental Enrichment, Social Housing, Behavioral and Social Management:         <ul> <li>enrichment elicits appropriate behaviors and is safe (<i>Guide</i>, p 83)</li> <li>semi-aquatic reptiles are provided terrestrial areas (<i>Guide</i>, p 83)</li> <li>handling is kept to a minimum and appropriate techniques are in place at facility X</li> <li>nets are cleaned, disinfected and managed to avoid contamination of systems (<i>Guide</i>, p 84)</li> <li>nets are cleaned, disinfected and managed to avoid contamination of systems</li> <li>Food:</li> </ul> </li> </ul>				X				<u> </u>
<ul> <li>constructed of nontoxic materials (<i>Guide</i>, <u>p 82</u>)</li> <li>prevents electrical hazards (<i>Guide</i>, <u>p 82</u>)</li> <li>space needs of species are evaluated by IACUC during program evaluations and facility inspections (<i>Guide</i>, <u>p 83</u>)</li> <li>Environmental Enrichment, Social Housing, Behavioral and Social Management:         <ul> <li>enrichment elicits appropriate behaviors and is safe (<i>Guide</i>, <u>p 83</u>)</li> <li>semi-aquatic reptiles are provided terrestrial areas (<i>Guide</i>, <u>p 83</u>)</li> <li>handling is kept to a minimum and appropriate techniques are in place at facility X</li> <li>nets are cleaned, disinfected and managed to avoid contamination of systems (<i>Guide</i>, <u>p 84</u>)</li> <li>Food:</li> </ul> </li> </ul>								
<ul> <li>prevents electrical hazards (<i>Guide</i>, <u>p 82</u>)</li> <li>space needs of species are evaluated by IACUC during program evaluations and facility inspections (<i>Guide</i>, <u>p 83</u>)</li> <li>Environmental Enrichment, Social Housing, Behavioral and Social Management:         <ul> <li>enrichment elicits appropriate behaviors and is safe (<i>Guide</i>, <u>p 83</u>)</li> <li>semi-aquatic reptiles are provided terrestrial areas (<i>Guide</i>, <u>p 83</u>)</li> <li>handling is kept to a minimum and appropriate techniques are in place at facility X</li> <li>nets are cleaned, disinfected and managed to avoid contamination of systems (<i>Guide</i>, <u>p 84</u>)</li> <li>Food:</li> </ul> </li> </ul>								
<ul> <li>space needs of species are evaluated by IACUC during program evaluations and facility inspections (<i>Guide</i>, <u>p</u> 83)</li> <li>Environmental Enrichment, Social Housing, Behavioral and Social Management:         <ul> <li>enrichment elicits appropriate behaviors and is safe (<i>Guide</i>, <u>p</u> 83)</li> <li>semi-aquatic reptiles are provided terrestrial areas (<i>Guide</i>, <u>p</u> 83)</li> <li>handling is kept to a minimum and appropriate techniques are in place at facility X</li> <li>nets are cleaned, disinfected and managed to avoid contamination of systems (<i>Guide</i>, <u>p</u> 84)</li> <li>Food:</li> </ul> </li> </ul>				_				<u> </u>
facility inspections (Guide, p 83)       Image: second secon				_				
<ul> <li>Environmental Enrichment, Social Housing, Behavioral and Social Management:         <ul> <li>enrichment elicits appropriate behaviors and is safe (<i>Guide</i>, p 83)</li> <li>semi-aquatic reptiles are provided terrestrial areas (<i>Guide</i>, p 83)</li> <li>handling is kept to a minimum and appropriate techniques are in place at facility</li> <li>or protocol level (<i>Guide</i>, p 84)</li> <li>nets are cleaned, disinfected and managed to avoid contamination of systems</li> <li><i>K</i></li> <li><i>K</i></li></ul></li></ul>		-		[				
<ul> <li>enrichment elicits appropriate behaviors and is safe (<i>Guide</i>, <u>p 83</u>)</li> <li>semi-aquatic reptiles are provided terrestrial areas (<i>Guide</i>, <u>p 83</u>)</li> <li>handling is kept to a minimum and appropriate techniques are in place at facility</li> <li>or protocol level (<i>Guide</i>, <u>p 84</u>)</li> <li>nets are cleaned, disinfected and managed to avoid contamination of systems</li> <li><i>Guide</i>, <u>p 84</u>)</li> <li>Food:</li> </ul>	•	En		ent:	1			L
<ul> <li>semi-aquatic reptiles are provided terrestrial areas (<i>Guide</i>, <u>p 83</u>)</li> <li>handling is kept to a minimum and appropriate techniques are in place at facility or protocol level (<i>Guide</i>, <u>p 84</u>)</li> <li>nets are cleaned, disinfected and managed to avoid contamination of systems (<i>Guide</i>, <u>p 84</u>)</li> <li>Food:</li> </ul>	-			_				
<ul> <li>handling is kept to a minimum and appropriate techniques are in place at facility X or protocol level (<i>Guide</i>, <u>p 84</u>)</li> <li>nets are cleaned, disinfected and managed to avoid contamination of systems (<i>Guide</i>, <u>p 84</u>)</li> <li>Food:</li> </ul>		-						<u> </u>
or protocol level (Guide, p 84)       Image: Second s								<u> </u>
<ul> <li>nets are cleaned, disinfected and managed to avoid contamination of systems (<i>Guide</i>, <u>p 84</u>)</li> <li>Food:</li> </ul>		~		[				
(Guide, <u>p 84</u> )  • Food:		0		x				<u> </u>
• Food:		Ŭ	· · · · · · · · · · · · · · · · · · ·	[				
	•	Fo						
o storage to prevent contamination, preserve nutrients and prevent pests (Guide, p. X		0	storage to prevent contamination, preserve nutrients and prevent pests ( <i>Guide</i> , J	X				

	<u>84</u> )			
	o delivery ensures access to all , minimizing aggression and nutrient loss (Guide, p	Х		
	<u>84</u> )			
	• storage times are based on manufacturer recommendations or accepted practice	Χ		
	(Guide, <u>p 84</u> )			
	<ul> <li>a nutritionally complete diet is provided (<i>Guide</i>, <u>p 84</u>)</li> </ul>	Χ		
•	Substrate:			
	o amount, type and presentation of substrate is appropriate for the system and the			
	species ( <i>Guide</i> , <u>p 85</u> )	Χ		
•	Sanitation, Cleaning and Disinfection			
	• frequency of tank/cage cleaning and disinfection is determined by water quality,	Х		
	permits adequate viewing and health monitoring (Guide, p 86)			
	<ul> <li>cleaning and disinfection of macroenvironment (<i>Guide</i>, <u>p 86</u>)</li> </ul>	Χ		
•	Waste Disposal:	Χ		
	<ul> <li>procedures for collection (<i>Guide</i>, <u>pp 73-74</u>)</li> </ul>	Χ		
	• hazardous wastes are rendered safe before removal from facility ( <i>Guide</i> , <u>pp 73-</u>	X		
	<u>74</u> ) [must]			
	<ul> <li>animal carcasses (Guide, pp 73-74)</li> </ul>	X		
•	Pest Control:			
	<ul> <li>regularly scheduled (<i>Guide</i>, <u>p 74</u>)</li> </ul>	X		
	o documented program including control of pests and insecticide use (Guide, p 74)	X		
•	Emergency, Weekend, and Holiday Animal Care:		 	
	<ul> <li>care provided by qualified personnel every day (<i>Guide</i>, <u>pp 74</u>, <u>87</u>)</li> </ul>	X		
	<ul> <li>provision for accessible contact information (<i>Guide</i>, <u>pp 74</u>, <u>87</u>)</li> </ul>	X		
	• emergency response plans in place to address major system failures ( <i>Guide</i> , <u>87</u> )	Χ		
	• veterinary care available after hours, weekends, and holidays (Guide, pp 74, 114)	X		
	[must]			
•	Identification:		 	
	<ul> <li>cage/tank cards contain required information (Guide, pp 75, 87)</li> </ul>	Χ		
	<ul> <li>genotype information included and standardized nomenclature used when</li> </ul>	X		
	applicable ( <i>Guide</i> , <u>pp 75</u> , <u>87</u> )			
•	Recordkeeping:	X		
	<ul> <li>water quality parameters and frequency of testing recorded (Guide, <u>p 88</u>)</li> </ul>	Χ		
	<ul> <li>records kept on feeding, nonexpired food supplies, live cultures (<i>Guide</i>, <u>p 88</u>)</li> </ul>	X		
•	Storage:	Χ		
	<ul> <li>adequate space for equipment, supplies, food, substrate and refuse (<i>Guide</i>, <u>p</u> 141)</li> </ul>	X		
	<ul> <li>substrate protected from contamination (<i>Guide</i>, <u>p 141</u>)</li> </ul>	Х		
	• food in vermin-free, temperature and humidity controlled area and protected	X		
	from contamination (Guide, p 141)			
	• refuse storage is separate ( <i>Guide</i> , <u>p 141</u> )	Χ		
	• carcass and animal tissue storage is separate, refrigerated below 7°C and	Х		
	cleanable ( <i>Guide</i> , <u>p 141</u> )			
•	Personnel:	Х		
	• adequate space for locker rooms, administration and training ( <i>Guide</i> , <u>p 135</u> )	Х		
* A =	acceptable			

**M** = minor deficiency

S = significant deficiency (is or may be a threat to animal health or safety) C = change in program (PHS Policy <u>IV.A.1.a.-i.</u>) (include in semiannual report to IO and in annual report to OLAW)

## Cagewash (as adapted from OLAW)

#### Date: August 19, 2020 **Location: Campus Animal Facilities**

		<b>A</b> *	Μ	S	С	NA
• Co	onstruction and Operation:					
0	dedicated central area for sanitizing cages and equipment is provided (Guide, p	X				
	<u>143</u> )					
0	cage-washing equipment meets need ( <i>Guide</i> , <u>p 143</u> )	X				
0	doors, windows, floors, drainage, walls, ceilings (Guide, pp 136-138)	X				
0	convenient to animal areas/waste disposal (Guide, p 143)	X				
0	ease of access (including door size) facilitates use (Guide, <u>p 143</u> )	X				
0	sufficient space for staging and maneuvering (Guide, p 143)	X				
0	safety precautions/clothing/equipment used for waste disposal/prewash/acid	X				
	wash (( <i>Guide</i> , <u>p 143</u> )					
0	traffic flow clean to dirty with no contamination of clean equipment by dirty	x				
	equipment and appropriate air pressurization (Guide, p 143)					
0	······································	X				
0	utilities are appropriate ( <i>Guide</i> , <u>p 143</u> )	X				
0	ventilation meets heat and humidity load (Guide, <u>p 143</u> )	X				
0	safety features (e.g., SOPs, warning signs, eyewash stations) are in use (Guide,	x				
	<u>p 143)</u>					
0	functioning safety devices to prevent entrapment in washer/sterilizers (Guide, p	x				
	<u>143</u> )					
0	cage wash temperatures are monitored and records are available (Guide, p 73)	X				
0	appropriate clean cage storage ( <i>Guide</i> , <u>p 141</u> )	X				
<b>A</b> = ac	ceptable					

A = acceptable

**M** = minor deficiency

 $\mathbf{S}$  = significant deficiency (is or may be a threat to animal health or safety)

C = change in program (PHS Policy IV.A.1.a.-i.) (include in semiannual report to IO and in annual report to OLAW)

## Special Facilities: Aseptic Surgery (as adapted from OLAW)

#### Date: August 19, 2020 Location: Campus Animal Facilities and Procedural Areas

		<b>A</b> *	Μ	S	С	N/
•	General Considerations:					
	<ul> <li>location minimizes traffic/contamination (Guide, <u>p 144</u>)</li> </ul>	X				
	<ul> <li>functional components (surgical support, animal preparation, surgeon scrub,</li> </ul>	X				
	operating room, postoperative recovery) are designed and separated (physically					
	or otherwise) ( <i>Guide</i> , <u>p 144</u> )					
	<ul> <li>appropriate drug storage, control, expiration date monitoring (Guide, pp 115,</li> </ul>	X				
	<u>122)</u>					
	<ul> <li>safe sharps disposal system (Guide, <u>p 74</u>)</li> </ul>	X				
	<ul> <li>adequate records of anesthesia and perioperative care (Guide, p 122)</li> </ul>	X				
	<ul> <li>aseptic procedures in use for all survival surgery (Guide, pp 118-119)</li> </ul>	X				
•	Operating Room:					
	<ul> <li>effective contamination control procedures (Guide, p 144)</li> </ul>	X				
	<ul> <li>effective cleaning procedures/dedicated tools (Guide, p 145)</li> </ul>	X				$\square$
	<ul> <li>interior surfaces smooth and impervious to moisture (Guide, p 145)</li> </ul>	X				
	<ul> <li>HVAC system meets Guide requirements (Guide, p 145)</li> </ul>	X				Γ
	<ul> <li>lighting safe and appropriate (Guide, p 145)</li> </ul>	X				
	<ul> <li>outlets safe and appropriate (Guide, p 145)</li> </ul>	Х				
		Xsee				$\square$
	<ul> <li>scavenging of anesthetic gases implemented (Guide, p 145)</li> </ul>	note 6				
•	Surgical Support:					
	o facility for washing, sterilizing, storing instruments and supplies ( <i>Guide</i> , <u>p 145</u> )	X				
			Xsee			
	<ul> <li>autoclave monitoring procedures are implemented (Guide, pp 119, 145)</li> </ul>		note 8			
	<ul> <li>storage of autoclaved materials maintains sterility (Guide, p 145)</li> </ul>	X				
•	Animal Preparation: contains large sink to facilitate cleaning of animal and	X				
	operative site ( <i>Guide</i> , <u>p 145</u> )					
•	Surgeon Scrub: outside operating room, non-hand-operated sink (Guide, p 145)	X				
•	Postoperative Recovery: allows adequate observation, easily cleaned, supports	X				
	physiologic functions, minimizes risk of injury ( <i>Guide</i> , <u>p 145</u> )					
•	Dressing Area: place for personnel to change (Guide, p 145)	x				

A = acceptable

M = minor deficiency

**S** = significant deficiency (is or may be a threat to animal health or safety)

**C** = change in program (PHS Policy <u>IV.A.1.a.-i.</u>) (include in semiannual report to IO and in annual report to OLAW)

# Special Facilities: Procedure Areas, Non-survival Surgeries, Laboratories, Rodent Surgeries, Imaging, Whole Body Irradiation, Hazardous Agent Containment, Behavioral Studies *(as adapted from OLAW)*

#### Date: August 19, 2020 Location: Campus Animal Facilities and Procedural Areas

			$\mathbf{A}^*$	Μ	S	С	NA
•	Ge	eneral Considerations:					
	0	labs used to house animals only when scientifically required and limited to	Х				
		minimum period necessary ( <i>Guide</i> , <u>p 134</u> )					
	0	drug storage, control, and expiration dates (Guide, pp 115, 122)	Х				
	0	sharps disposal ( <i>Guide</i> , <u>p 74</u> )	Х				
	0	anesthetic monitoring ( <i>Guide</i> , <u>p 120</u> )	Х				
			Xsee				
			note				
	0	scavenging of anesthetic gases ( <i>Guide</i> , <u>p 21</u> )	6				
	0	safety features (e.g., SOPs, safety signs, eyewash stations, secure gas cylinders)	Х				
		are in place ( <i>Guide</i> , <u>p 19</u> )					
	0		X				
٠	Ad	ditional Concerns for Survival Surgery: (rodent and minor procedures only)					
	0	rodent survival surgery clean and uncluttered, not used for anything else during	Х				
		surgery ( <i>Guide</i> , <u>p 144</u> )					
	0	records of peri-operative care (Guide, <u>p 120</u> )	X				
	0	aseptic procedures (Guide, pp 118-119)	Х				
				Xsee			
				note			
	0	autoclave monitoring procedures (Guide, pp 119, 145)		8			
	0	storage of autoclaved materials ( <i>Guide</i> , <u>p 145</u> )	X				
•	In	naging/Whole Body Irradiation:					
	0	location of resource limits contamination risk (Guide, p 147)					
	0	appropriate transportation methods are in place (Guide, <u>p 147</u> )					
			Xsee				
	0	gas anesthesia provision, scavenging and monitoring are appropriate (Guide, p	note				
		147)	6				
	0	appropriate sensors and ventilation are provided for cryogen gases (Guide, p	X				
		147) [must]					
	0		Х				
•	Ha	izardous Agent Containment:					
	0	facility adheres to APHIS, USDA and CDC Select Agent Regulations and other					
		federal, state and local regulations including security measures (Guide, p 148)					
		[must]					X
•	Be	havioral Studies:					
	0	facility minimizes airborne transmission of noise and ground-borne transmission	Х				
		of vibration ( <i>Guide</i> , <u>p 149</u> )					
	0	testing equipment allows for surface disinfection (Guide, p 150)	X				
	0		Х				
		kept covered when not in use ( <i>Guide</i> , <u>p 150</u> )					
	0		X				
* A	= aco	ceptable					-

 $\mathbf{M} = \text{minor deficiency}$ 

 $\mathbf{S}$  = significant deficiency (is or may be a threat to animal health or safety)

**C** = change in program (PHS Policy <u>IV.A.1.a.-i.</u>) (include in semiannual report to IO and in annual report to OLAW)

## III. Endnotes

<sup>i</sup> The PHS Policy requires that Assured institutions comply with the regulations (9 CFR, Subchapter A) issued by the U.S. Department of Agriculture (USDA) under the Animal Welfare Act, as applicable. The endnotes below are specific USDA regulatory requirements that differ from or are in addition to the PHS Policy. This list is not intended to be all inclusive. For additional information please refer to 9 CFR Subchapter A - Animal Welfare.

#### <sup>ii</sup> Part 2 Subpart C - Research Facilities

-2.31(b)(2) - "The Committee shall be composed of a Chairman and at least two additional members;... at least one shall not be affiliated in any way with the facility...such person will provide representation for general community interests in the proper care and treatment of animals." [PHS policy requires 5 members]

<sup>iii</sup> 2.32(c)(4) - "...No facility employee, Committee member, or laboratory personnel shall be discriminated against or be subject to any reprisal for reporting violations of any regulation or standards under the Act." [USDA requirement additional to PHS Policy]

<sup>iv</sup> 2.31(d)(5) - "...shall conduct continuing reviews of activities...not less than annually." [PHS Policy requires a complete new review every 3 years utilizing all the criteria for initial review]

 $^{v}$  2.31(d)(1)(x) - "...no animal will be used in more than one major operative procedure from which it is allowed to recover unless...(it is) justified for scientific reasons...(or is) required as routine veterinary procedure...or other special circumstances as determined by the Administrator on an individual basis." [this last point is an additional USDA justification for multiple survival surgeries]

<sup>vi</sup> 2.36 - "...each reporting facility shall submit an annual report to the APHIS, AC sector supervisor for the State where the facility is located on or before December 1 of each calendar year." [The USDA annual report has a list of requirements which differ from PHS annual report]

<sup>vii</sup> 2.36(b)(3) - "...exceptions to the standards and regulations be specified and explained by the principal investigator and approved by the IACUC. A summary of all such exceptions must be attached to the facility's annual report." [Refers to USDA annual report]

<sup>viii</sup> 2.31(c)(3) - "...Any failure to adhere to the plan and schedule that results in a significant deficiency remaining uncorrected shall be reported in writing within 15 business days by the IACUC, through the institutional official, to APHIS and any Federal agency funding that activity." [PHS Policy requires prompt reporting to OPRR of serious or continuing noncompliance with the PHS Policy or serious deviations from the provisions of the *Guide*]

<sup>ix</sup> 2.36 - "...each reporting facility shall submit an annual report to the APHIS, AC sector supervisor for the State where the facility is located on or before December 1 of each calendar year." [The USDA annual report has a list of requirements which differ from PHS annual report]

<sup>x</sup> In addition to PHS requirements for IACUC review/application for funding, USDA regulations require: 2.31(d)(1)(ii) - "The principal investigator (PI) consider alternatives to procedures that cause more than momentary or slight pain or distress to the animals, and has provided a written narrative description of the methods and sources...used to determine that alternatives were not available."

2.31(d)(1)(iii) - "The PI has provided written assurance that the activities do not unnecessarily duplicate previous experiments."

- 2.31(d)(1)(iv) "Procedures that may cause more than momentary or slight pain or distress to the animals will:
   involve in their planning, consultation with the attending veterinarian or his or her designee; [PHS Policy does not specify veterinary consultation]
  - not include paralytics without the use of anesthesia;"

2.31(d)(1)(x) - "No animal will be used in more than one major operative procedure from which it is allowed to recover, unless justified for scientific reasons by the principal investigator, in writing..."

 $x^{i}$  2.33(a)(1) - "In the case of a part-time attending veterinarian or consultant arrangements, the formal arrangements shall include a written program of veterinary care and regularly scheduled visits to the research facility." [USDA requirement additional]

<sup>xii</sup> 2.32(c) - "Humane methods of animal maintenance and experimentation, including the basic needs of each species, proper handling and care for the various species of animals used by the facility, proper pre-procedural and post-procedural care of animals, and aseptic surgical methods and procedures."

<sup>xiii</sup> 2.32(c) - additional specifications include:

- "proper use of anesthetics, analgesics, and tranquilizers for any species of animals used by the facility"

- "methods whereby deficiencies in animal care and treatment are reported, including deficiencies in animal care and treatment reported by any employee of the facility..."

- "utilization of services (e.g., National Agricultural Library, National Library of Medicine) to provide information on appropriate animal care and use, alternatives to the use of live animals in research , that could prevent unintended and unnecessary duplication of research involving animals, and regarding the intent and requirements of the Act." [USDA training specifications are more detailed than PHS Policy].

xiv 2.31(d)(iv)(C) - "Procedures that may cause more than momentary or slight pain or distress to the animals will...not include the use of paralytics without anesthesia."

<sup>xv</sup> Part 3 Subpart A 3.8 - "…research facilities must develop, document, and follow an appropriate plan to provide dogs with the opportunity for exercise. In addition the plan must be approved by the attending veterinarian. The plan must provide written standard procedures…"

<sup>xvi</sup> Part 3 Subpart D 3.81 - "...research facilities must develop, document, and follow an appropriate plan for environment enhancement adequate to promote the psychological well-being of nonhuman primates."

<sup>xvii</sup> Part 3 Subpart A 3.6(c)(1) - "Each dog housed in a primary enclosure must be provided with a minimum amount of floor space, calculated as follows:

(length of dog in inches + 6)<sup>2</sup>/144 = required floor space in square feet)."

- Part 3 Subpart D 3.80 (b) - "Primary enclosures [for nonhuman primates] must meet the minimum space requirements provided in this subpart."

- In situations where the USDA regulations and the *Guide* differ with respect to space requirements, the larger of the two must be followed.