



## Inspection Report

---

THOMAS WALSH  
52 LEBANON RD  
NORTH BERWICK, ME 03906

Customer ID: **39947**  
Certificate: **11-R-0027**  
Site: 001  
CAT'S PAW FARM

Type: ROUTINE INSPECTION  
Date: 06-APR-2022

---

### 3.55

#### Watering.

4 of 25 rabbit cages had dirty water bottles, with either green or dark brown adherent material inside the bottle. Dirty water bottles can harbor bacteria and contamination, and contribute to health problems for the animals. The facility must ensure that the water bottles are clean and sanitized every two weeks at a minimum.

Correct by end of day.

This inspection and exit interview were conducted with the registrant.

---

Prepared By: SARA TOBIAS  
USDA, APHIS, Animal Care  
Title: VETERINARY MEDICAL OFFICER

Date:  
06-APR-2022

Received by Title: Registrant

Date:  
06-APR-2022



### Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
39947	11-R-0027	001	CAT'S PAW FARM	06-APR-2022

Count	Scientific Name	Common Name
000025	<i>Oryctolagus cuniculus</i>	DOMESTIC RABBIT / EUROPEAN RABBIT
000025	<b>Total</b>	