



Inspection Report

OREGON STATE UNIVERSITY

Research Office
A312 Kerr Administration Bldg.
CORVALLIS, OR 97331

Customer ID: **503605**

Certificate: **92-R-0041**

Site: 001

OREGON STATE UNIVERSITY

Type: ROUTINE INSPECTION

Date: 08-MAR-2022

3.127(c)

Facilities, outdoor.

The majority of a smaller enclosure between a shelter and water buckets is very muddy. The standing water and sloppy mud is unavoidable for the two llamas in the enclosure when walking between the water source and the shelter. It had not rained for several days. The enclosure is a small paddock open to a larger pasture area. The animals have free access to both areas.

Proper drainage must be maintained to minimize disease risk and discomfort associated with standing water and mud.

Correct by 3/25/2022.

This inspection and exit interview were conducted with facility representatives.

Prepared By: GWYNN HALLBERG

USDA, APHIS, Animal Care

Date:

11-MAR-2022

Title: VETERINARY MEDICAL
OFFICER

Received by Title: IACUC Representative

Date:

11-MAR-2022



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
503605	92-R-0041	001	OREGON STATE UNIVERSITY	08-MAR-2022

Count	Scientific Name	Common Name
000002	<i>Bos taurus</i>	CATTLE / COW / OX / WATUSI
000002	<i>Capra hircus</i>	DOMESTIC GOAT
000012	<i>Equus caballus</i>	DOMESTIC HORSE
000006	<i>Lama glama</i>	LLAMA
000020	<i>Lama pacos</i>	ALPACA
000042	Total	