MEMORANDUM

To:	
	Institutional Official
From:	Attending Veterinarian
Date:	11/18/2019
Subject:	Semi-Annual Report of Inspection of UNLV Animal Facilities and Review of the UNLV Laboratory Animal Care and Use Program for Oct 2019.

As required by the Federal Animal Welfare Act and Public Health Service Policy on the Humane Care and Use of Laboratory Animals, forwarded herewith is a copy of the subject report for your information.

, D.V.M., Ph.D., ACLAM

cc:

This document is for and Use program. Please acknowleds	ge that you have received this document by signing below.
Please return this page only to	. Thank you.
I have received the Semi-Annual Insp Animal Care and Use Program for Oc	pection of Animal Facilities and Review of the University's ct 2019.
Name	

University of Nevada, Las Vegas Semi-Annual Inspection of Animal Facilities and Review of the University's Animal Care and Use Program Oct 2019

I. General

A. For the record, all members of the Institutional Animal Care and Use Committee were notified by email, dated Oct 1, 2019 of the schedule for the semi-annual inspections.

II. Animal Care and Use Program

- A. All aspects of the University's Animal Care and Use Program are in compliance with the provisions of the Federal Animal Welfare Act (AWA) and the Public Health Service's (PHS) Policy on the Care and Use of Laboratory Animals (PHS Policy).
- B. Reports of semiannual program reviews and facility inspections, including minority views have been faithfully submitted in a timely manner to the Institutional Official.
- C. Required annual reports have been faithfully submitted in a timely manner to the Office of Laboratory Animal Welfare and the USDA.
- D. Records of IACUC meetings and semiannual reports are being maintained for at least three years.
- E. The IACUC review of activities involving animals includes all the required information and review documentation is being maintained for 3 years after the end of each study.
- F. Adequate veterinary care is being provided.
 - a. Dr. provides adequate guidance to investigators on handling, immobilization, sedation, analgesia, anesthesia, and euthanasia.
 - b. Dr. provides adequate guidance and oversight to investigators on surgery and postsurgical care.
 - c. Euthanasia is being performed in compliance with the current AVMA Guide on Euthanasia (unless otherwise approved by the IACUC).
 - d. UNLV has given Dr. as the attending veterinarian, the authority to oversee all aspects of animal care and use.
- G. UNLV provides a training program for professional/management/supervisory/and animal care personnel as well as investigators and their staff. Regular training seminars are provided that cover:
 - a. Humane practices of animal care (housing, husbandry, and handling).

- b. Humane practices of animal use (research procedures, anesthesia, pre and post-operative care).
- c. Methods for minimizing the number necessary to achieve valid results.
- d. Methods for minimizing pain and distress.
- e. Safe and proper use of hazardous agents and OSHA standards.
- f. How to report concerns regarding animal research to the appropriate authorities.
- H. The following are areas of the program of animal care and use from the Apr 2019 Semi-Annual Report identified for improvement and modification by the IACUC and their resolution:
 - a. No recommendations in Apr 2019.
- I. Major and minor deficiencies noted during the inspection of facilities and identified in the Apr 2019 Semi-Annual Report were corrected by the deadline given unless otherwise noted below:
 - a. Major deficiencies not corrected and reason: none, all corrections made prior to deadlines given.
 - b. Minor deficiencies not corrected and reason: none, all corrections made prior to deadlines given.
- J. The IACUC reviewed the UNLV animal care and use program on Oct 17, 2019. The program was found to be acceptable with the following recommendations:
 - a. No recommendations
- III. Animal Facility Inspected Oct 17, 2019
 - A. IACUC Participants:



B. Facility Participants:



- C. Animal Status: All animals in the facility were observed to be in cages, aquaria, or terraria appropriate for the species and which meet or exceed legal size requirements. In addition, all animals appeared to be in excellent health.
- D. Facility Status: Corridors, door, windows, floors, and ceilings are clean. Temperature, humidity, ventilation, illumination, and noise control in animal rooms are acceptable.

Except as noted below, the facility was in full compliance with applicable provisions of the AWA and PHS Policy:

Majo	or Demo	elencies: None
Min	or Defic	ciencies:
a.	Room	
	i.	No exp. date on secondary alcohol bottle
b.	Room	
	i.	cabinet has padlock (not allowed), cabinet has expired and unlabeled supplies
c.	Room	
	i.	Need a "Bin Cleaned On" tag.
d.	Room	
	i.	Small food container has holes in lid and PI staff is
		removing and mixing food between cages.
e.	Room	
	i.	Remove shipping crates
f.	Room	
	i.	Room duty log has missed sweeping days
g.	Room	
	1.	Cardboard on floor, mazes stacked too close to ceiling, exposed sticky side of tape on mazes
h.	Room	
	i.	Bottle of 10% ethanol not dated, floor dirty, tape on maze
	,	has been chewed.
i.	Room	
	i.	Tape on floor, boxes on floor
j.	Room	
	i.	Antibiotic cocktail expired, ethanol hand written on bottle
		that is labeled with something else, several liquids out of date. "Bleach Rite" bottle expired.
k.	Room	
	i.	Test eye wash monthly

Deficiencies must be corrected by next semi-annual.

E. Procedures Status:

1. Room

2.

- 1. Frequency of bedding changes, cleaning and disinfection, and monitoring of cages is adequate.
- 2. Adequate access to feed and water is being provided.
- 3. Feed is being stored in sealed containers, with monitoring of expiration dates and rotation of stocks.

i. Need "Bin cleaned on ____ " labels on all bins.

4. Procedures are in place for proper collection, storage and disposal of waste, hazardous waste, and animal carcasses.

- 5. Adequate provisions have been established for emergency, weekend, and holiday care.
- 6. Procedures for animal identification are adequate.
- 7. Proper storage procedures are followed for food and bedding, supplies, drugs and biologics, wastes, hazardous materials, and carcasses.

Except as noted, all procedures in use in the facility meet or exceed applicable provisions of the Federal Animal Welfare Act (AWA) and Public Health Service's (PHS) Policy, specifically husbandry and veterinary procedures were reviewed with considered to be compliant with contemporary standards and IACUC approvals.

IV. <u>Laboratories</u> - Inspected Oct 17, 2019

Except as noted below were inspected and found to be in compliance with applicable standards and IACUC approvals.

A. Laboratory,

IACUC Participants: Facility Participants:

- 1. Major Deficiencies: None
- 2. Minor Deficiencies:
 - a. None
- B. Aquatic Lab –

IACUC Participants: Facility Participants:

- 1. Major Deficiencies: None
- 2. Minor Deficiencies:
 - a. Trash can is kept outside room in hall and brought into room. Should have a smaller can in the room with lid. When trash bin is full take bags out and put in larger bin outside room in hall.

Deficiencies must be corrected by next semi-annual.

D. Lab Inspected Nov 14, 2019

IACUC Participants: Facility Participants:

- 1. Major Deficiencies: None
- 2. Minor Deficiencies:
 - a. None
 - b. None

E. Lab, Not inspected

IACUC Participants: Facility Participants:

- 3. Major Deficiencies: Not inspected
- 4. Minor Deficiencies:
 - a. Not inspected
- F. Lab,

IACUC Participants: Facility Participants:

- 5. Major Deficiencies: None
- 6. Minor Deficiencies:
 - a. None

V. <u>Departures from the Guide</u>

The following departures from the *Guide* have been reviewed and approved by the IACUC:

A. Exception: Lack of humidification control in existing HVAC system in facility.

Justification: Temperature and humidity is monitored daily. No adverse health or research conditions have been found at the cage level. If such issues arise, IACUC will investigate installation of a humidification system.


Approved: IACUC meeting July 17, 2008.

- a. Humidity was measured inside rodent cages as a metric for evaluating the necessity or the exception of a facility wide humidification system. Humidity measurements from inside the cage were 26-46%.
- B. Exception:
 Approved: IACUC meeting July 17, 2008.
- C. Exception: Exchange rate of air in e-chamber is below the recommendation. Justification: Species housed in the chambers are not affected by a lower air exchange rate as they do not defecate or urinate significantly during torpor. HEPA filters with carbon prefilters have been installed to maintain air quality. Ammonia levels are monitored by PI.

Approved: R1112-282 () on 3/12/13

D. Exception: The temperature in the e-chamber required for hibernation, is outside of the normal range for housing animals.

Justification: Lower temperatures are required for hibernation.



Report prepared by: _		

Report adopted by the Institutional Animal Care and Use Committee at its meeting on Nov 21, 2019.



University of Nevada, Las Vegas Semi-Annual Inspection of Animal Facilities and Review of the University's Animal Care and Use Program Oct 2019

