This for the by the regulation of the second	Memorandum to:	
	From:	Institutional Animal Care and Use Committee
	Subject:	Semiannual Report of the Program Review and Facility Inspection
	Date:	December 15, 2021
for by	the Montana State Univ	e IACUC's results of its most recent program review and facility inspection ersity site conducted on October 18,25,27, November 1,18 2021 as required and Use of Laboratory Animals (Guide), and the Animal Welfare Act (AWA)
ı.	Description of the land the AWA	Nature and Extent of the Institution's Adherence to the Guide,
	Select A or B:  ☑ A. There were ☐ B. The follow	Guide and the AWA.  e no departures during this reporting period. Ing departures have been reviewed and approved by the IACUC: [include each departure]
11.	Animal Care and Use Select A or B: ☐ A. There were	Institution's Animal Care and Use Program  Program Review Date(s): October 25 and November 1 2021  no deficiencies in the program during this reporting period. s identified during the program review are described in the attached
III.	Animal Facility Inspector Select A or B:  ☐ A. There were ☐ B. Deficiencie	Institution's Animal Facility  tion Date(s): October 18,27 and November 18 2021  no deficiencies in the animal facility during this reporting period. s identified during the animal facility inspection are described in the
IV.		views were submitted or expressed.  ng minority views were expressed:

#### V. Status of AAALAC Accreditation

Full AAALAC Accreditation. An AAALAC site visit is scheduled for summer of 2022.

DocuSigned by: 12/17/2021 | 4:22 PM MST

## **IACUC Members** DocuSigned by: -DocuSigned by: A186E5BBA3F74F8... Attending Chair Veterinarian -DocuSigned by: -DocuSigned by: -DocuSigned by: (Alternate) -DocuSigned by: DocuSigned by: (Alternate) -DocuSigned by: -DocuSigned by:

#### I. Semiannual Facilities Inspection/Program Review Report

Dates: Oct. 18, Oct.25, Oct. 27, Nov.1, and Nov. 18 2021

Attendance: MB,JB,KL,RB,TD,LC,SS,KJ,SJ,MT,AR,JK,CC

Deficiency tegory*	Location/Finding	Plan for Correction	Responsible Party	Correction Schedule and Interim Status	Date Complete
M V	Continued from previous Hazard Containment/Processes Biosafety and Chemical Safety Signage and labelling process in some areas was unclear.	Develop SOP for animal room signage requirements and identification when using hazardous agents.	TD,RB,RB, JB	12/3/2021: RB draft SOP in review by AV. a. Train ARC b. Implement process by 1/5/2022	George (1994) de la companya (1994) de la co
M	<b>Disaster Plan:</b> Minor revisions needed to update personnel, emergency reporting process and other information. Replace the CoVID specific response plan with a Pandemic Response Plan.	<ul> <li>a. Update plan to reflect current personnel and emergency reporting processes.</li> <li>b. Incorporate a Pandemic Response Plan to replace a CoVID specific plan</li> </ul>	a. RB b. JB/LC	a Para Palan Palan da Laur Christian e e e e e e e e e e e e e e e e e e e	a.b.12/1/202
M	Breeding Colony Oversight: RM. Breeding colony management and housing practices are not aligned with protocols	AV to meet with ARC and laboratory staff to ensure current practices to align with protocol	i kulturanin ja ki kultuoli kulturanin konsutala saususi suus JB	12/31/2021	esta interior anno esta esta esta esta esta esta esta esta
M	Veterinary Review and Oversight of Medical Records: Animal health cases are not reported to the AV as requested.	AV to ensure adherence to reporting animal health concerns	JB	12/31/2021	12/15/2021

**DATE:** 12/15/2021

M	<ul> <li>ARC Peri-Operative Records:</li> <li>a. Protocol indicated on record does not include jug. catherization procedure.</li> <li>b. Post- Operative Record Document does not align with the information required in IACUC Policy Post-Operative Care of Rodents.</li> </ul>	<ul> <li>a. AV to communicate with PI and surgeons regarding protocol compliance and provide Post-Operative Care log that aligns with IACUC policy.</li> <li>b. PI to provide AV with electronic records in accordance IACUC Post-Operative Care of Rodents policy.</li> </ul>		b. 12/31/2021	a.11/16/2021
M	ARC Expired Materials: A single container of saline with expiration date 7/24/2021 was observed. Saline was labeled for use in sentinel animals and had not been used for the past year.	Saline was discarded at time of inspection.	NA	uk kali di dalah sambili karancera serendi kaningan selekulah serendarah bandali kenancara meruncun serendarah	10/18/2021
M	ARC Several sealed containers of Freund's adjuvant were present in the refrigerator. The containers did not have an expiration date and are believed to have been stored for several years but the actual year of purchase is unknown. The volume in each container varied, suggesting changes of the contents over time and leading to concern regarding the integrity of the product. The containers were not identified with PI or lab contact information. Per ARC staff input, no one has used this material for several years.	If possible, determine date of purchase of Freund's Adjuvant. If date of purchase cannot be determined, discard material.	TD	1/5/2022	12/15/2021
M	what appears to be clutter (unused items, paperwork, etc.) were present in the drawers and cabinets in this room. Ownership of the items was unclear. Excess supplies and equipment impact the ability to effectively clean and maintain the area.	ARC staff to invite research personnel to claim needed supplies and items, store unclaimed supplies and items for a period of time and then discard those items. ARC staff to request that research personnel placed supplies in containers or drawers labeled with the PI name.		2/15/2022	
M	ARC Untidiness Several years of old breeding records are stored in this room. Long term storage of records precludes effective sanitation of the area.	ARC staff to contact PI and ask for records to be moved to the lab or discarded.	TD	2/15/2022	

 M	ARC Expired Materials One container of Euthanasia solution expired 7/21 was observed. Also, the shelf containing expired drugs was not well labeled.	Discard expired Euthanasia solution. Purchase new bottle of Euthanasia solution. Develop system for labelling and storage of expired drugs. Develop and implement system for tracking drug expiration dates.	RB	LN has added controlled drugs to the tracking log.	12/2/2021
 М	ARC Per A large floor fan was present in the Per staff input, the floor fan is used when staff are working on the room. Use of a floor fan precludes effective function of the BSC in the housing room.	Discontinue use of a floor fan in animal housing rooms. Retrain ARC staff.	TD	1/5/2022	
М	filtered hand-held vacuum cleaner was present in the literal l	Create, implement, and document a routine maintenance schedule for HEPA filtered vacuum cleaners in the ARC.	TD	2/15/2022	

M	contained singly housed male mice. The reason that the mice were singly housed was unclear Protocol 2021-35-81 The protocol indicates approval for single housing for experimental purposes but states that animals will be housed on special bedding during experimental procedures. The cages containing the singly housed mice were present in the breeding colony room (not the experimental room) suggesting that the mice were not being used for experimental procedures. Additionally, the cages did not contain special bedding.	a. Develop and implement a system to label cages containing single housed rodents such that the reason animals are being singly housed is readily apparent.	JB/TD	7/31/2022	
M V	ARC Cage Cards Rack C — information listed on several cage cards was difficult to understand. For example, virtually all information on a cage card had been crossed out including the number of animals that should be housed in the cage.	Retrain ARC staff members responsible for management of breeding colonies regarding the importance of complete and legible cage cards. Update cage cards as necessary to ensure that they are complete and legible.	TD	1/5/2022	
M	filtered ventilated racks were last sanitized was unclear. Visible dust had accumulated in the exhaust tubes from the racks to the HEPA filter unit. HEPA ventilated housing racks should be sanitized on a routine basis.	Develop a schedule and documentation for sanitation of ventilated housing racks.	TD	1/31/2022	
M v	log for some weekly tasks was incomplete. It was unclear whether the tasks had been performed and had not been documented or whether the tasks had not been completed.	Retrain ARC staff as necessary to complete required tasks and log in a timely manner.	TD	1/31/2022	

M	3,	Retrain ARC staff to ensure that food is identified with a mill or expiration date.	TD	1/31/2022
M	ARC Hydropac water pouches were stored in covered containers. One container contained pouches created on 8/20/21 and another had pouches created on 1/26/21. ARC SOP states a Hydropac pouch will be tested every 6 months. It was unclear how long pouches could be maintained after creation. Pouches were discarded before they could be tested.	testing or develop testing plan to determine how long Hydropac pouches can be maintained after creation.	JB/TD	1/31/2022
M	ARC A small gap had developed in the netting material covering the air supply grill. Netting should cover the air supply grill to reduce risk of escape of bats when procedures are performed in the room. At the time of the inspection the room was not in use.		TD	1/31/2022
М	procedures As such, the room should be under negative air pressure to the central hallway. The room was positive to the central hall.	Submit work order to request that room air pressure differential be negative to the adjacent hallway.	TD	1/31/2022
M	ARC Anesthetic gas scavenging: It is unclear whether the downdraft table contains an activated charcoal filter. The design of the face mask and anesthesia equipment used in this room requires an active waste gas scavenging system.	<ul> <li>a. Work with the Attending Veterinarian to ensure use of an active waste gas scavenging system.</li> <li>b. Develop SOP and train applicable personnel.</li> </ul>	TD/JB RB/TD/JB	<ul><li>a. 12/31/2021</li><li>b. Draft SOP to AV 12/2/2021</li></ul>

M	Cooley Expired Metronidazole 10/2020.  Personnel indicated that medication had not been administered to animals since the expiration	Discard.	HW/DK		10/18/2021
М	date.  ARC Feed room freezer- expired experimental diet that was not currently in use.	COS= Corrected on the spot - discarded			10/18/2021
M	ARC Hallway between rooms Outlet missing covers.	Submit work order to repair outlet	TD	12/31/2021	
M	card was out of date-( animals was incorrect.	<ul><li>a. Develop process for updating cards for protocols that are renewed.</li><li>b. Update cage cards</li></ul>	TD	1/31/2022	
M		Retrain ARC staff as necessary to complete required tasks and log in a timely manner.	TD	1/31/2022	
M	ARC An autoclaved bottle of water was not dated. All of the autoclaved bottles of water were labelled with date autoclaved except one.	Ensure autoclaved water is labeled with date it was autoclaved.	SW/BR	12/15/2021	
M	ARC Autoclave Monitoring: The monthly Biological Indicator(QA check) had not been run as per SOP and documented. Autoclave sterilization effectiveness is not validated.	Re-train ARC staff on autoclave SOP.	TD	1/31/2022	
M	ARC Expired euthanasia Solution was not marked "expired".  b. Difficult to determine and identify "expired drugs.  c. Many "old" expired drugs in need of disposal	ac. Ensure process for ordering, monitoring, labelling, and disposing of drugs kept by ARC.	RB/LN		ac. 12/2/2021

	M	JRL Room Log: Daily checks were not documented on 08/13 or 10/12.	a. Retrain staff on documentation procedures.	a. AR/TD b. JB	1/31/2022
	.1	<b>Daily Animal Health Information Folder:</b> No documentation since 3/11.	b. Evaluate process of Daily Animal Health Information Folder.		
		minor deficiency			
		significant deficiency (is or may be a threat to anima	al health or safety)		
٧	Che	ck if repeat deficiency			

#### I. Semiannual Program Review Checklist i

#### **Institutional Policies and Responsibilities**

Attendance: JB,MB,RB,KL,LC,SS Date: November 1, 2021

1	Δni	imal Care and Use Program	A*	М	S	С	NA
<u> </u>	•	Responsibility for animal well-being is assumed by all members of the program (Guide,					
		p 1) [must]	Х				
		IO has authority to allocate needed resources (Guide, p. 13)	X				
	•	Resources necessary to manage program of veterinary care are provided ( <i>Guide</i> , p 14)					
		[must]	X				
	•	Sufficient resources are available to manage the program, including training of		Ē			
		personnel in accord with regulations and the Guide (Guide, pp 11, 15)	X				-
	6	Program needs are regularly communicated to IO by AV and/or IACUC (Guide, p 13)	X				
	Α	Responsibilities for daily animal care and facility management are assigned to specific					
		individual(s) when a full-time veterinarian is not available on site (Guide, p 14) [must]	Χ				
	•	Inter-institutional collaborations are described in formal written agreements (Guide, p					
		15)	X				
	•	Written agreements address responsibilities, animal ownership, and IACUC oversight					
		(Guide, p 15)	X		L		L
2	Die	aster Planning and Emergency Preparedness	$\mathbf{A}^*$	M	S	C	NA
<b>Z.</b>	6 6	Disaster plans for each facility to include satellite locations are in place (Guide, p 35, p					
		75) [must]	Х				
	•	Plans include provisions for euthanasia ( <i>Guide</i> , <u>p 35</u> ) [must]	Х				
	•	Plans include triage plans to meet institutional and investigators' needs ( <i>Guide</i> , p 35)		Х			
	•	Plans define actions to prevent animal injury or death due to HVAC or other failures					
		(Guide, p 35)	Х				
	•	Plans describe preservation of critical or irreplaceable animals ( <i>Guide</i> , <u>p 35</u> )	Х				ļ
<u> </u>	•	Plans include essential personnel and their training (Guide, p 35)	Х				ļ
-	•	Animal facility plans are approved by the institution and incorporated into overall					
		response plan (Guide, p. 35)	Х				ļ
	•	Law enforcement and emergency personnel are provided a copy and integration with					
<u> </u>		overall plan is in place (Guide, p 35)	Х	L	<u> </u>		
3.	IAC	CUC	Α*	М	S	С	NA
	•	Meets as necessary to fulfill responsibilities (Guide, p 25) [must]	Х				ļ
	•	IACUC Members named in protocols or with conflicts recuse themselves from protocol					
		decisions (Guide, p. 26) [must]	X				
		Continuing IACUC oversight after initial protocol approval is in place (Guide, p 33)	Х				-
	•	IACUC evaluates the effectiveness of training programs (Guide, p 15)	Х	L			
_			$\mathbf{A}^*$	М	S	C	NA
4.	IAC	CUC Protocol Review - Special Considerations					1
	•	Humane endpoints are established for studies that involve tumor models, infectious					
		diseases, vaccine challenge, pain modeling, trauma, production of monoclonal antibodies, assessment of toxicologic effects, organ or system failure, and models of					
		antibodies, assessment of toxicologic effects, organ of system randre, and models of	x				
<u> </u>		cardiovascular shock ( <i>Guide</i> , <u>p 27</u> ) For pilot studies, a system to communicate with the IACUC is in place ( <i>Guide</i> , <u>p 28</u> )	X				
-	•	For genetically modified animals, enhanced monitoring and reporting is in place					
	•	For genetically modified animals, emanced monitoring and reporting is in place	x				
-		(Guide, p 28) Restraint devices are justified in the animal use protocols (Guide, p 29) [must]	Х				
-	•	Alternatives to physical restraint are considered ( <i>Guide</i> , p 29)	Х				
-		Period of restraint is the minimum to meet scientific objectives ( <i>Guide</i> , p 29)	Х				
	•	Training of animals to adapt to restraint is provided (Guide, p 29)	Х				
-	•	Animals that fail to adapt are removed from study (Guide, p 29)	X				
-	•	Appropriate observation intervals of restrained animals are provided ( <i>Guide</i> , p.29)	Х				
-	•	Veterinary care is provided if lesions or illness result from restraint ( <i>Guide</i> , <u>p 30</u> )					
	•	[must]	Х				
	•	Explanations of purpose and duration of restraint are provided to study personnel					· ·
1		Explanations of harbons are assumed to the contract of the con	1	1	1	1	1
	•	(Guide, p 30)	X				

			1		1	T
	Multiple surgical procedures on a single animal are justified and outcomes evaluated     (Guide n 20)	X				
	(Guide, p 30)		+		1	<del> </del>
	Major versus minor surgical procedures are evaluated on a case-by-case basis (Guide)					
	p 30)	Y X	-	-		-
	Multiple survival procedure justifications in non-regulated species conform to regulate					
	species standards ( <i>Guide</i> , p 30)	X				-
	<ul> <li>Animals on food/fluid restriction are monitored to ensure nutritional needs are met</li> </ul>					
	(Guide, p 31)	X	-			-
	• Body weights for food/fluid restricted animals are recorded at least weekly (Guide, p					
	<u>31</u> )	X				ļ
	<ul> <li>Daily written records are maintained for food/fluid restricted animals (Guide, p 31)</li> </ul>	X				
	Pharmaceutical grade chemicals are used , when available, for animal-related					
	procedures ( <i>Guide</i> , <u>p 31</u> )	X				
	Non-pharmaceutical grade chemicals are described, justified, and approved by IACUC					
	(Guide, p 31)	×				
	<ul> <li>Investigators conducting field studies know zoonotic diseases, safety issues, laws and</li> </ul>					
	regulations applicable in study area ( <i>Guide</i> , p 32)	x		ĺ		
	-1 If I for an also would from the wild (Cuide n 22)	X				
	The state of the s					
						x
	(Guide, p 75)		1	1		^
5	IACUC Membership and Functions	$\mathbf{A}^*$	М	S	C	NA
J.	TACHO:	X	T		Ī	
	at the little to the second second and a non-fillipted non-lah		-			
		X				
	animal user ( <i>Guide</i> , <u>p 24</u> ) <sup>ii</sup>	+^-				+
	<ul> <li>IACUC authority and resources for oversight and evaluation of institution's program</li> </ul>					
	are provided ( <i>Guide</i> , <u>p 14</u> )	X		ļ		+
	IACUC conducts semiannual evaluations of institutional animal care and use program					
	(PHS Policy, IV.B.)	X		1		
	<ul> <li>Conducts semiannual inspections of institutional animal facilities (PHS Policy, <u>IV.B.</u>)</li> </ul>	X				-
	• IACUC organizationally reports to the Institutional Official (PHS Policy, IV.A.1.b.)	X				
	<ul> <li>Methods for reporting and investigating animal welfare concerns are in place (Guide, properties)</li> </ul>	2				
	23) [must]	X				
	Reviews and investigates concerns about animal care and use at institution <sup>iii</sup> (PHS					
	Policy, <u>IV.B.</u> )	×				
	<ul> <li>Procedures are in place for review, approval, and suspension of animal activities<sup>iv</sup></li> </ul>					
	(PHS Policy, <u>IV.B.</u> )	×				
	to the state of th	1		1		
		×				
	activities (PHS Policy, <u>IV.B.</u> )	+ ^	<del>                                     </del>	-		
	Policies are in place for special procedures (e.g., genetically modified animals,					
	restraint, multiple survival surgery, food and fluid regulation, field investigations,	\ \ \				
	agricultural animals) (Guide, p 27-32)	X	-			-
	Requests for exemptions from major survival surgical procedure restrictions are made					
	to USDA/APHIS' ( <i>Guide</i> , <u>p 30</u> ) [must]		<u> </u>	<u>.                                    </u>		X
c	TACIC Training	$\mathbf{A}^*$	М	S	C	NA
Ο.	All IACUC members should receive:					
		T	I			T
	o Formal orientation to institution's program ( <i>Guide</i> , p 17)	X	-	-		
	<ul> <li>Training on legislation, regulations, guidelines, and policies (Guide, p 17)</li> </ul>	X		-		
	<ul> <li>Training on how to inspect facilities and labs where animal use or housing occurs</li> </ul>					
	(Guide, <u>p 17</u> )	X				ļ
	o Training on how to review protocols as well as evaluate the program (Guide, p 17)	X		ļ		ļ
	o Ongoing training/education (Guide, p 17)	X				<u></u>
				_	_	
7.	IACUC Records and Reporting Requirements <sup>vi</sup>	_A*	M	S	С	NA
	Semiannual report to the IO (PHS Policy, IV.B.)					,
	<ul> <li>Submitted to IO every 6 months</li> </ul>	X				
**********	o Compiles program review and facility inspection(s) results (includes all program					
	and facility deficiencies)	X				
	T. I. I. J. TACHO Jane	Х	İ			
	TARLES and the Cride on DUC Policy and the	1	İ			
	o Describes IACUC-approved departures from the Guide of PhS Policy and the	1		1		1

DocuSign Envelope ID: EAF118B2-00F5-4C4D-B704-57862F8A5DF0

	study	X				
0	Records of IACUC reviews are maintained for 3 years after the completion of the					
0	Records of IACUC reviews of animal activities include all required information <sup>x</sup>	Х				
0	IACUC meeting minutes and semiannual reports to the IO are maintained for 3 years	x				
	ecords (PHS Policy, IV.E.)					т-
D -	funding agency	X				
0	Promptly reports suspensions of activities by the IACUC to USDA and any Federal					
0	Reports are filed within 15 days for failures to adhere to timetable for correction of significant deficiencies	x				
0	Reporting mechanism to USDA is in place for IACUC-approved exceptions to the regulations and standards	x				.,
	exceptions/exemptions	×				-
• Re	eports to U.S. Department of Agriculture (USDA) or Federal funding agency <sup>ix</sup> Annual report to USDA contains required information including all	I				Т
	the IACUC (NOT-OD-05-034)	Х				
0	noncompliance (NOT-OD-05-034)  Institute must promptly advise OLAW of any suspension of an animal activity by	X				+
0	Promptly advises OLAW of serious/ongoing <i>Guide</i> deviations or PHS Policy					
	program reviews and facility inspections and includes any minority views	X				
0	Annual report to OLAW documents program changes, dates of the semiannual	1	· · · · · · · · · · · · · · · · · · ·	1	Ī	Т-
	eports to OLAW (PHS Policy, <u>IV.F.</u> )	^				
0	Distinguishes significant from minor deficiencies  Includes a plan and schedule for correction for each deficiency identified viii	Х				+

8.	Ve	eterinary Care (See also next section - Veterinary Care)	$\mathbf{A}^*$	M	S	C	NA
		An arrangement for veterinarian(s) with training or experience in lab animal medicine					
		is in place including backup veterinary care <sup>xi</sup>	X				
	•	Veterinary access to all animals is provided (Guide, p 14) [must]	X				
	•	Direct or delegated authority is given to the veterinarian to oversee all aspects of					
		animal care and use ( <i>Guide</i> , <u>p 14</u> ) [must]	X				
	•	Veterinarian provides consultation when pain and distress exceeds anticipated level in					
		protocol ( <i>Guide</i> , <u>p 5</u> ) [must]	Х				
	•	Veterinarian provides consultation when interventional control is not possible (Guide, p					
		<u>5</u> ) [must]	х				
	•	If part time /consulting veterinarian, visits meet programmatic needs (Guide, p 14)	x				
	•	Regular communication occurs between veterinarian and IACUC (Guide, p 14)	Х				
	•	Veterinarian(s) have experience and training in species used (Guide, p 15) [must]	Х				
	•	Veterinarian(s) have experience in facility administration/management (Guide, p 15)	Х				

9.	Per	sonnel Qualifications and Training	$\mathbf{A}^*$	M	S	C	NA
		All personnel are adequately educated, trained, and/or qualified in basic principles of					
	- 1	aboratory animal science. Personnel included: [must]					
	(	Veterinary/other professional staff ( <i>Guide</i> , <u>p 15-16</u> )	Х				
	(	IACUC members ( <i>Guide</i> , <u>p 17</u> )	Х				
		Animal care personnel ( <i>Guide</i> , <u>p 16</u> )	Х				
		Research investigators, instructors, technicians, trainees, and students (Guide, pp					
		<u>16-17</u> )	Х				
	• (	Continuing education for program and research staff provided to ensure high quality					
		are and reinforce training ( <i>Guide</i> , <u>pp 16-17</u> )	Х				
	• 7	raining is available prior to starting animal activity (Guide, p 17)	Х				
	• 7	raining is documented ( <i>Guide</i> , <u>p 15</u> )	Х				
	• 7	raining program content includes: (Guide, <u>p 17</u> )					
	C	Methods for reporting concerns (Guide, p 17)	Х				
	C	Humane practices of animal care (e.g., housing, husbandry, handling) xii	X				
	C	Humane practices of animal use (e.g., research procedures, use of anesthesia,					
		pre- and post-operative care, aseptic surgical techniques and euthanasia (Guide, p	x				
		<u>17</u> ) <sup>xiii</sup>	^				
	C	Research/testing methods that minimize numbers necessary to obtain valid results					
		(PHS Policy, IV.A.1.q.)	X				

0	Research/testing methods that minimize animal pain or distress (PHS Policy,			
-	IV.A.1.q.)	X		
0	Use of hazardous agents, including access to OSHA chemical hazard notices where			
	applicable (Guide, p 20)	X		
0	Animal care and use legislation (Guide, p 17)	X	 	
	IACUC function (Guide, p 17)	X	-	
0	Ethics of animal use and Three R's (Guide, p 17)	Х		

 $\mathbf{A} = acceptable$ 

M = minor deficiency

**S** = significant deficiency (is or may be a threat to animal health or safety)

C = change in program (PHS Policy IV.A.1.a.-i.) (include in semiannual report to IO and in annual report to OLAW)

NA = not applicable

- ii Part 2 Subpart C Research Facilities
- 2.31(b)(2) "The Committee shall be composed of a Chairman and at least two additional members;... at least one shall not be affiliated in any way with the facility...such person will provide representation for general community interests in the proper care and treatment of animals." [PHS policy requires 5 members]
- iii 2.32(c)(4) "...No facility employee, Committee member, or laboratory personnel shall be discriminated against or be subject to any reprisal for reporting violations of any regulation or standards under the Act." [USDA requirement additional to PHS Policy]
- iv 2.31(d)(5) "...shall conduct continuing reviews of activities...not less than annually." [PHS Policy requires a complete new review every 3 years utilizing all the criteria for initial review]
- $^{v}$  2.31(d)(1)(x) "...no animal will be used in more than one major operative procedure from which it is allowed to recover unless...(it is) justified for scientific reasons...(or is) required as routine veterinary procedure...or other special circumstances as determined by the Administrator on an individual basis." [this last point is an additional USDA justification for multiple survival surgeries]
- vi 2.36 "...each reporting facility shall submit an annual report to the APHIS, AC sector supervisor for the State where the facility is located on or before December 1 of each calendar year." [The USDA annual report has a list of requirements which differ from PHS annual report]
- vii 2.36(b)(3) "...exceptions to the standards and regulations be specified and explained by the principal investigator and approved by the IACUC. A summary of all such exceptions must be attached to the facility's annual report." [Refers to USDA annual report]
- viii 2.31(c)(3) "...Any failure to adhere to the plan and schedule that results in a significant deficiency remaining uncorrected shall be reported in writing within 15 business days by the IACUC, through the institutional official, to APHIS and any Federal agency funding that activity." [PHS Policy requires prompt reporting to OPRR of serious or continuing noncompliance with the PHS Policy or serious deviations from the provisions of the Guide]
- ix 2.36 "...each reporting facility shall submit an annual report to the APHIS, AC sector supervisor for the State where the facility is located on or before December 1 of each calendar year." [The USDA annual report has a list of requirements which differ from PHS annual report]
- <sup>x</sup> In addition to PHS requirements for IACUC review/application for funding, USDA regulations require:
- 2.31(d)(1)(ii) "The principal investigator (PI) consider alternatives to procedures that cause more than momentary or slight pain or distress to the animals, and has provided a written narrative description of the methods and sources...used to determine that alternatives were not available."

<sup>&</sup>lt;sup>i</sup> The PHS Policy requires that Assured institutions comply with the regulations (9 CFR, Subchapter A) issued by the U.S. Department of Agriculture (USDA) under the Animal Welfare Act, as applicable. The endnotes below are specific USDA regulatory requirements that differ from or are in addition to the PHS Policy. This list is not intended to be all inclusive. For additional information please refer to 9 CFR Subchapter A - Animal Welfare.

- Uploaded to Animal Research Laboratory Overview (ARLO) on 08/31/2022
- 2.31(d)(1)(iii) "The PI has provided written assurance that the activities do not unnecessarily duplicate previous experiments."
- 2.31(d)(1)(iv) "Procedures that may cause more than momentary or slight pain or distress to the animals will:
- involve in their planning, consultation with the attending veterinarian or his or her designee; [PHS Policy does not specify veterinary consultation]
- not include paralytics without the use of anesthesia;"
- 2.31(d)(1)(x) "No animal will be used in more than one major operative procedure from which it is allowed to recover, unless justified for scientific reasons by the principal investigator, in writing..."
- xi 2.33(a)(1) "In the case of a part-time attending veterinarian or consultant arrangements, the formal arrangements shall include a written program of veterinary care and regularly scheduled visits to the research facility." [USDA requirement additional]
- xii 2.32(c) "Humane methods of animal maintenance and experimentation, including the basic needs of each species, proper handling and care for the various species of animals used by the facility, proper pre-procedural and post-procedural care of animals, and aseptic surgical methods and procedures."
- xiii 2.32(c) additional specifications include:
- "proper use of anesthetics, analgesics, and tranquilizers for any species of animals used by the facility"
- "methods whereby deficiencies in animal care and treatment are reported, including deficiencies in animal care and treatment reported by any employee of the facility..."
- "utilization of services (e.g., National Agricultural Library, National Library of Medicine) to provide information on appropriate animal care and use, alternatives to the use of live animals in research, that could prevent unintended and unnecessary duplication of research involving animals, and regarding the intent and requirements of the Act." [USDA training specifications are more detailed than PHS Policy].

# Veterinary Care Program Review Date: 10/25/2021

Date: 10/25/2021 Attendance: MB,JB,RB,ND,LC

1. Clinical Care and Management	<b>A</b> *	M	S	NA
<ul> <li>Veterinary program offers high quality of care and ethical standards (Guide, p 105)</li> </ul>	x			
[must]	^			-
<ul> <li>Veterinarian provides guidance to all personnel to ensure appropriate husbandry,</li> </ul>				
handling, treatment, anesthesia, analgesia, and euthanasia (Guide, p 106)	X			
<ul> <li>Veterinarian provides oversight to surgery and perioperative care (Guide, p 106)</li> </ul>	Х			
<ul> <li>Veterinary care program is appropriate for program requirements (Guide, pp 113-114)</li> </ul>	Х			
<ul> <li>Veterinarian(s) is familiar with species and use of animals and has access to medical</li> </ul>				
and experimental treatment records (Guide, p_114)	Х			
<ul> <li>Procedures to triage and prioritize incident reports are in place (Guide, p 114)</li> </ul>	Х			
<ul> <li>Problems with experiments to determine course of treatment in consultation with</li> </ul>				
investigator(Guide, p 114)	X			
o Recurrent or significant health problems with the IACUC and documentation of				
treatments and outcomes (Guide, p 114)	X			
<ul> <li>Veterinary review and oversight of medical and animal use records (Guide, p 115)</li> </ul>		X		
<ul> <li>Procedures established for timely reporting of animal injury, illness, or disease (Guide,</li> </ul>				
p 114) [must]	Х			
• Procedures established for veterinary assessment, treatment, or euthanasia (Guide, p				
114) [must]	X			
<ul> <li>Veterinarian is authorized to treat, relieve pain, and/or euthanize (Guide, p 114)</li> </ul>				
[must]	Х			

2. Animal Procurement and Transportation/Preventive Medicine	<b>A</b> *	M	S	NA
<ul> <li>Procedures for lawful animal procurement are in place (Guide, p 106) [must]</li> </ul>	X			
<ul> <li>Sufficient facilities and expertise are confirmed prior to procurement (Guide, p 106)</li> </ul>	X			
<ul> <li>Procurement is linked to IACUC review and approval (Guide, p 106)</li> </ul>	Х			
<ul> <li>Random source dogs and cats are inspected for identification (Guide, p 106)</li> </ul>				Х
<ul> <li>Population status of wildlife species is considered prior to procurement (Guide, p 106)</li> </ul>	X			
<ul> <li>Appropriate records are maintained on animal acquisition (Guide, p 106)</li> </ul>	X			
<ul> <li>Animal vendors are evaluated to meet program needs and quality (Guide, p 106)</li> </ul>	X			
<ul> <li>Breeding colonies are based on need and managed to minimize numbers (Guide, p. 107)</li> </ul>		х		
<ul> <li>Procedures for compliance with animal transportation regulations, including international requirements, are in place (Guide, p 107) [must]</li> </ul>	X			
<ul> <li>Transportation is planned to ensure safety, security and minimize risk (Guide, p 107)</li> </ul>	X			
<ul> <li>Movement of animals is planned to minimize transit time and deliveries are planned to</li> </ul>				
ensure receiving personnel are available (Guide, pp 107- 108)	X			
<ul> <li>Appropriate loading and unloading facilities are available (Guide, p 109)</li> </ul>	X			
Environment at receiving site is appropriate (Guide, p 109)	X			
<ul> <li>Policies in place on separation by species, source, and health status (Guide, pp 109, 111-112)</li> </ul>	×			
<ul> <li>Procedures in place for quarantine to include zoonoses prevention (Guide, p 110)</li> </ul>	Х			
<ul> <li>Quarantined animals from different shipments are handled separately or physically separated (Guide, p 110)</li> </ul>	x			
Procedures in place for stabilization/acclimation ( <i>Guide</i> , pp 110-111)	Х			
Policies in place for isolation of sick animals ( <i>Guide</i> , p 112)	Х			
Program is in place for surveillance, diagnosis, treatment and control of disease to				
include daily observation ( <i>Guide</i> , p 112)	X			
Diagnostic resources are available for preventive health program ( <i>Guide</i> , p 112)	Х			

3. Surgery	A"_	М	5	NA
Surgical outcomes are assessed and corrective changes instituted (Guide, p 115)	Х			
<ul> <li>Researchers have appropriate training to ensure good technique (Guide, p 115)</li> </ul>				
[must]	X			

### Veterinary Care Program Review Date: 10/25/2021

	Date: 10/25/2021 A	ttendance: MB,JB,R	B,N	D,LC	
•	Pre-surgical plans are developed and include veterinary in anesthetic and analgesic use, peri-operative care, recordk	eeping) ( <i>Guide</i> , <u>p 116</u> )	х		
•	Aseptic surgery is conducted in dedicated facilities or space and IACUC approved ( $Guide$ , $p$ 116)		x		
•	Surgical procedures including laparoscopic procedures are minor ( <i>Guide</i> , pp 117-118)		х		
•	For nonsurvival surgery, the site is clipped, gloves are wo are clean ( <i>Guide</i> , p 118)		х		
	Aseptic technique is followed for survival surgical procedu	res ( <i>Guide</i> , <u>pp 118-119</u> )	Х		
•	Effective procedures for sterilizing instruments and monitor sterile packs are in place ( <i>Guide</i> , p 119)		x		
6	Procedures for monitoring surgical anesthesia and analges 119)	sia are in place ( <i>Guide</i> , <u>p</u>	x		
•	For aquatic species, skin surfaces are kept moist during su 119)		x		
•	Post-operative monitoring and care are provided by traine (e.g., thermoregulation, physiologic function, analgesia, ir closures) ( <i>Guide</i> , pp 119-120)		х		

4. Pain, Distress, Anesthesia and Analgesia	Α*	М	S	NA
Guidelines for assessment and categorization of pain, distress and animal wellbeing				
are provided during training (Guide, p 121)	X			
<ul> <li>Selection of analgesics and anesthetics is based on professional veterinary judgment</li> </ul>				
(Guide, p 121)	X			
<ul> <li>Painful procedures are monitored to ensure appropriate analgesic management</li> </ul>				
(Guide, p 122)	X			
<ul> <li>Nonpharmacologic control of pain is considered as an element of postprocedural care</li> </ul>				
(Guide, p 122)	X			
<ul> <li>Procedures are in place to assure antinoception before surgery begins (Guide, p 122)</li> </ul>				
[must]	Х			
Guidelines for selection and use of analgesics and anesthetics are in place and				
regularly reviewed and updated (Guide, p 122)	Х			
• Special precautions for the use of paralytics are in place to ensure anesthesia (Guide,				
p 123)				Х

5.	Euthanasia	Α*	M	S	NA
	<ul> <li>Methods are consistent with AVMA Guidelines on Euthanasia unless approved by the</li> </ul>				
	IACUC (Guide, p 123)	X		<u> </u>	
	Standardized methods are developed and approved by the veterinarian and IACUC				
	that avoid distress and consider animal age and species (Guide, pp 123-124)	X			
	Training is provided on appropriate methods for each species and considers				
	psychological stress to personnel ( <i>Guide</i> , <u>p 124</u> )	×			
	• Procedures and training are in place to ensure death is confirmed (Guide, p 124)				
	[must]	×			

6.	Drug Storage and Control	_ <b>A</b> *	М	S	NA
	• Program complies with federal regulations for human and veterinary drugs(Guide, p				
	115) [must]	Х			
	• Drug records and storage procedures are reviewed during facility inspections (Guide, p				
	115)	Х			
	Procedures are in place to ensure analgesics and anesthetics are used within				
	expiration date (Guide, p 122) [must]		X		
	<ul> <li>Anesthetics and analgesics are acquired, stored, and their use and disposal are</li> </ul>				
	recorded legally and safely ( <i>Guide</i> , <u>p 122</u> )	Χ			

A = acceptable

# Veterinary Care Program Review Date: 10/25/2021

Attendance: MB,JB,RB,ND,LC

**M** = minor deficiency

**S** = significant deficiency (is or may be a threat to animal health or safety)

**NA** = not applicable

<sup>&</sup>lt;sup>i</sup> 2.31(d)(iv)(C) - "Procedures that may cause more than momentary or slight pain or distress to the animals will...not include the use of paralytics without anesthesia."

# Occupational Health and Safety

Date: 10/25/2021 Attendance: JB, CC, JK, ND, RB

pational Health and Safety of Personnel	A*	M	S	NA
Program is in place and is consistent with federal, state, and local regulations ( <i>Guide</i> , <u>p 17</u> ) [must]	x	THE PROPERTY OF THE PROPERTY O		
Program covers <i>all</i> personnel who work in laboratory animal facilities ( <i>Guide</i> , <u>p 18</u> )	х			
Changing, washing, and showering facilities are available as appropriate ( <i>Guide</i> , <u>p 19</u> )	х			
Hazardous facilities are separated from other areas and identified as limited access ( <i>Guide</i> , <u>19</u> )	2 x			
Personnel training is provided based on risk (e.g., zoonoses, hazards, personal hygiene, special precautions, animal allergies) ( <i>Guide</i> , <u>p 20</u> )	x			
Personal hygiene procedures are in place (e.g., work clothing, eating/drinking/smoking policies) ( <i>Guide</i> , <u>p 20</u> )	x			
Procedures for use, storage, and disposal of hazardous biologic, chemical, and physical agents are in place ( <i>Guide</i> , <u>p 21</u> )		x		
Personal Protective Equipment for the work area is appropriate and available (Guide, <u>p 21</u> )	x			
<ul> <li>Pre-(work) evaluation including health history (Guide, p 22)</li> </ul>	х			
<ul> <li>Immunizations as appropriate (e.g., rabies, tetanus) and tests as appropriate (Guide, p</li> <li>22)</li> </ul>	x			
<ul> <li>Zoonosis surveillance as appropriate (e.g., Q-fever, tularemia, Hantavirus, plague) (Guide p 23)</li> </ul>	2, X			
<ul> <li>Procedures for reporting and treating injuries, including accidents, bites, allergies, etc.</li> <li>(Guide, p 23)</li> </ul>	x			
o Promotes early diagnosis of allergies including preexisting conditions (Guide, p 22)	×			
<ul> <li>Considers confidentiality and other legal factors as required by federal, state and local regulations (Guide, p 22) [must]</li> </ul>	х			
<ul> <li>If serum samples are collected, the purpose is consistent with federal and state laws (Guide, p 22) [must]</li> </ul>	5			
Waste anesthetic gases are scavenged ( <i>Guide</i> , <u>p 21</u> )		х		
Hearing protection is provided in high noise areas (Guide, p 22)	х			
Respiratory protection is available when performing airborne particulate work (Guide, p 22)	х			
O Tuberculosis screening provided for all exposed personnel (Guide, p 23)	Х	-		+

## Occupational Health and Safety

Date: 10/25/2021 Attendance: JB, CC, JK, ND, RB

Personnel Security	$A^*$	M	S	NA
<ul> <li>Occupational safety and health of field studies is reviewed by OSH committee or office (Guide, p 32)</li> </ul>	х	AND ADDRESS OF THE PARTY OF THE		
<ul> <li>Injuries associated with macaques are carefully evaluated and treatment implemented (Guide, p 23)</li> </ul>	х			
<ul> <li>PPE is provided including gloves, arm protection, face masks, face shields, or goggles (Guide, p 21)</li> </ul>	х			
<ul> <li>Training and implementation of procedures for bites, scratches, or injuries associated with macaques (Guide, p 23)</li> </ul>	х			

#### 1. Personnel Security

Preventive measures in place include pre-employment screening, and physical and IT security Х (Guide, p 23)

A = acceptable

M = minor deficiency

S = significant deficiency (is or may be a threat to animal health or safety)

NA = not applicable

#### I. Semiannual Facility Inspection Checklist

#### **Terrestrial Animal Housing and Support Areas**

Date: 10/18/2021, 10/27/2021, 11/18/2021

Location: ARC, JRL, JFLF

		<b>A</b> *	М	S	С	NA
• Lo	ocation:		,	т	,	,
0	animal areas separate from personnel areas (Guide, p 134)	X				
0	separation of species (Guide, p 111)	X	<u> </u>	ļ		L
0	separation by disease status (Guide, p 111)	X	ļ			<u> </u>
0	security and access control (Guide, p 151)	X				
Co	onstruction:	-1	,	,		
0	corridors ( <i>Guide</i> , p 136)	X	ļ	ļ		ļ
0	animal room doors (Guide, p 137)	X				
0	exterior windows (Guide, p 137)	X				
0	floors (Guide, p 137)	Х				
0	drainage ( <i>Guide</i> , p 138)	X				
0	walls and ceilings (Guide, p 138)		X			
0	heating ventilation and air conditioning (Guide, p 139)	X				
0	power and lighting ( <i>Guide</i> , p 141)	Х				
0	noise control ( <i>Guide</i> , p 142)	Х				
	vibration control ( <i>Guide</i> , p 142)	Х				
0	environmental monitoring ( <i>Guide</i> , p 143)	Х				
	pom/Cage:					
0	temperature and humidity ( <i>Guide</i> , p 43)	Х				
0	ventilation and air quality ( <i>Guide</i> , p 45)	Х				
0	illumination ( <i>Guide</i> , p. 47)	Х				
0	noise and vibration ( <i>Guide</i> , p 49)	Х				
	imary Enclosure:		.1			
	space meets physiologic, behavioral i, and socialii needs ( <i>Guide</i> , pp 51, 55-63)	X				
0	secure environment provided ( <i>Guide</i> , p 51)	X				
0	durable, nontoxic materials in good repair and no risk of injury ( <i>Guide</i> , p 51)	X				
0	flooring is safe and appropriate for species ( <i>Guide</i> , p 51)	X	-		·	T
0	adequate bedding and structures for resting, sleeping, breeding ( $Guide$ , $p$ 52)	X				-
0	objective assessments of housing and management are made ( <i>Guide</i> , <u>p 52</u> )	X	-			+
0	procedures for routine husbandry are documented ( <i>Guide</i> , <u>p 52</u> )	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	X			+
0	procedures for routine husbandry are documented (Guide, p. 52)	x	^_			-
0	socially housed animals can escape or hide to avoid aggression ( <i>Guide</i> , <u>p 55</u> )	X		<u> </u>		-
0	cage height provides adequate clearance (Guide, p 56)	^-	-			-
0	animals express natural postures, can turn around, access food and water, and					
	rest away from urine and feces (Guide, p 56) [must]	X	-	ļ		
0	rationale ii for Guide/USDA space exceptions approved by IACUC and based on					
	performance indices ( <i>Guide</i> , <u>p 56</u> )	X				<u> </u>
0	dogs and cats allowed to exercise and provided human interaction (Guide, p 58)	ļ	-			X
0	nonhuman primates are socially housed except for scientific, veterinary or					
	behavior reasons (Guide, pp 58-59)	X	-			-
0	single housing of nonhuman primates is for shortest duration possible (Guide, p					
	60)	X		-		-
0	opportunities for release into larger enclosures is considered for single caged					
	nonhuman primates ( <i>Guide</i> , <u>p 60</u> )	X	-			-
0	agricultural animals are housed socially (Guide, p 60)	X	-			-
0	food troughs and water devices for agricultural animals allow access for all					
	animals ( <i>Guide</i> , <u>p 60</u> )	X	<u> </u>	<u></u>	<u> </u>	<u> </u>
Er	vironmental Enrichment, Behavioral and Social Management:			1	,	
0	structures and resources promote species typical behavior (Guide, pp 52-54)	X		ļ		<u> </u>
0	novelty of enrichment is considered (Guide, p 53)	X		<u> </u>		<u></u>

Semiannual Checklist 1

	The state of the s		1		
	o species specific plans for housing including enrichment, behavior and activity ar	e			
	developed and reviewed regularly by IACUC, researchers and veterinarian				
		×			
	( <i>Guide</i> , pp 53, 58, 60, 63)				
	o animal care personnel receive training to identify abnormal animal behaviors				
		x			
	(Guide, p 53)				
	o stability of pairs or groups is monitored for incompatibility ( <i>Guide</i> , p 64)	X			
	is all beautiful for social species (Guide p. 64)	X			
	o single nousing is justified for social species (Guide, p 64)		+		
	o single housing is limited to the minimum period necessary ( <i>Guide</i> , <u>p 64</u> )	X			
	Little and any inhoment for single housed animals is provided (Guide n 64)	X			
	o additional enrichment for single housed animals is provided (Guide, p. 6.1)	X			
	o single housing is reviewed regularly by IACUC and veterinarian ( <i>Guide</i> , <u>p 64</u> )		-		
	o habituation to routine procedures is part of enrichment program ( <i>Guide</i> , <u>p 64</u> )	X			
	of Habitation to Indiana Processing (e.g. barne corrale pactures islands)				
	Sheltered or Outdoor Housing: (e.g., barns, corrals, pastures, islands)		T		1
	o weather protection and opportunity for retreat (Guide, p 54) [must]	X			
	Western Francisco (Cuido p.E4)	×			
	o appropriate size ( <i>Guide</i> , <u>p 54</u> )				
	o ventilation and sanitation of shelter (no waste/moisture build-up) (Guide, p 54)	X			
	1 L Branding (Cuido n EE)	X			
		X			
	o social compatibility ( <i>Guide</i> , p <u>55</u> )				
	L / L interpretation (Cuido n EE)	X			
	o roundup/restraint procedures (Guide, p. 55)	X			
	o appropriate security ( <i>Guide</i> , <u>p 55</u> )	^_	<u> </u>		
A	Naturalistic Environments:			<del></del>	
	in 1, 1, 1, 1, 2, 2, 2, 2, 4, with consideration of offset on group (Guide n. 55)	Х			
	o animals added /removed with consideration of effect of global (Odrac, p.33)				
	o adequate food, fresh water, and shelter ensured ( <i>Guide</i> , <u>p 55</u> )	X			
	Food:				
•	Food:	n			
	o feeding schedule and procedures including caloric intake management (Guide, g	15			
	65-67)	X		1	
	05 07)	Х			
	o contamination prevention (Guide, p 65)		-		-
	o vendor quality control ( <i>Guide</i> , <u>p. 66</u> )	X			
	in analysis on (Cuido n 66)	X			
	o storage in sealed containers (Guide, p. 60)		1.,		
	o expiration date labeling (Guide, p 66)		X		
	· 1/(C):/ (C)	X			
	o rotation of stocks ( <i>Guide</i> , <u>p 66</u> )	X			
	Water:				
•		X			
	o ad libitum unless justified (Guide, pp 67-68)	^	-		
	O QC procedures (Guide, pp 67-68)		X		
	Bedding and Nesting Materials:				
•	Rodding and Nesting Materials:				
	Detailing and Nesting Platerials		1		
	o species appropriate ( <i>Guide</i> , pp 68-69)	X			
	o species appropriate (Guide, pp 68-69)	X			
	<ul><li>species appropriate (Guide, pp 68-69)</li><li>keeps animals dry (Guide, pp 68-69)</li></ul>	х			
	<ul> <li>species appropriate (Guide, pp 68-69)</li> <li>keeps animals dry (Guide, pp 68-69)</li> <li>OC procedures (Guide, pp 68-69)</li> </ul>	X			
	<ul> <li>species appropriate (Guide, pp 68-69)</li> <li>keeps animals dry (Guide, pp 68-69)</li> <li>OC procedures (Guide, pp 68-69)</li> </ul>	х			
	<ul> <li>species appropriate (Guide, pp 68-69)</li> <li>keeps animals dry (Guide, pp 68-69)</li> <li>QC procedures (Guide, pp 68-69)</li> <li>minimizes scientific variables (Guide, pp 68-69)</li> </ul>	X			
	<ul> <li>species appropriate (Guide, pp 68-69)</li> <li>keeps animals dry (Guide, pp 68-69)</li> <li>QC procedures (Guide, pp 68-69)</li> <li>minimizes scientific variables (Guide, pp 68-69)</li> </ul> Sanitation:	X X X			
•	<ul> <li>species appropriate (Guide, pp 68-69)</li> <li>keeps animals dry (Guide, pp 68-69)</li> <li>QC procedures (Guide, pp 68-69)</li> <li>minimizes scientific variables (Guide, pp 68-69)</li> </ul> Sanitation:	X			
•	<ul> <li>species appropriate (Guide, pp 68-69)</li> <li>keeps animals dry (Guide, pp 68-69)</li> <li>QC procedures (Guide, pp 68-69)</li> <li>minimizes scientific variables (Guide, pp 68-69)</li> <li>Sanitation:</li> <li>frequency of bedding/substrate change (Guide, p 70)</li> </ul>	X X X			
•	<ul> <li>species appropriate (Guide, pp 68-69)</li> <li>keeps animals dry (Guide, pp 68-69)</li> <li>QC procedures (Guide, pp 68-69)</li> <li>minimizes scientific variables (Guide, pp 68-69)</li> <li>Sanitation:</li> <li>frequency of bedding/substrate change (Guide, p 70)</li> <li>cleaning and disinfection of microenvironment (Guide, pp 70-71)</li> </ul>	X X X			
•	<ul> <li>species appropriate (Guide, pp 68-69)</li> <li>keeps animals dry (Guide, pp 68-69)</li> <li>QC procedures (Guide, pp 68-69)</li> <li>minimizes scientific variables (Guide, pp 68-69)</li> <li>Sanitation:</li> <li>frequency of bedding/substrate change (Guide, p 70)</li> <li>cleaning and disinfection of microenvironment (Guide, pp 70-71)</li> <li>cleaning and disinfection of macroenvironment (Guide, p 72)</li> </ul>	X X X	X		
•	<ul> <li>species appropriate (Guide, pp 68-69)</li> <li>keeps animals dry (Guide, pp 68-69)</li> <li>QC procedures (Guide, pp 68-69)</li> <li>minimizes scientific variables (Guide, pp 68-69)</li> <li>Sanitation:</li> <li>frequency of bedding/substrate change (Guide, p 70)</li> <li>cleaning and disinfection of microenvironment (Guide, pp 70-71)</li> <li>cleaning and disinfection of macroenvironment (Guide, p 72)</li> </ul>	X X X	X		
•	<ul> <li>species appropriate (Guide, pp 68-69)</li> <li>keeps animals dry (Guide, pp 68-69)</li> <li>QC procedures (Guide, pp 68-69)</li> <li>minimizes scientific variables (Guide, pp 68-69)</li> <li>Sanitation:</li> <li>frequency of bedding/substrate change (Guide, p 70)</li> <li>cleaning and disinfection of microenvironment (Guide, pp 70-71)</li> <li>cleaning and disinfection of macroenvironment (Guide, p 72)</li> <li>assessing effectiveness (Guide, p 73)</li> </ul>	X X X	X		
•	<ul> <li>species appropriate (Guide, pp 68-69)</li> <li>keeps animals dry (Guide, pp 68-69)</li> <li>QC procedures (Guide, pp 68-69)</li> <li>minimizes scientific variables (Guide, pp 68-69)</li> <li>Sanitation:</li> <li>frequency of bedding/substrate change (Guide, p 70)</li> <li>cleaning and disinfection of microenvironment (Guide, pp 70-71)</li> <li>cleaning and disinfection of macroenvironment (Guide, p 72)</li> <li>assessing effectiveness (Guide, p 73)</li> <li>Waste Disposal:</li> </ul>	X X X X	X		
•	<ul> <li>species appropriate (Guide, pp 68-69)</li> <li>keeps animals dry (Guide, pp 68-69)</li> <li>QC procedures (Guide, pp 68-69)</li> <li>minimizes scientific variables (Guide, pp 68-69)</li> <li>Sanitation:</li> <li>frequency of bedding/substrate change (Guide, p 70)</li> <li>cleaning and disinfection of microenvironment (Guide, pp 70-71)</li> <li>cleaning and disinfection of macroenvironment (Guide, p 72)</li> <li>assessing effectiveness (Guide, p 73)</li> <li>Waste Disposal:</li> </ul>	X X X	X		
•	<ul> <li>species appropriate (Guide, pp 68-69)</li> <li>keeps animals dry (Guide, pp 68-69)</li> <li>QC procedures (Guide, pp 68-69)</li> <li>minimizes scientific variables (Guide, pp 68-69)</li> <li>Sanitation:</li> <li>frequency of bedding/substrate change (Guide, p 70)</li> <li>cleaning and disinfection of microenvironment (Guide, pp 70-71)</li> <li>cleaning and disinfection of macroenvironment (Guide, p 72)</li> <li>assessing effectiveness (Guide, p 73)</li> <li>Waste Disposal:</li> <li>procedures for collection (Guide, pp 73-74)</li> </ul>	X	X		
•	<ul> <li>species appropriate (<i>Guide</i>, pp 68-69)</li> <li>keeps animals dry (<i>Guide</i>, pp 68-69)</li> <li>QC procedures (<i>Guide</i>, pp 68-69)</li> <li>minimizes scientific variables (<i>Guide</i>, pp 68-69)</li> <li>Sanitation:         <ul> <li>frequency of bedding/substrate change (<i>Guide</i>, p 70)</li> <li>cleaning and disinfection of microenvironment (<i>Guide</i>, pp 70-71)</li> <li>cleaning and disinfection of macroenvironment (<i>Guide</i>, p 72)</li> <li>assessing effectiveness (<i>Guide</i>, p 73)</li> </ul> </li> <li>Waste Disposal:         <ul> <li>procedures for collection (<i>Guide</i>, pp 73-74)</li> <li>procedures for storage and disposal (<i>Guide</i>, pp 73-74)</li> </ul> </li> </ul>	X	X		
•	<ul> <li>species appropriate (<i>Guide</i>, pp 68-69)</li> <li>keeps animals dry (<i>Guide</i>, pp 68-69)</li> <li>QC procedures (<i>Guide</i>, pp 68-69)</li> <li>minimizes scientific variables (<i>Guide</i>, pp 68-69)</li> <li>Sanitation:         <ul> <li>frequency of bedding/substrate change (<i>Guide</i>, p 70)</li> <li>cleaning and disinfection of microenvironment (<i>Guide</i>, pp 70-71)</li> <li>cleaning and disinfection of macroenvironment (<i>Guide</i>, p 72)</li> <li>assessing effectiveness (<i>Guide</i>, p 73)</li> </ul> </li> <li>Waste Disposal:         <ul> <li>procedures for collection (<i>Guide</i>, pp 73-74)</li> <li>procedures for storage and disposal (<i>Guide</i>, pp 73-74)</li> </ul> </li> </ul>	X	X		
•	<ul> <li>species appropriate (Guide, pp 68-69)</li> <li>keeps animals dry (Guide, pp 68-69)</li> <li>QC procedures (Guide, pp 68-69)</li> <li>minimizes scientific variables (Guide, pp 68-69)</li> <li>Sanitation:</li> <li>frequency of bedding/substrate change (Guide, p 70)</li> <li>cleaning and disinfection of microenvironment (Guide, pp 70-71)</li> <li>cleaning and disinfection of macroenvironment (Guide, p 72)</li> <li>assessing effectiveness (Guide, p 73)</li> <li>Waste Disposal:</li> <li>procedures for collection (Guide, pp 73-74)</li> <li>procedures for storage and disposal (Guide, pp 73-74)</li> <li>hazardous wastes are rendered safe before removal from facility (Guide, pp 73-74)</li> </ul>	X	X		
•	<ul> <li>species appropriate (Guide, pp 68-69)</li> <li>keeps animals dry (Guide, pp 68-69)</li> <li>QC procedures (Guide, pp 68-69)</li> <li>minimizes scientific variables (Guide, pp 68-69)</li> <li>Sanitation:</li> <li>frequency of bedding/substrate change (Guide, p 70)</li> <li>cleaning and disinfection of microenvironment (Guide, pp 70-71)</li> <li>cleaning and disinfection of macroenvironment (Guide, p 72)</li> <li>assessing effectiveness (Guide, p 73)</li> <li>Waste Disposal:</li> <li>procedures for collection (Guide, pp 73-74)</li> <li>procedures for storage and disposal (Guide, pp 73-74)</li> <li>hazardous wastes are rendered safe before removal from facility (Guide, pp 73-74) [must]</li> </ul>	X	X		
•	<ul> <li>species appropriate (Guide, pp 68-69)</li> <li>keeps animals dry (Guide, pp 68-69)</li> <li>QC procedures (Guide, pp 68-69)</li> <li>minimizes scientific variables (Guide, pp 68-69)</li> <li>Sanitation:</li> <li>frequency of bedding/substrate change (Guide, p 70)</li> <li>cleaning and disinfection of microenvironment (Guide, pp 70-71)</li> <li>cleaning and disinfection of macroenvironment (Guide, p 72)</li> <li>assessing effectiveness (Guide, p 73)</li> <li>Waste Disposal:</li> <li>procedures for collection (Guide, pp 73-74)</li> <li>procedures for storage and disposal (Guide, pp 73-74)</li> <li>hazardous wastes are rendered safe before removal from facility (Guide, pp 73-74)</li> </ul>	X	X		
•	<ul> <li>species appropriate (Guide, pp 68-69)</li> <li>keeps animals dry (Guide, pp 68-69)</li> <li>QC procedures (Guide, pp 68-69)</li> <li>minimizes scientific variables (Guide, pp 68-69)</li> <li>Sanitation:</li> <li>frequency of bedding/substrate change (Guide, p 70)</li> <li>cleaning and disinfection of microenvironment (Guide, pp 70-71)</li> <li>cleaning and disinfection of macroenvironment (Guide, p 72)</li> <li>assessing effectiveness (Guide, p 73)</li> <li>Waste Disposal:</li> <li>procedures for collection (Guide, pp 73-74)</li> <li>procedures for storage and disposal (Guide, pp 73-74)</li> <li>hazardous wastes are rendered safe before removal from facility (Guide, pp 73-74) [must]</li> <li>animal carcasses (Guide, pp 73-74)</li> </ul>	X	X		
•	<ul> <li>species appropriate (Guide, pp 68-69)</li> <li>keeps animals dry (Guide, pp 68-69)</li> <li>QC procedures (Guide, pp 68-69)</li> <li>minimizes scientific variables (Guide, pp 68-69)</li> <li>Sanitation:</li> <li>frequency of bedding/substrate change (Guide, p 70)</li> <li>cleaning and disinfection of microenvironment (Guide, pp 70-71)</li> <li>cleaning and disinfection of macroenvironment (Guide, p 72)</li> <li>assessing effectiveness (Guide, p 73)</li> <li>Waste Disposal:</li> <li>procedures for collection (Guide, pp 73-74)</li> <li>procedures for storage and disposal (Guide, pp 73-74)</li> <li>hazardous wastes are rendered safe before removal from facility (Guide, pp 73-74) [must]</li> <li>animal carcasses (Guide, pp 73-74)</li> <li>Pest Control:</li> </ul>	X	X		
•	<ul> <li>species appropriate (<i>Guide</i>, pp 68-69)</li> <li>keeps animals dry (<i>Guide</i>, pp 68-69)</li> <li>QC procedures (<i>Guide</i>, pp 68-69)</li> <li>minimizes scientific variables (<i>Guide</i>, pp 68-69)</li> <li>Sanitation:         <ul> <li>frequency of bedding/substrate change (<i>Guide</i>, p 70)</li> <li>cleaning and disinfection of microenvironment (<i>Guide</i>, pp 70-71)</li> <li>cleaning and disinfection of macroenvironment (<i>Guide</i>, p 72)</li> <li>assessing effectiveness (<i>Guide</i>, p 73)</li> </ul> </li> <li>Waste Disposal:         <ul> <li>procedures for collection (<i>Guide</i>, pp 73-74)</li> <li>hazardous wastes are rendered safe before removal from facility (<i>Guide</i>, pp 73-74) [must]</li> <li>animal carcasses (<i>Guide</i>, pp 73-74)</li> </ul> </li> <li>Pest Control:         <ul> <li>regularly scheduled (<i>Guide</i>, p 74)</li> </ul> </li> </ul>	X	X		
•	<ul> <li>species appropriate (<i>Guide</i>, pp 68-69)</li> <li>keeps animals dry (<i>Guide</i>, pp 68-69)</li> <li>QC procedures (<i>Guide</i>, pp 68-69)</li> <li>minimizes scientific variables (<i>Guide</i>, pp 68-69)</li> <li>Sanitation:         <ul> <li>frequency of bedding/substrate change (<i>Guide</i>, p 70)</li> <li>cleaning and disinfection of microenvironment (<i>Guide</i>, pp 70-71)</li> <li>cleaning and disinfection of macroenvironment (<i>Guide</i>, p 72)</li> <li>assessing effectiveness (<i>Guide</i>, p 73)</li> </ul> </li> <li>Waste Disposal:         <ul> <li>procedures for collection (<i>Guide</i>, pp 73-74)</li> <li>hazardous wastes are rendered safe before removal from facility (<i>Guide</i>, pp 73-74) [must]</li> <li>animal carcasses (<i>Guide</i>, pp 73-74)</li> </ul> </li> <li>Pest Control:         <ul> <li>regularly scheduled (<i>Guide</i>, p 74)</li> </ul> </li> </ul>	X	X		
•	<ul> <li>species appropriate (<i>Guide</i>, pp 68-69)</li> <li>keeps animals dry (<i>Guide</i>, pp 68-69)</li> <li>QC procedures (<i>Guide</i>, pp 68-69)</li> <li>minimizes scientific variables (<i>Guide</i>, pp 68-69)</li> <li>frequency of bedding/substrate change (<i>Guide</i>, p 70)</li> <li>cleaning and disinfection of microenvironment (<i>Guide</i>, pp 70-71)</li> <li>cleaning and disinfection of macroenvironment (<i>Guide</i>, p 72)</li> <li>assessing effectiveness (<i>Guide</i>, p 73)</li> <li>Waste Disposal:</li> <li>procedures for collection (<i>Guide</i>, pp 73-74)</li> <li>procedures for storage and disposal (<i>Guide</i>, pp 73-74)</li> <li>hazardous wastes are rendered safe before removal from facility (<i>Guide</i>, pp 73-74) [must]</li> <li>animal carcasses (<i>Guide</i>, pp 73-74)</li> <li>Pest Control:</li> <li>regularly scheduled (<i>Guide</i>, p 74)</li> <li>documented program including control of rodent pests and insecticide use</li> </ul>	X	X		
•	<ul> <li>species appropriate (Guide, pp 68-69)</li> <li>keeps animals dry (Guide, pp 68-69)</li> <li>QC procedures (Guide, pp 68-69)</li> <li>minimizes scientific variables (Guide, pp 68-69)</li> <li>Sanitation:</li> <li>frequency of bedding/substrate change (Guide, p 70)</li> <li>cleaning and disinfection of microenvironment (Guide, pp 70-71)</li> <li>cleaning and disinfection of macroenvironment (Guide, p 72)</li> <li>assessing effectiveness (Guide, p 73)</li> <li>Waste Disposal:</li> <li>procedures for collection (Guide, pp 73-74)</li> <li>procedures for storage and disposal (Guide, pp 73-74)</li> <li>hazardous wastes are rendered safe before removal from facility (Guide, pp 73-74) [must]</li> <li>animal carcasses (Guide, pp 73-74)</li> <li>Pest Control:</li> <li>regularly scheduled (Guide, p 74)</li> <li>documented program including control of rodent pests and insecticide use (Guide, p 74)</li> </ul>	X	X		
•	<ul> <li>species appropriate (<i>Guide</i>, pp 68-69)</li> <li>keeps animals dry (<i>Guide</i>, pp 68-69)</li> <li>QC procedures (<i>Guide</i>, pp 68-69)</li> <li>minimizes scientific variables (<i>Guide</i>, pp 68-69)</li> <li>Sanitation:</li> <li>frequency of bedding/substrate change (<i>Guide</i>, p 70)</li> <li>cleaning and disinfection of microenvironment (<i>Guide</i>, pp 70-71)</li> <li>cleaning and disinfection of macroenvironment (<i>Guide</i>, p 72)</li> <li>assessing effectiveness (<i>Guide</i>, p 73)</li> <li>Waste Disposal:</li> <li>procedures for collection (<i>Guide</i>, pp 73-74)</li> <li>procedures for storage and disposal (<i>Guide</i>, pp 73-74)</li> <li>hazardous wastes are rendered safe before removal from facility (<i>Guide</i>, pp 73-74) [must]</li> <li>animal carcasses (<i>Guide</i>, pp 73-74)</li> <li>Pest Control:</li> <li>regularly scheduled (<i>Guide</i>, p 74)</li> <li>documented program including control of rodent pests and insecticide use (<i>Guide</i>, p 74)</li> <li>Emergency, Weekend, and Holiday Animal Care:</li> </ul>	X	X		
•	<ul> <li>species appropriate (<i>Guide</i>, pp 68-69)</li> <li>keeps animals dry (<i>Guide</i>, pp 68-69)</li> <li>QC procedures (<i>Guide</i>, pp 68-69)</li> <li>minimizes scientific variables (<i>Guide</i>, pp 68-69)</li> <li>Sanitation:</li> <li>frequency of bedding/substrate change (<i>Guide</i>, p 70)</li> <li>cleaning and disinfection of microenvironment (<i>Guide</i>, pp 70-71)</li> <li>cleaning and disinfection of macroenvironment (<i>Guide</i>, p 72)</li> <li>assessing effectiveness (<i>Guide</i>, p 73)</li> <li>Waste Disposal:</li> <li>procedures for collection (<i>Guide</i>, pp 73-74)</li> <li>procedures for storage and disposal (<i>Guide</i>, pp 73-74)</li> <li>hazardous wastes are rendered safe before removal from facility (<i>Guide</i>, pp 73-74) [must]</li> <li>animal carcasses (<i>Guide</i>, pp 73-74)</li> <li>Pest Control:</li> <li>regularly scheduled (<i>Guide</i>, p 74)</li> <li>documented program including control of rodent pests and insecticide use (<i>Guide</i>, p 74)</li> <li>Emergency, Weekend, and Holiday Animal Care:</li> </ul>	X	X		
•	<ul> <li>species appropriate (<i>Guide</i>, pp 68-69)</li> <li>keeps animals dry (<i>Guide</i>, pp 68-69)</li> <li>QC procedures (<i>Guide</i>, pp 68-69)</li> <li>minimizes scientific variables (<i>Guide</i>, pp 68-69)</li> <li>Sanitation:</li> <li>frequency of bedding/substrate change (<i>Guide</i>, p 70)</li> <li>cleaning and disinfection of microenvironment (<i>Guide</i>, pp 70-71)</li> <li>cleaning and disinfection of macroenvironment (<i>Guide</i>, p 72)</li> <li>assessing effectiveness (<i>Guide</i>, p 73)</li> <li>Waste Disposal:</li> <li>procedures for collection (<i>Guide</i>, pp 73-74)</li> <li>procedures for storage and disposal (<i>Guide</i>, pp 73-74)</li> <li>hazardous wastes are rendered safe before removal from facility (<i>Guide</i>, pp 73-74) [must]</li> <li>animal carcasses (<i>Guide</i>, pp 73-74)</li> <li>Pest Control:</li> <li>regularly scheduled (<i>Guide</i>, p 74)</li> <li>documented program including control of rodent pests and insecticide use (<i>Guide</i>, p 74)</li> <li>Emergency, Weekend, and Holiday Animal Care:</li> <li>care provided by qualified personnel every day (<i>Guide</i>, p 74)</li> </ul>	X	X		
•	<ul> <li>species appropriate (<i>Guide</i>, pp 68-69)</li> <li>keeps animals dry (<i>Guide</i>, pp 68-69)</li> <li>QC procedures (<i>Guide</i>, pp 68-69)</li> <li>minimizes scientific variables (<i>Guide</i>, pp 68-69)</li> <li>minimizes scientific variables (<i>Guide</i>, pp 68-69)</li> <li>frequency of bedding/substrate change (<i>Guide</i>, p 70)</li> <li>cleaning and disinfection of microenvironment (<i>Guide</i>, pp 70-71)</li> <li>cleaning and disinfection of macroenvironment (<i>Guide</i>, p 72)</li> <li>assessing effectiveness (<i>Guide</i>, p 73)</li> <li>Waste Disposal:</li> <li>procedures for collection (<i>Guide</i>, pp 73-74)</li> <li>procedures for storage and disposal (<i>Guide</i>, pp 73-74)</li> <li>hazardous wastes are rendered safe before removal from facility (<i>Guide</i>, pp 73-74) [must]</li> <li>animal carcasses (<i>Guide</i>, pp 73-74)</li> <li>Pest Control:</li> <li>regularly scheduled (<i>Guide</i>, p 74)</li> <li>documented program including control of rodent pests and insecticide use (<i>Guide</i>, p 74)</li> <li>Emergency, Weekend, and Holiday Animal Care:</li> <li>care provided by qualified personnel every day (<i>Guide</i>, p 74)</li> <li>provision for accessible contact information (<i>Guide</i>, p 74)</li> </ul>	X	X		
•	<ul> <li>species appropriate (<i>Guide</i>, pp 68-69)</li> <li>keeps animals dry (<i>Guide</i>, pp 68-69)</li> <li>QC procedures (<i>Guide</i>, pp 68-69)</li> <li>minimizes scientific variables (<i>Guide</i>, pp 68-69)</li> <li>minimizes scientific variables (<i>Guide</i>, pp 68-69)</li> <li>frequency of bedding/substrate change (<i>Guide</i>, p 70)</li> <li>cleaning and disinfection of microenvironment (<i>Guide</i>, pp 70-71)</li> <li>cleaning and disinfection of macroenvironment (<i>Guide</i>, p 72)</li> <li>assessing effectiveness (<i>Guide</i>, p 73)</li> <li>Waste Disposal:</li> <li>procedures for collection (<i>Guide</i>, pp 73-74)</li> <li>procedures for storage and disposal (<i>Guide</i>, pp 73-74)</li> <li>hazardous wastes are rendered safe before removal from facility (<i>Guide</i>, pp 73-74) [must]</li> <li>animal carcasses (<i>Guide</i>, pp 73-74)</li> <li>Pest Control:</li> <li>regularly scheduled (<i>Guide</i>, p 74)</li> <li>documented program including control of rodent pests and insecticide use (<i>Guide</i>, p 74)</li> <li>Emergency, Weekend, and Holiday Animal Care:</li> <li>care provided by qualified personnel every day (<i>Guide</i>, p 74)</li> <li>provision for accessible contact information (<i>Guide</i>, p 74)</li> </ul>	X	X		
•	<ul> <li>species appropriate (Guide, pp 68-69)</li> <li>keeps animals dry (Guide, pp 68-69)</li> <li>QC procedures (Guide, pp 68-69)</li> <li>minimizes scientific variables (Guide, pp 68-69)</li> <li>Sanitation:</li> <li>frequency of bedding/substrate change (Guide, p 70)</li> <li>cleaning and disinfection of microenvironment (Guide, pp 70-71)</li> <li>cleaning and disinfection of macroenvironment (Guide, p 72)</li> <li>assessing effectiveness (Guide, p 73)</li> <li>Waste Disposal:</li> <li>procedures for collection (Guide, pp 73-74)</li> <li>procedures for storage and disposal (Guide, pp 73-74)</li> <li>hazardous wastes are rendered safe before removal from facility (Guide, pp 73-74) [must]</li> <li>animal carcasses (Guide, pp 73-74)</li> <li>Pest Control:</li> <li>regularly scheduled (Guide, p 74)</li> <li>documented program including control of rodent pests and insecticide use (Guide, p 74)</li> <li>Emergency, Weekend, and Holiday Animal Care:</li> <li>care provided by qualified personnel every day (Guide, p 74)</li> <li>provision for accessible contact information (Guide, p 74)</li> <li>monitoring of backup systems (Guide, p 143)</li> </ul>	X	X		
	<ul> <li>species appropriate (<i>Guide</i>, pp 68-69)</li> <li>keeps animals dry (<i>Guide</i>, pp 68-69)</li> <li>QC procedures (<i>Guide</i>, pp 68-69)</li> <li>minimizes scientific variables (<i>Guide</i>, pp 68-69)</li> <li>minimizes scientific variables (<i>Guide</i>, pp 68-69)</li> <li>frequency of bedding/substrate change (<i>Guide</i>, p 70)</li> <li>cleaning and disinfection of microenvironment (<i>Guide</i>, pp 70-71)</li> <li>cleaning and disinfection of macroenvironment (<i>Guide</i>, p 72)</li> <li>assessing effectiveness (<i>Guide</i>, p 73)</li> <li>Waste Disposal:</li> <li>procedures for collection (<i>Guide</i>, pp 73-74)</li> <li>procedures for storage and disposal (<i>Guide</i>, pp 73-74)</li> <li>hazardous wastes are rendered safe before removal from facility (<i>Guide</i>, pp 73-74) [must]</li> <li>animal carcasses (<i>Guide</i>, pp 73-74)</li> <li>Pest Control:</li> <li>regularly scheduled (<i>Guide</i>, p 74)</li> <li>documented program including control of rodent pests and insecticide use (<i>Guide</i>, p 74)</li> <li>Emergency, Weekend, and Holiday Animal Care:</li> <li>care provided by qualified personnel every day (<i>Guide</i>, p 74)</li> <li>provision for accessible contact information (<i>Guide</i>, p 74)</li> </ul>	X	X		
•	<ul> <li>species appropriate (<i>Guide</i>, pp 68-69)</li> <li>keeps animals dry (<i>Guide</i>, pp 68-69)</li> <li>QC procedures (<i>Guide</i>, pp 68-69)</li> <li>minimizes scientific variables (<i>Guide</i>, pp 68-69)</li> <li>frequency of bedding/substrate change (<i>Guide</i>, p 70)</li> <li>cleaning and disinfection of microenvironment (<i>Guide</i>, pp 70-71)</li> <li>cleaning and disinfection of macroenvironment (<i>Guide</i>, pp 72)</li> <li>assessing effectiveness (<i>Guide</i>, p 73)</li> <li>Waste Disposal:</li> <li>procedures for collection (<i>Guide</i>, pp 73-74)</li> <li>procedures for storage and disposal (<i>Guide</i>, pp 73-74)</li> <li>hazardous wastes are rendered safe before removal from facility (<i>Guide</i>, pp 73-74) [must]</li> <li>animal carcasses (<i>Guide</i>, pp 73-74)</li> <li>regularly scheduled (<i>Guide</i>, p 74)</li> <li>documented program including control of rodent pests and insecticide use (<i>Guide</i>, p 74)</li> <li>Emergency, Weekend, and Holiday Animal Care:</li> <li>care provided by qualified personnel every day (<i>Guide</i>, p 74)</li> <li>provision for accessible contact information (<i>Guide</i>, p 74)</li> <li>monitoring of backup systems (<i>Guide</i>, p 143)</li> <li>veterinary care available after hours, weekends, and holidays (<i>Guide</i>, pp 74,</li> </ul>	X	X		
•	<ul> <li>species appropriate (Guide, pp 68-69)</li> <li>keeps animals dry (Guide, pp 68-69)</li> <li>QC procedures (Guide, pp 68-69)</li> <li>minimizes scientific variables (Guide, pp 68-69)</li> <li>Sanitation:</li> <li>frequency of bedding/substrate change (Guide, p 70)</li> <li>cleaning and disinfection of microenvironment (Guide, pp 70-71)</li> <li>cleaning and disinfection of macroenvironment (Guide, p 72)</li> <li>assessing effectiveness (Guide, p 73)</li> <li>Waste Disposal:</li> <li>procedures for collection (Guide, pp 73-74)</li> <li>procedures for storage and disposal (Guide, pp 73-74)</li> <li>hazardous wastes are rendered safe before removal from facility (Guide, pp 73-74) [must]</li> <li>animal carcasses (Guide, pp 73-74)</li> <li>Pest Control:</li> <li>regularly scheduled (Guide, p 74)</li> <li>documented program including control of rodent pests and insecticide use (Guide, p 74)</li> <li>Emergency, Weekend, and Holiday Animal Care:</li> <li>care provided by qualified personnel every day (Guide, p 74)</li> <li>provision for accessible contact information (Guide, p 74)</li> <li>monitoring of backup systems (Guide, p 143)</li> </ul>	X	X		2

0	a disaster plan that takes into account both personnel and animals (Guide, p 75)	Х	
• I	dentification:		 
0	cage/rack cards contain required information (Guide, p 75)	Х	
0	i c i i la la la la la la la la la la la la la	x	
• R	Recordkeeping:		
	ii de la contra del la contra del la contra del la contra del la contra del la contra de la contra del la contr	Х	
0	it is a superfermed between institutions (Cuido p		
• B	reeding Genetics and Nomenclature:		 
0	appropriate genetic records, management and monitoring procedures (Guide, p. 76)	x	
0	in the first the little and the IACHC and effectively managed	x	
• S	torage:		
0	adequate space for equipment, supplies, food, bedding and refuse (Guide, p 141)	Х	
0	bedding in vermin-free area and protected from contamination(Guide, p 141)	Х	
0	s 1: s - to the transport of and humidity controlled area and protected	x	
0	(C) - 1 - 1 (A)	х	
0	to the state of th	х	
• P	ersonnel:	Х	
	Leave as fault along rooms, administration and training (Guide n 135)	X	

**A** = acceptable

**M** = minor deficiency

S = significant deficiency (is or may be a threat to animal health or safety)
C = change in program (PHS Policy IV.A.1.a.-i.) (include in semiannual report to IO and in annual report to OLAW)

NA = not applicable

Special Facilities: Procedure Areas, Non-survival Surgeries, Laboratories, Rodent Surgeries, Imaging, Whole Body Irradiation, Hazardous Agent Containment, Behavioral Studies

Date: Oct. 18, 2021

Location: ARC, Lab, Cooley, Leon Johnson. HSB

		Α*	М	S	_C	NA
•	General Considerations:			,		,
	labs used to house animals only when scientifically required and limited to					
	minimum period necessary ( <i>Guide</i> , <u>p 134</u> )	Х				
	drug storage, control, and expiration dates (Guide, pp 115, 122)		X			
	sharps disposal ( <i>Guide</i> , <u>p 74</u> )	X				
	anesthetic monitoring ( <i>Guide</i> , <u>p 120</u> )	X				
	scavenging of anesthetic gases ( <i>Guide</i> , <u>p 21</u> )		X			
	safety features (e.g., SOPs, safety signs, eyewash stations, secure gas cylinders)					
	are in place ( <i>Guide</i> , <u>p 19</u> )		X			
	carcass disposal ( <i>Guide</i> , <u>pp 73-74</u> )					
•	Additional Concerns for Survival Surgery: (rodent and minor procedures only)					
	rodent survival surgery clean and uncluttered, not used for anything else during					
	surgery ( <i>Guide</i> , <u>p 144</u> )	X				
	records of peri-operative care (Guide, p 120)		X			
	aseptic procedures (Guide, pp 118-119)	Х				
	autoclave monitoring procedures (Guide, pp 119, 145)		X			
	storage of autoclaved materials ( <i>Guide</i> , <u>p</u> 145)	X				
	cold sterilization procedures are appropriate (Guide, p 119)	Χ				
	Imaging/Whole Body Irradiation					
	o location of resource limits contamination risk (Guide, p 147)					X
	o appropriate transportation methods are in place (Guide, p 147)					X
	gas anesthesia provision, scavenging and monitoring are appropriate ( <i>Guide</i> , <u>p</u> 147)					x
	<ul> <li>appropriate sensors and ventilation are provided for cryogen gases (Guide, p</li> <li>147) [must]</li> </ul>					×
	o imaging console is located away from radiation source (Guide, p 147)					X
•	Hazardous Agent Containment:					
	o facility adheres to APHIS, USDA and CDC Select Agent Regulations and other					
	federal, state and local regulations including security measures (Guide, p 148)					
	[must]	Х				
•	Behavioral Studies:		'			
	o facility minimizes airborne transmission of noise and ground-borne transmission			1		
	of vibration ( <i>Guide</i> , p 149)	×				
	o floor coverings reduce sound transmission (Guide, p 149)	×				
	o testing equipment allows for surface disinfection (Guide, p 150)	Х			1	

0	components that cannot be cleaned are not in ready contact with animals and			
	kept covered when not in use ( <i>Guide</i> , <u>p 150</u> )	Х		
0	housing areas are contiguous with testing areas when appropriate (Guide, p 150)	Х		

<sup>\*</sup> A = acceptable

M = minor deficiency
 S = significant deficiency (is or may be a threat to animal health or safety)
 C = change in program (PHS Policy IV.A.1.a.-i.) (include in semiannual report to IO and in annual report to OLAW)

**NA** = not applicable

#### NOTES:

Semiannual Checklist 2

#### Special Facilities: Aseptic Surgery

Date: Oct. 18, 2021 Location: ARC

		Α*	M	S	C	NA
	General Considerations:			1	Т	
	location minimizes traffic/contamination (Guide, p 144)	X				
(	functional components (surgical support, animal preparation, surgeon scrup,					
	operating room, postoperative recovery) are designed and separated (physically					
	or otherwise) (Guide, p 144)	X			ļ	
	appropriate drug storage, control, expiration date monitoring (Guide, pp 115,					
	122)	X				
(	safe sharps disposal system (Guide, p 74)	X				<u> </u>
	adequate records of anesthesia and perioperative care (Guide, p 122)		X			-
	aseptic procedures in use for all survival surgery (Guide, pp 118-119)	X	ļ	L	1	
•	Operating Room:	1	1		Т	T
	effective contamination control procedures (Guide, p 144)	X			<del> </del>	
	effective cleaning procedures/dedicated tools (Guide, p 145)	X				
	interior surfaces smooth and impervious to moisture (Guide, p 145)	X				
	HVAC system meets Guide requirements (Guide, p 145)	X				
	lighting safe and appropriate (Guide, p 145)	X			ļ	-
	outlets safe and appropriate (Guide, p 145)	Х			<u> </u>	
	scavenging of anesthetic gases implemented (Guide, p 145)	X		<u> </u>	<u></u>	ļ
•	Surgical Support:	,	Т			
	facility for washing, sterilizing, storing instruments and supplies (Guide, p 145)	X			<u> </u>	-
	autoclave monitoring procedures are implemented (Guide, pp 119, 145)	X			ļ	-
	storage of autoclaved materials maintains sterility (Guide, p 145)	X				-
	cold sterilization procedures are appropriate (Guide, p 119)	X				
•	Animal Preparation: contains large sink to facilitate cleaning of animal and					
	operative site (Guide, p. 145)	X	ļ			
•	Surgeon Scrub: outside operating room, non-hand-operated sink (Guide, p 145)	X				
•	Postoperative Recovery: allows adequate observation, easily cleaned, supports					
-	physiologic functions, minimizes risk of injury (Guide, p 145)	X				<u> </u>
	Dressing Area: place for personnel to change (Guide, p 145)	X	<u></u>			
•	Dressing Area: place for personnel to change (Guide, p 145)	X				

A = acceptable

M = minor deficiency

 $<sup>\</sup>mathbf{S} = \text{significant deficiency (is or may be a threat to animal health or safety)}$ 

C = change in program (PHS Policy IV.A.1.a.-i.) (include in semiannual report to IO and in annual report to OLAW)

NA = not applicable

# Obtained by Rise for Animals. Uploaded to Animal Research Laboratory Overview (ARLO) on 08/31/2022

#### **Aquatic Animal Housing and Support Areas**

Date: Oct. 18, 2021 Location: ARC

Lo		Α*	M	S	С
	cation:	V		1	I
0	animal areas separate from personnel areas (Guide, p 134)	X			
0	separation of species ( <i>Guide</i> , p 111)	X		1	
0	separation by disease status ( <i>Guide</i> , p 111)	X			
	security and access control (Guide, p 151)	^_		<del></del>	1
Co	nstruction:				T
0	corridors (Guide, p 136)	X		-	
0	animal room doors ( <i>Guide</i> , <u>pp 137</u> , <u>150</u> )	X			-
0	exterior windows ( <i>Guide</i> , <u>p 137</u> )	X			
0	floors ( <i>Guide</i> , pp 137, 150)	X			
0	drainage ( <i>Guide</i> , pp 138, 150)	X		-	
0	walls and ceilings ( <i>Guide</i> , pp 138, 150)	X			
0	heating ventilation and air conditioning (Guide, pp 139, 150-151)	X			
0	power and lighting ( <i>Guide</i> , pp 141, 150)	х			
0	noise control ( <i>Guide</i> , p 142)	Х			
0	vibration control ( <i>Guide</i> , p 142)	Х			
0	environmental monitoring ( <i>Guide</i> , p 143)	Х			
	ater Quality:	1			
0	standards for acceptable quality are established ( <i>Guide</i> , <u>p 78</u> )	Х			
0	chlorine, chloramines, chemical, and reactive bioproducts are removed or				
0	neutralized prior to use in aquatic systems ( <i>Guide</i> , pp78, <u>86</u> ) [must]	x			
1 16	e Support System:		L		
	water source is based on appropriate controls and research requirements (Guide,				
0		х			
	p 79)				
0	biofilter is of sufficient size to process bioload ( <i>Guide</i> , p. 80) [must]	X		<u> </u>	<u> </u>
Te	mperature, Humidity and Ventilation/Illumination/Noise and Vibration:	\ \ \		Г	Γ
0	temperature and humidity ( <i>Guide</i> , pp 43, 80-81)	X			
0	ventilation and air quality ( <i>Guide</i> , <u>pp 45</u> , <u>81</u> )	X		ļ	
0	illumination ( <i>Guide</i> , <u>pp 47</u> , <u>81</u> )	X			
0	noise and vibration ( <i>Guide</i> , pp 49, 81)	Х			
Pr	imary Enclosure:				
0	allows for normal physiological and behavioral needs (Guide, p 82)	X			
	allows social interaction for social species (Guide, p 82)	X			
0	provides a balanced, stable environment (Guide, p 82)	X			
	provides appropriate water quality and monitoring (Guide, p 82)	Х			
0	allows access to food and waste removal (Guide, p 82)	X			
0	restricts escape and entrapment (Guide, p.82)	Х			
0	allows undisturbed observation ( <i>Guide</i> , p 82)	Х			
0	constructed of nontoxic materials ( <i>Guide</i> , p 82)	Х			
0	prevents electrical hazards ( <i>Guide</i> , p.82)	Х			
0	space needs of species are evaluated by IACUC during program evaluations and				
Ü	facility inspections ( <i>Guide</i> , p 83)	x			
En	vironmental Enrichment, Social Housing, Behavioral and Social Manageme	nt:			
0	enrichment elicits appropriate behaviors and is safe ( <i>Guide</i> , <u>p 83</u> )	Х			
0	semi-aquatic reptiles are provided terrestrial areas ( <i>Guide</i> , p. 83)				
0	handling is kept to a minimum and appropriate techniques are in place at facility				
O	or protocol level (Guide, p 84)	х			
	nets are cleaned, disinfected and managed to avoid contamination of systems				
0				1	1

	o storage to prevent contamination, preserve nutrients and prevent pests (Guide, p	x	
	84) o delivery ensures access to all , minimizing aggression and nutrient loss ( <i>Guide</i> , <u>p</u>		
		\ \ \	
	84)	X	
	o storage times are based on manufacturer recommendations or accepted practice		
	(Guide, p 84)	X	
	o a nutritionally complete diet is provided ( <i>Guide</i> , <u>p 84</u> )	X	
•	Substrate:		
	o amount, type and presentation of substrate is appropriate for the system and the	1 1	
	species ( <i>Guide</i> , <u>p 85</u> )	X	
•	Sanitation, Cleaning and Disinfection		
	o frequency of tank/cage cleaning and disinfection is determined by water quality,		
	permits adequate viewing and health monitoring (Guide, p 86)	X	
	o cleaning and disinfection of macroenvironment (Guide, p 86)	X	
	Waste Disposal:		
···	o procedures for collection ( <i>Guide</i> , pp 73-74)	X	
	o hazardous wastes are rendered safe before removal from facility ( <i>Guide</i> , pp 73-		
	74) [must]	x	
	(0.11 70.74)	X	
	o animal carcasses ( <i>Guide</i> , <u>pp 73-74</u> ) <b>Pest Control:</b>		
		V	T
	o regularly scheduled ( <i>Guide</i> , p.74)	X	+
	o documented program including control of pests and insecticide use (Guide, p 74)	Х	
•	Emergency, Weekend, and Holiday Animal Care:		
	o care provided by qualified personnel every day ( <i>Guide</i> , pp 74, <u>87</u> )	Х	
	o provision for accessible contact information ( <i>Guide</i> , pp 74, 87)	Х	
	o emergency response plans in place to address major system failures ( <i>Guide</i> , <u>87</u> )	X	
	o veterinary care available after hours, weekends, and holidays (Guide, pp 74, 114)		
	[must]	х	
	Identification:		
	o cage/tank cards contain required information ( <i>Guide</i> , pp 75, 87)	Х	
	o genotype information included and standardized nomenclature used when		
	applicable ( <i>Guide</i> , pp 75, 87)	x	
	Recordkeeping:		
•	water quality parameters and frequency of testing recorded ( <i>Guide</i> , p.88)	х	
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	X	
•	Storage:		
	o adequate space for equipment, supplies, food, substrate and refuse (Guide, p		
	<u>141</u> )	X	
	o substrate protected from contamination ( <i>Guide</i> , <u>p 141</u> )	Х	
	o food in vermin-free, temperature and humidity controlled area and protected		
	from contamination ( <i>Guide</i> , p 141)	Х	
	o refuse storage is separate ( <i>Guide</i> , p 141)	Х	
	o carcass and animal tissue storage is separate, refrigerated below 7°C and		
	cleanable (Guide, p 141)	X	
•	Personnel:		
	o adequate space for locker rooms, administration and training (Guide, p 135)	Х	

A = acceptable

 $\mathbf{M} = \text{minor deficiency}$ 

S = significant deficiency (is or may be a threat to animal health or safety)
C = change in program (PHS Policy IV.A.1.a.-i.) (include in semiannual report to IO and in annual report to OLAW)

**NA** = not applicable

#### Cagewash

Date: Oct 18, 2021 Location: ARC

	A	М	S	С	NA
nstruction and Operation:					
dedicated central area for sanitizing cages and equipment is provided (Guide, p					
143)	Х				
cage-washing equipment meets need (Guide, p 143)	X				
doors, windows, floors, drainage, walls, ceilings (Guide, pp 136-138)	Х				
convenient to animal areas/waste disposal (Guide, p 143)	Х				
ease of access (including door size) facilitates use (Guide, p 143)	X				
sufficient space for staging and maneuvering (Guide, p 143)	X				
safety precautions/clothing/equipment used for waste disposal/prewash/acid					
wash (( <i>Guide</i> , p 143)	X				
traffic flow clean to dirty with no contamination of clean equipment by dirty					
equipment and appropriate air pressurization (Guide, p 143)	X				
insulation and/or sound attenuation present as needed (Guide, p 143)	X				
utilities are appropriate (Guide, p 143)	X				
ventilation meets heat and humidity load (Guide, p 143)	X				
safety features (e.g., SOPs, warning signs, eyewash stations) are in use (Guide,					
p 143)	X				
functioning safety devices to prevent entrapment in washer/sterilizers (Guide, p					
143)	X				
cage wash temperatures are monitored and records are available (Guide, p 73)	X				
appropriate clean cage storage (Guide, p 141)	X				
	dedicated central area for sanitizing cages and equipment is provided ( <i>Guide</i> , p 143) cage-washing equipment meets need ( <i>Guide</i> , p 143) doors, windows, floors, drainage, walls, ceilings ( <i>Guide</i> , pp 136-138) convenient to animal areas/waste disposal ( <i>Guide</i> , p 143) ease of access (including door size) facilitates use ( <i>Guide</i> , p 143) sufficient space for staging and maneuvering ( <i>Guide</i> , p 143) safety precautions/clothing/equipment used for waste disposal/prewash/acid wash (( <i>Guide</i> , p 143) traffic flow clean to dirty with no contamination of clean equipment by dirty equipment and appropriate air pressurization ( <i>Guide</i> , p 143) insulation and/or sound attenuation present as needed ( <i>Guide</i> , p 143) utilities are appropriate ( <i>Guide</i> , p 143) ventilation meets heat and humidity load ( <i>Guide</i> , p 143) safety features (e.g., SOPs, warning signs, eyewash stations) are in use ( <i>Guide</i> , p 143) functioning safety devices to prevent entrapment in washer/sterilizers ( <i>Guide</i> , p 143) cage wash temperatures are monitored and records are available ( <i>Guide</i> , p 73)	dedicated central area for sanitizing cages and equipment is provided (Guide, p 143)  cage-washing equipment meets need (Guide, p 143)  doors, windows, floors, drainage, walls, ceilings (Guide, pp 136-138)  convenient to animal areas/waste disposal (Guide, p 143)  ease of access (including door size) facilitates use (Guide, p 143)  sufficient space for staging and maneuvering (Guide, p 143)  safety precautions/clothing/equipment used for waste disposal/prewash/acid wash ((Guide, p 143)  traffic flow clean to dirty with no contamination of clean equipment by dirty equipment and appropriate air pressurization (Guide, p 143)  insulation and/or sound attenuation present as needed (Guide, p 143)  ventilation meets heat and humidity load (Guide, p 143)  safety features (e.g., SOPs, warning signs, eyewash stations) are in use (Guide, p 143)  functioning safety devices to prevent entrapment in washer/sterilizers (Guide, p 143)  cage wash temperatures are monitored and records are available (Guide, p 73)	dedicated central area for sanitizing cages and equipment is provided (Guide, p 143)  cage-washing equipment meets need (Guide, p 143)  doors, windows, floors, drainage, walls, ceilings (Guide, pp 136-138)  convenient to animal areas/waste disposal (Guide, p 143)  ease of access (including door size) facilitates use (Guide, p 143)  sufficient space for staging and maneuvering (Guide, p 143)  safety precautions/clothing/equipment used for waste disposal/prewash/acid  wash ((Guide, p 143)  traffic flow clean to dirty with no contamination of clean equipment by dirty equipment and appropriate air pressurization (Guide, p 143)  insulation and/or sound attenuation present as needed (Guide, p 143)  ventilation meets heat and humidity load (Guide, p 143)  safety features (e.g., SOPs, warning signs, eyewash stations) are in use (Guide, p 143)  functioning safety devices to prevent entrapment in washer/sterilizers (Guide, p 143)  cage wash temperatures are monitored and records are available (Guide, p 73)	dedicated central area for sanitizing cages and equipment is provided (Guide, p 143)	dedicated central area for sanitizing cages and equipment is provided (Guide, p 143)  cage-washing equipment meets need (Guide, p 143)  doors, windows, floors, drainage, walls, ceilings (Guide, pp 136-138)  convenient to animal areas/waste disposal (Guide, p 143)  ease of access (including door size) facilitates use (Guide, p 143)  sufficient space for staging and maneuvering (Guide, p 143)  safety precautions/clothing/equipment used for waste disposal/prewash/acid  wash ((Guide, p 143)  traffic flow clean to dirty with no contamination of clean equipment by dirty equipment and appropriate air pressurization (Guide, p 143)  insulation and/or sound attenuation present as needed (Guide, p 143)  x ventilation meets heat and humidity load (Guide, p 143)  safety features (e.g., SOPs, warning signs, eyewash stations) are in use (Guide, p 143)  x functioning safety devices to prevent entrapment in washer/sterilizers (Guide, p 143)  x cage wash temperatures are monitored and records are available (Guide, p 73)

<sup>\*</sup> A = acceptable

**M** = minor deficiency

 $\mathbf{S}=\mathbf{S}$  significant deficiency (is or may be a threat to animal health or safety)

**C** = change in program (PHS Policy <u>IV.A.1.a.-i.</u>) (include in semiannual report to IO and in annual report to OLAW)

NA = not applicable