Memorandum to: Image: Comparison of the second	
From:	Institutional Animal Care and Use Committee
Subject:	Semiannual Report of the Program Review and Facility Inspection
Date:	June 13, 2022

This report summarizes the IACUC's results of its most recent program review and facility inspection for the Montana State University site conducted on May 3,9 10, and 27 as required by the *Guide for the Care and Use of Laboratory Animals (Guide)*, and the Animal Welfare Act (AWA) regulations, as applicable.

Since the last review, the following changes have occurred in the institution's program for animal care and use (PHS Policy <u>IV.A.1.a.-i.</u>):

Noteworthy changes have been implemented since the last review including:

- A revised fillable online form for Occupational Health risk assessment and annual medical surveillance.
- Funds have been allocated for the purchase of a cage washer and an environmental monitoring system in the ARC.
- Precision vaporizers have been purchased that allows for active gas scavenging.
- ARC staff has been working with the AV on process improvements and optimization of resources to increase efficiencies.

I. Description of the Nature and Extent of the Institution's Adherence to the *Guide*, and the AWA

Departures from the *Guide* and the AWA. Select A or B:

- \boxtimes A. There were no departures during this reporting period.
- B. The following departures have been reviewed and approved by the IACUC: [include reason for each departure]

II. Deficiencies in the Institution's Animal Care and Use Program

Animal Care and Use Program Review Date(s): May 3 and 27, 2022 Select A or B:

- \Box A. There were no deficiencies in the program during this reporting period.
- B. Deficiencies identified during the program review are described in the attached table.

III. Deficiencies in the Institution's Animal Facility

Animal Facility Inspection Date(s): May 9 and 10, 2022 Select A or B:

□ A. There were no deficiencies in the animal facility during this reporting period.

B. Deficiencies identified during the animal facility inspection are described in the attached table.

IV. Minority Views

Select A or B:

- A. No minority views were submitted or expressed.
- □ B. The following minority views were expressed:

V. Status of AAALAC Accreditation


Full AAALAC Accreditation.



6/13/2022 | 9:17 AM MDT

Institutional Official Vice President of Research, Economic Development & Graduate Education DocuSign Envelope ID: 7B254D93-C206-4930-AF34-EBB1A5171FCD

IACUC Members



I. Semiannual Facilities Inspection/Program Review Report

DATE: 06/13/2022

Dates: May 3,9,10 and 27, 2022

Deficiency Category*	Location/Finding	Plan for Correction	Responsible Party	Correction Schedule and Interim Status	Date Complete
Μ	Disaster Plan: Plan needs to be updated to reflect personnel changes; new personnel need to be trained.	Update plan, train personnel	KJ,JB	6/30/2022	n general and an energy of gravitating for
M V	ARC Anesthetic gas scavenging: (cont. from previous) The design of the face mask and anesthesia equipment used in this room requires an active waste gas scavenging system.	Train applicable personnel on SOP.	KJ/JB	6/30/2022	
M	Anesthetic Gas Scavenging: JRL The anesthetic gas is being exhausted through a non-ducted recirculating biosafety cabinet.	JRL manager to work with SRM to configure anesthesia machine with charcoal canisters to scavenge anesthetic gas.	AR, JB	6/30/2022	
M	ARC General: Hazard Identification Signage: Room signage for some rooms does not reflect hazards present.	Ensure room signage reflects hazards present in room.	KJ	6/30/2022	
Μ	 a. 2 glass bottles not labeled b. Electrical cords on floor-Trip hazard c. Slightly frayed electrical cord from germ free isolator. 	 a. Label bottles or discard b. Secure electrical cords c. Repair frayed cord or take unit out of service 	SW/KJ	6/30/2022	994.043003.042940040000000000000000000000000000000
Μ	 a. Dish soap with fragrance present b. Gel packs stored improperly, missing expiration date 	a. Discard dish soapb. Store gel packs in a labeled leak proof, shatterproof container	КJ	6/30/2022	

1

Μ	a. Gel packs stored improperly b. Signage on BSC is out of date	a. Store gel packs in a labeled leak proof, shatterproof containerb. Remove signage from BSC	KJ	6/30/2022	
Μ	Signage on BSC out of date	Remove BSC signage	KJ	6/30/2022	
М	a. Signage on BSC out of date b. Gel packs stored improperly c. Fragranced hand soap	 a. Remove BSC signage b. Store gel packs in a labeled leak proof, shatterproof container c. Discard hand soap 	КJ	6/30/2022	
Μ	a. Room clutteredb. Floor soiledc. Room log missing	a. Remove clutter from roomb. Clean floorc. Provide Procedure Room Log	SW/KJ	6/30/2022	
Μ	Entrance to ABSL2 door signage out of date	Update sign- remove personnel no longer at MSU	КJ	6/30/2022	
М	 ABSL2 General a. Trash cans do not have biohazard bags b. Biohazard bags for carcass disposal were not available. 	Provide biohazard bags for waste and carcass disposal.	КJ	6/30/2022	
Μ	 a. Charcoal cannister has not been weighed during use b. Chlorhexidine missing expiration date 	 a. Review cannister weighing and documentation procedures with personnel using the anesthesia machine in room b. Label with the expiration date 	КJ	6/30/2022	
Μ	Door signage out of date	Update signage – remove personnel no longer at MSU	KJ	6/30/2022	
S = si	Door signage out of date minor deficiency ignificant deficiency (is or may be a threat to animal h k if repeat deficiency	1 •			

I. Semiannual Program Review Checklist ⁱ

Institutional Policies and Responsibilities

Date: May 27.2022 Attendance: MB, JB, KJ, SS

1. A	nimal Care and Use Program	A *	М	S	С	NA
6	Responsibility for animal well-being is assumed by all members of the program (Guide,				1	
	p 1) [must]	X				
•	IO has authority to allocate needed resources (Guide, p 13)	X				
6	Resources necessary to manage program of veterinary care are provided (<i>Guide</i> , <u>p 14</u>) [must]	x				
8	Sufficient resources are available to manage the program, including training of personnel in accord with regulations and the <i>Guide</i> (<i>Guide</i> , <u>pp 11, 15</u>)	x				
	Program needs are regularly communicated to IO by AV and/or IACUC (Guide, p 13)	X				
0	Responsibilities for daily animal care and facility management are assigned to specific individual(s) when a full-time veterinarian is not available on site (<i>Guide</i> , <u>p 14</u>) [must]	x				
•	Inter-institutional collaborations are described in formal written agreements (Guide, \underline{p} 15)	x				
e	Written agreements address responsibilities, animal ownership, and IACUC oversight $(Guide, p \ 15)$	x				
2. D	isaster Planning and Emergency Preparedness	A *	М	S	С	NA
۵	Disaster plans for each facility to include satellite locations are in place (Guide, p 35, p					
	75) [must]	x				
٠	Plans include provisions for euthanasia (<i>Guide</i> , <u>p 35</u>) [must]	X				
	Plans include triage plans to meet institutional and investigators' needs (Guide, p 35)	x				
٠	Plans define actions to prevent animal injury or death due to HVAC or other failures $(Guide, p 35)$	x				
•	Plans describe preservation of critical or irreplaceable animals (<i>Guide</i> , <u>p 35</u>)	x				
•	Plans include essential personnel and their training (Guide, p 35)		х			
		1		1		1

- Animal facility plans are approved by the institution and incorporated into overall response plan (Guide, p 35)
- Law enforcement and emergency personnel are provided a copy and integration with . х overall plan is in place (Guide, p 35)

3. IACUC	A *	Μ	S	C	NA
 Meets as necessary to fulfill responsibilities (Guide, p 25) [must] 	Х				
 IACUC Members named in protocols or with conflicts recuse themselves from protocol 					
decisions (<i>Guide</i> , <u>p 26</u>) [must]	X				_
 Continuing IACUC oversight after initial protocol approval is in place (Guide, p 33) 	X				
 IACUC evaluates the effectiveness of training programs (Guide, p 15) 	X				

۵

. 1	IACUC Protocol Review - Special Considerations	A	M	<u> </u>	<u> </u>	NA
	Humane endpoints are established for studies that involve tumor models, infectious					
	diseases, vaccine challenge, pain modeling, trauma, production of monoclonal					
	antibodies, assessment of toxicologic effects, organ or system failure, and models of					
	cardiovascular shock (<i>Guide</i> , <u>p.27</u>)	X				ļ
	 For pilot studies, a system to communicate with the IACUC is in place (Guide, p 28) 	X				ļ
	 For genetically modified animals, enhanced monitoring and reporting is in place 					
	(Guide, <u>p 28</u>)	Х				
	 Restraint devices are justified in the animal use protocols (Guide, p 29) [must] 	Х				
	• Alternatives to physical restraint are considered (<i>Guide</i> , <u>p 29</u>)	X				<u> </u>
	• Period of restraint is the minimum to meet scientific objectives (Guide, p 29)	X				
	 Training of animals to adapt to restraint is provided (Guide, p 29) 	Х				
	 Animals that fail to adapt are removed from study (Guide, p 29) 	X				
	• Appropriate observation intervals of restrained animals are provided (Guide, p 29)	Х				
	 Veterinary care is provided if lesions or illness result from restraint (Guide, p 30) 					
	[must]	X				
	 Explanations of purpose and duration of restraint are provided to study personnel 					
	(Guide, p <u>30</u>)	X				

х

Guide, <u>p 32)</u> species removed from the wild (Guide, <u>p 32)</u> native, performed aseptically and with pain relief	X X			x
species removed from the wild (Guide, p 32)				
<i>Guide</i> , <u>p 32</u>) species removed from the wild (<i>Guide</i> , p 32)				
Guide, p 32)	X			
s know zoonotic diseases, safety issues, laws and				
	x			
are described, justified, and approved by IACUC				
	X		ļ	
used, when available, for animal-related				
for food/fluid restricted animals (Guide, p 31)				Х
				X
l animals are recorded at least weekly (Guide, p				
				Х
monitored to ensure nutritional needs are met				
				x
ons in non-regulated species conform to regulated				
es ale evaluated on a case-by-case basis (Guide,	x			
res are evaluated on a case-by-case basis (Guide,	^			
gie animal are justified and outcomes evaluated	v			
	le animal are justified and outcomes evaluated	X		X

J. IA	CUC Membership and Functions	A *	M	S	L	NA
٠	IACUC is comprised of at least 5 members, appointed by CEO (PHS Policy, IV.A.3.)	х				
•	Members include a veterinarian, a scientist, a nonscientist, and a nonaffiliated non-lab					
	animal user (<i>Guide</i> , <u>p 24</u>) ⁱⁱ	х				
6	IACUC authority and resources for oversight and evaluation of institution's program					
	are provided (<i>Guide</i> , <u>p 14</u>)	Х				
	IACUC conducts semiannual evaluations of institutional animal care and use program					
	(PHS Policy, <u>IV.B.</u>)	Х				
•	Conducts semiannual inspections of institutional animal facilities (PHS Policy, IV.B.)	х				
•	IACUC organizationally reports to the Institutional Official (PHS Policy, IV.A.1.b.)	х				
•	Methods for reporting and investigating animal welfare concerns are in place (Guide, p					
	23) [must]	х				
•	Reviews and investigates concerns about animal care and use at institution ⁱⁱⁱ (PHS					
	Policy, <u>IV.B.</u>)	X				
•	Procedures are in place for review, approval, and suspension of animal activities ^{iv}					
	(PHS Policy, <u>IV.B.</u>)	X				
٠	Procedures are in place for review and approval of significant changes to approved					
	activities (PHS Policy, <u>IV.B.</u>)	х				
•	Policies are in place for special procedures (e.g., genetically modified animals,					
	restraint, multiple survival surgery, food and fluid regulation, field investigations,					
	agricultural animals) (<i>Guide</i> , <u>p 27-32</u>)	X				
٠	Requests for exemptions from major survival surgical procedure restrictions are made					
	to USDA/APHIS ^v (<i>Guide</i> , <u>p 30</u>) [must]					Х

6. IACUC Training

A *	М	S	С	NA

A* M S C NA

•	All	IACUC members should receive:			 	
	0	Formal orientation to institution's program (Guide, p 17)	X			
	0	Training on legislation, regulations, guidelines, and policies (Guide, p 17)	х			
	0	Training on how to inspect facilities and labs where animal use or housing occurs		-		
		(Guide, <u>p 17</u>)	X		 	
	0	Training on how to review protocols as well as evaluate the program (Guide, p 17)	X		 	
	0	Ongoing training/education (Guide, p 17)	X			

7. IACUC Records and Reporting Requirements^{vi}

• Se	emiannual report to the IO (PHS Policy, IV.B.)		 	1
0	Submitted to IO every 6 months	x	 	
0	Compiles program review and facility inspection(s) results (includes all program and facility deficiencies)	x		
0	Includes minority IACUC views	x	 	
0	Describes IACUC-approved departures from the <i>Guide</i> or PHS Policy and the reasons for each departure ^{vii}	x		

					1	1	1
	0	Distinguishes significant from minor deficiencies	X				
	0	Includes a plan and schedule for correction for each deficiency identified viii	X	I			
	• Re	eports to OLAW (PHS Policy, <u>IV.F.)</u>	1	T	1	1	Т
	0	Annual report to OLAW documents program changes, dates of the semiannual					
		program reviews and facility inspections and includes any minority views	X			<u> </u>	
	0	Promptly advises OLAW of serious/ongoing Guide deviations or PHS Policy					
		noncompliance (NOT-OD-05-034)	X				<u> </u>
	0	Institute must promptly advise OLAW of any suspension of an animal activity by					
		the IACUC (NOT-OD-05-034)	X				
	Re	eports to U.S. Department of Agriculture (USDA) or Federal funding agency ^{ix}	,				
	0	Annual report to USDA contains required information including all					
		exceptions/exemptions	X				
	0	Reporting mechanism to USDA is in place for IACUC-approved exceptions to the					
		regulations and standards	X				
	0	Reports are filed within 15 days for failures to adhere to timetable for correction of					
		significant deficiencies	X				
	0	Promptly reports suspensions of activities by the IACUC to USDA and any Federal			- - -		
		funding agency	х				
	• Re	cords (PHS Policy, <u>IV.E.</u>)					
	0	IACUC meeting minutes and semiannual reports to the IO are maintained for 3					
	_	years	х				
	0	Records of IACUC reviews of animal activities include all required information*	х				
	0	Records of IACUC reviews are maintained for 3 years after the completion of the					
	0	study	x				
		Juddy					
8. 1	Vete	rinary Care (See also next section - Veterinary Care)	A *	M	S	С	NA
	Ar	arrangement for veterinarian(s) with training or experience in lab animal medicine					
		in place including backup veterinary care ^{xi}	x				
	• Ve	terinary access to all animals is provided (Guide, p 14) [must]	x				
	Di	rect or delegated authority is given to the veterinarian to oversee all aspects of					
		imal care and use (Guide, p 14) [must]	x				

-	Direct of actogatoa authority		
	animal care and use (Guide,	<u>p 14)</u>	[must]

			+
٠	Veterinarian provides consultation when pain and distress exceeds anticipated level in		
	protocol (<i>Guide</i> , <u>p 5</u>) [must]	X	
•	Veterinarian provides consultation when interventional control is not possible (Guide, p		

	veterinarian provides consultation when interventional control is not possible (ounder p	-	
	5) [must]	X	
•	If part time /consulting veterinarian, visits meet programmatic needs (Guide, p 14)	x	
•	Regular communication occurs between veterinarian and IACUC (Guide, p 14)	X	
	Veterinarian(s) have experience and training in species used (Guide, p 15) [must]	X	

•	Veterinarian(s	s)	have expe	rience	aı	nd	training	in	species	used	(Guide,	<u>p 15</u>)	lmust	
		-					.1 1							

-		/ nare experience			<u> </u>		
۵	Veterinarian(s) have experience	in facility	administration,	/management ((<i>Guide</i> , <u>p 15</u>)	X

Personnel Oualifications and Training 9

Δ*	м	S	С	NA
~		<u> </u>	<u> </u>	

٠	All personnel are adequately educated, trained, and/or qualified in basic principles of		
	laboratory animal science. Personnel included: [must]		
	 Veterinary/other professional staff (<i>Guide</i>, <u>p 15-16</u>) 	x	
	o IACUC members (<i>Guide</i> , p 17)	X	
	• Animal care personnel (<i>Guide</i> , <u>p 16</u>)	x	
	• Research investigators, instructors, technicians, trainees, and students (Guide, pp		
	16-17)	x	
٠	Continuing education for program and research staff provided to ensure high quality		
	care and reinforce training (Guide, pp 16-17)	x	
٠	Training is available prior to starting animal activity (Guide, p 17)	x	
٠	Training is documented (<i>Guide</i> , <u>p 15</u>)	x	
•	Training program content includes: (Guide, p 17)		
	• Methods for reporting concerns (<i>Guide</i> , p 17)	x	
	 Humane practices of animal care (e.g., housing, husbandry, handling) ^{xii} 	x	
	• Research/testing methods that minimize numbers necessary to obtain valid results		
	(PHS Policy, <u>IV.A.1.g.</u>)	x	

o Hu an	imane practices of animal use (e.g., research procedures, use of anesthesia, pre- d post-operative care, aseptic surgical techniques and euthanasia (<i>Guide</i> , <u>p 17</u>) ^{xiii}		
		x	
0	Research/testing methods that minimize animal pain or distress (PHS Policy,		
	IV.A.1.g.)	X	
0	Use of hazardous agents, including access to OSHA chemical hazard notices where		
	applicable (<i>Guide</i> , <u>p 20</u>)	X	
0	Animal care and use legislation (Guide, p 17)	X	
0	IACUC function (<i>Guide</i> , <u>p 17</u>)	X	
0	Ethics of animal use and Three R's (Guide, p 17)	X	
$\mathbf{A} = \mathbf{a}\mathbf{c}\mathbf{c}$	ceptable		

 \mathbf{M} = minor deficiency

 \mathbf{S} = significant deficiency (is or may be a threat to animal health or safety)

C = change in program (PHS Policy <u>IV.A.1.a.-i.</u>) (include in semiannual report to IO and in annual report to OLAW)

NA = not applicable

ⁱⁱ Part 2 Subpart C - Research Facilities

- 2.31(b)(2) - "The Committee shall be composed of a Chairman and at least two additional members;... at least one shall not be affiliated in any way with the facility ... such person will provide representation for general community interests in the proper care and treatment of animals." [PHS policy requires 5 members]

iii 2.32(c)(4) - "...No facility employee, Committee member, or laboratory personnel shall be discriminated against or be subject to any reprisal for reporting violations of any regulation or standards under the Act." [USDA requirement additional to PHS Policy]

iv 2.31(d)(5) - "...shall conduct continuing reviews of activities...not less than annually." [PHS Policy requires a complete new review every 3 years utilizing all the criteria for initial review]

 v 2.31(d)(1)(x) - "...no animal will be used in more than one major operative procedure from which it is allowed to recover unless...(it is) justified for scientific reasons...(or is) required as routine veterinary procedure...or other special circumstances as determined by the Administrator on an individual basis." [this last point is an additional USDA justification for multiple survival surgeries]

vi 2.36 - "...each reporting facility shall submit an annual report to the APHIS, AC sector supervisor for the State where the facility is located on or before December 1 of each calendar year." [The USDA annual report has a list of requirements which differ from PHS annual report]

vii 2.36(b)(3) - "...exceptions to the standards and regulations be specified and explained by the principal investigator and approved by the IACUC. A summary of all such exceptions must be attached to the facility's annual report." [Refers to USDA annual report]

viii 2.31(c)(3) - "...Any failure to adhere to the plan and schedule that results in a significant deficiency remaining uncorrected shall be reported in writing within 15 business days by the IACUC, through the institutional official, to APHIS and any Federal agency funding that activity." [PHS Policy requires prompt reporting to OPRR of serious or continuing noncompliance with the PHS Policy or serious deviations from the provisions of the Guide]

ix 2.36 - "...each reporting facility shall submit an annual report to the APHIS, AC sector supervisor for the State where the facility is located on or before December 1 of each calendar year." [The USDA annual report has a list of requirements which differ from PHS annual report]

ⁱ The PHS Policy requires that Assured institutions comply with the regulations (9 CFR, Subchapter A) issued by the U.S. Department of Agriculture (USDA) under the Animal Welfare Act, as applicable. The endnotes below are specific USDA regulatory requirements that differ from or are in addition to the PHS Policy. This list is not intended to be all inclusive. For additional information please refer to 9 CFR Subchapter A - Animal Welfare.

* In addition to PHS requirements for IACUC review/application for funding, USDA regulations require:

2.31(d)(1)(ii) - "The principal investigator (PI) consider alternatives to procedures that cause more than momentary or slight pain or distress to the animals, and has provided a written narrative description of the methods and sources...used to determine that alternatives were not available."

2.31(d)(1)(iii) - "The PI has provided written assurance that the activities do not unnecessarily duplicate previous experiments."

2.31(d)(1)(iv) - "Procedures that may cause more than momentary or slight pain or distress to the animals will:

- involve in their planning, consultation with the attending veterinarian or his or her designee; [PHS Policy does not specify veterinary consultation]

- not include paralytics without the use of anesthesia;"

2.31(d)(1)(x) - "No animal will be used in more than one major operative procedure from which it is allowed to recover, unless justified for scientific reasons by the principal investigator, in writing..."

 x^{i} 2.33(a)(1) - "In the case of a part-time attending veterinarian or consultant arrangements, the formal arrangements shall include a written program of veterinary care and regularly scheduled visits to the research facility." [USDA requirement additional]

xⁱⁱ 2.32(c) - "Humane methods of animal maintenance and experimentation, including the basic needs of each species, proper handling and care for the various species of animals used by the facility, proper pre-procedural and post-procedural care of animals, and aseptic surgical methods and procedures."

xiii 2.32(c) - additional specifications include:

- "proper use of anesthetics, analgesics, and tranquilizers for any species of animals used by the facility"

- "methods whereby deficiencies in animal care and treatment are reported, including deficiencies in animal care and treatment reported by any employee of the facility..."

- "utilization of services (e.g., National Agricultural Library, National Library of Medicine) to provide information on appropriate animal care and use, alternatives to the use of live animals in research , that could prevent unintended and unnecessary duplication of research involving animals, and regarding the intent and requirements of the Act." [USDA training specifications are more detailed than PHS Policy].

Veterinary Care Program Review

Date: May 3, 2022

Attendance: MB,RB,KL,JB,KJ,LC

х

х

х

1.	Cli	nical Care and Management	A *	М	S	NA
	6	Veterinary program offers high quality of care and ethical standards (<i>Guide</i> , <u>p 105</u>) [must]	x			
-	6	Veterinarian provides quidance to all personnel to ensure appropriate husbandry,				
		handling, treatment, anesthesia, analgesia, and euthanasia (<i>Guide</i> , <u>p 106</u>)	Х			
	•	Veterinarian provides oversight to surgery and perioperative care (<i>Guide</i> , <u>p 106</u>)	X			
	•	Veterinary care program is appropriate for program requirements (Guide, pp 113-114)	X			
	6	Veterinarian(s) is familiar with species and use of animals and has access to medical				
		and experimental treatment records (<i>Guide</i> , <u>p 114</u>)	X			
		Procedures to triage and prioritize incident reports are in place (Guide, p 114)	X			
-		• Problems with experiments to determine course of treatment in consultation with				
		investigator(<i>Guide</i> , p 114)	X			
		 Recurrent or significant health problems with the IACUC and documentation of 				-
		treatments and outcomes (<i>Guide</i> , <u>p 114</u>)	X			
		 Veterinary review and oversight of medical and animal use records (Guide, p 115) 	X			
	•	Procedures established for timely reporting of animal injury, illness, or disease (<i>Guide</i> , p 114) [must]	x			
	•	Procedures established for veterinary assessment, treatment, or euthanasia (<i>Guide</i> , \underline{p} 114) [must]	x			
	•	Veterinarian is authorized to treat, relieve pain, and/or euthanize (<i>Guide</i> , <u>p 114</u>) [must]	x			
2.	An	imal Procurement and Transportation/Preventive Medicine	A *	М	S	NA
	•	Procedures for lawful animal procurement are in place (Guide, p 106) [must]	X			
	•	Sufficient facilities and expertise are confirmed prior to procurement (Guide, p 106)	X			
	•	Procurement is linked to IACUC review and approval (Guide, p 106)	X			
	•	Random source dogs and cats are inspected for identification (Guide, p 106)				Х
	•	Population status of wildlife species is considered prior to procurement (<i>Guide</i> , <u>p 106</u>)	х			
	•	Appropriate records are maintained on animal acquisition (Guide, p 106)	х			
		Appropriate and an analysis of the most program poods and quality (Guide, p. 106)	X			

	Animal vendors are evaluated to meet program needs and quality (Guide, p 106)	X	 	
	Breeding colonies are based on need and managed to minimize numbers (Guide, p			
	107)	x	 	
•	Procedures for compliance with animal transportation regulations, including			
	international requirements, are in place (<i>Guide</i> , <u>p 107</u>) [must]	Х	 	_
•	Transportation is planned to ensure safety, security and minimize risk (Guide, $p = 107$)	X	 	
•	Movement of animals is planned to minimize transit time and deliveries are planned to		A SHORE SHOW	
	ensure receiving personnel are available (<i>Guide</i> , <u>pp 107- 108</u>)	X	 	
•	Appropriate loading and unloading facilities are available (Guide, p 109)	X	 	
•	Environment at receiving site is appropriate (<i>Guide</i> , <u>p 109</u>)	X	 	
•	Policies in place on separation by species, source, and health status (Guide, pp 109,			
	111-112)	X	 	
•	Procedures in place for guarantine to include zoonoses prevention (Guide, p 110)	Х	 	_
•	Quarantined animals from different shipments are handled separately or physically			
	separated (Guide, p 110)	X	 	
•	Procedures in place for stabilization/acclimation (Guide, pp 110-111)	_X		

separated (Guide, p 110)
Procedures in place for stabilization/acclimation (Guide, pp 110-111)
Policies in place for isolation of sick animals (Guide, p 112)
Program is in place for surveillance, diagnosis, treatment and control of disease to include daily observation (Guide, p 112)
Diagnostic resources are available for preventive health program (Guide, p 112)

		- *		~	
3.	Surgery	A [*]	M	S	NA
	 Surgical outcomes are assessed, and corrective changes instituted (Guide, p 115) 	X			
	 Researchers have appropriate training to ensure good technique (<i>Guide</i>, <u>p 115</u>) 				
	Imust	Х			

Veterinary Care Program Review

Attendance: MB.RB.KL.JB.KJ.LC

	, 0				
	Date: May 3, 2022 Attendance: MB,RB,	KL,J	В,К.	I,LC	
	 Pre-surgical plans are developed and include veterinary input (e.g., location, supplies, anesthetic and analgesic use, peri-operative care, recordkeeping) (<i>Guide</i>, p 116) 	х			
	 Aseptic surgery is conducted in dedicated facilities or spaces, unless exception justified and IACUC approved (<i>Guide</i>, <u>p 116</u>) 	х			
	 Surgical procedures including laparoscopic procedures are categorized as major or minor (<i>Guide</i>, <u>pp 117-118</u>) 	х			
	 For nonsurvival surgery, the site is clipped, gloves are worn and instruments and area are clean (<i>Guide</i>, p 118) 	x			
	 Aseptic technique is followed for survival surgical procedures (Guide, pp 118-119) 	х			
	 Effective procedures for sterilizing instruments and monitoring expiration dates on sterile packs are in place (<i>Guide</i>, p 119) 	x			
	 Procedures for monitoring surgical anesthesia and analgesia are in place (Guide, p 119) 	x			
	 For aquatic species, skin surfaces are kept moist during surgical procedures (Guide, p 119) 				x
	 Post-operative monitoring and care are provided by trained personnel and documented (e.g., thermoregulation, physiologic function, analgesia, infection, removal of skin closures) (<i>Guide</i>, pp 119-120) 	x			
4.	Pain, Distress, Anesthesia and Analgesia	A *	м	S	NA
	 Guidelines for assessment and categorization of pain, distress and animal wellbeing 				

4. Pally Distless, Allestilesia and Allaigesia				
Guidelines for assessment and categorization of pain, distress and animal wellbeing				
are provided during training (<i>Guide</i> , <u>p 121</u>)	X	ļ		<u> </u>
 Selection of analgesics and anesthetics is based on professional veterinary judgment 				
(<i>Guide</i> , <u>p 121</u>)	X		[ļ'
 Painful procedures are monitored to ensure appropriate analgesic management 				į I
(<i>Guide</i> , p 122)	X			
Nonpharmacologic control of pain is considered as an element of postprocedural care				
(<i>Guide</i> , p 122)	X			ļ
 Procedures are in place to assure antinoception before surgery begins (Guide, p 122) 				
[must]	X	ļ		
 Guidelines for selection and use of analgesics and anesthetics are in place and 				
regularly reviewed and updated (<i>Guide</i> , <u>p 122</u>)	X			ļ
• Special precautions for the use of paralytics are in place to ensure anesthesia ⁱ (Guide,				-
p 123)				Х

5.	Euthanasia	A *	М	S	NA
	Methods are consistent with AVMA Guidelines on Euthanasia unless approved by the				
	IACUC (Guide, p 123)	X			
	Standardized methods are developed and approved by the veterinarian and IACUC				
	that avoid distress and consider animal age and species (Guide, pp 123-124)	X			
	 Training is provided on appropriate methods for each species and considers 				
	psychological stress to personnel (Guide, p 124)	X			
	 Procedures and training are in place to ensure death is confirmed (<i>Guide</i>, p 124) 				
	[must]	x			

6.	Drug Storage and Control	A *	М	S	NA
	 Program complies with federal regulations for human and veterinary drugs(Guide, p 115) [must] 	x			
	 Drug records and storage procedures are reviewed during facility inspections (<i>Guide</i>, <u>p</u> 115) 	x			
	 Procedures are in place to ensure analgesics and anesthetics are used within expiration date (<i>Guide</i>, p 122) [must] 	x			
	 Anesthetics and analgesics are acquired, stored, and their use and disposal are recorded legally and safely (<i>Guide</i>, <u>p 122</u>) 	x			

A = acceptable

Veterinary Care Program Review

Date: May 3, 2022

M = minor deficiency

 \mathbf{S} = significant deficiency (is or may be a threat to animal health or safety)

NA = not applicable

 i 2.31(d)(iv)(C) - "Procedures that may cause more than momentary or slight pain or distress to the animals will...not include the use of paralytics without anesthesia."

Attendance: MB,RB,KL,JB,KJ,LC

Occupational Health and Safety Date: 05/2/2022 Attendance: MB,CC,JB,KJ,RB,KL,JK

Occupational Health and Safety of Personnel	A*	Μ	S	Ν
Program is in place and is consistent with federal, state, and local regulations (<i>Guide</i> , <u>p 17</u>) [must]	x			
Program covers all personnel who work in laboratory animal facilities (Guide, p 18)	x			
Changing, washing, and showering facilities are available as appropriate (Guide, p 19)	x			
Hazardous facilities are separated from other areas and identified as limited access (<i>Guide</i> , <u>p</u> <u>19</u>)	x			
Personnel training is provided based on risk (e.g., zoonoses, hazards, personal hygiene, special precautions, animal allergies) (<i>Guide</i> , <u>p 20</u>)	x			
Personal hygiene procedures are in place (e.g., work clothing, eating/drinking/smoking policies) (<i>Guide</i> , <u>p 20</u>)	x			
Procedures for use, storage, and disposal of hazardous biologic, chemical, and physical agents are in place (<i>Guide</i> , <u>p 21</u>)	x			
Personal Protective Equipment for the work area is appropriate and available (Guide, <u>p 21</u>)	x			
• Pre-employment evaluation including health history (Guide, <u>p 22</u>)				x
 Immunizations as appropriate (e.g., rabies, tetanus) and tests as appropriate (<i>Guide</i>, <u>p</u> <u>22</u>) 	x			
 Zoonosis surveillance as appropriate (e.g., Q-fever, tularemia, Hantavirus, plague) (<i>Guide</i> <u>p 23</u>) 	, x			
 Procedures for reporting and treating injuries, including accidents, bites, allergies, etc. (<i>Guide</i>, <u>p 23</u>) 	x			
 Promotes early diagnosis of allergies including preexisting conditions (<i>Guide</i>, <u>p 22</u>) 	x			
 Considers confidentiality and other legal factors as required by federal, state and local regulations (<i>Guide</i>, <u>p 22</u>) [must] 	x			
 If serum samples are collected, the purpose is consistent with federal and state laws (<i>Guide</i>, <u>p 22</u>) [must] 				
Waste anesthetic gases are scavenged (Guide, <u>p 21</u>)	х			
Hearing protection is provided in high noise areas (Guide, p 22)				
Respiratory protection is available when performing airborne particulate work (Guide, p 22)	x			
• Tuberculosis screening provided for all exposed personnel (<i>Guide</i> , <u>p 23</u>)	-	-		+

Occupational Health and Safety Date: 05/2/2022 Attendance: MB,CC,JB,KJ,RB,KL,JK

	 Preventive measures in place include pre-employment screening, and physical and IT security (<i>Guide</i>, <u>p 23</u>) 	х			
1.	Personnel Security		м	S	NA
	 Occupational safety and health of field studies is reviewed by OSH committee or office (<i>Guide</i>, <u>p 32</u>) 	х			
	 Injuries associated with macaques are carefully evaluated and treatment implemented (Guide, <u>p 23</u>) 				x
	 PPE is provided including gloves, arm protection, face masks, face shields, or goggles (Guide, <u>p 21</u>) 	x			
	 Training and implementation of procedures for bites, scratches, or injuries associated with macaques (<i>Guide</i>, <u>p 23</u>) 				x

A = acceptable

M = minor deficiency

S = significant deficiency (is or may be a threat to animal health or safety)

NA = not applicable

I. Semiannual Facility Inspection Checklist

Terrestrial Animal Housing and Support Areas

Date: May 9,10 2022 Location: ARC, JRL

A *	М	S	С	NA

• Lo	cation:	1		
0	animal areas separate from personnel areas (Guide, p <u>134</u>)	X		
0	separation of species (<i>Guide</i> , <u>p 111</u>)	X		
0	separation by disease status (Guide, p 111)	X		
0	security and access control (Guide, p 151)	X		
• Co	nstruction:			1
0	corridors (<i>Guide</i> , <u>p 136</u>)	X		
0	animal room doors (Guide, p 137)	X		
0	exterior windows (Guide, p 137)	x		
0	floors (Guide, p 137)	X		
0	drainage (<i>Guide</i> , p 138)	x		
0	walls and ceilings (<i>Guide</i> , p 138)	x		
0	heating ventilation and air conditioning (Guide, p 139)	x		
0	power and lighting (Guide, p 141)	X		
0	noise control (<i>Guide</i> , <u>p 142</u>)	X		
0	vibration control (<i>Guide</i> , <u>p 142</u>)	X		
0	environmental monitoring (<i>Guide</i> , p 143)	X		
	om/Cage:			
<u>- Ru</u> 0	temperature and humidity (<i>Guide</i> , <u>p 43</u>)	X		
0	ventilation and air quality (<i>Guide</i> , <u>p 45</u>)	x		
0	illumination (<i>Guide</i> , <u>p 47</u>)	x		
0	noise and vibration (<i>Guide</i> , <u>p 49</u>)	x		
	mary Enclosure:	1		
• FI	space meets physiologic, behavioral ⁱ , and social ⁱⁱ needs (<i>Guide</i> , pp 51, 55-63)	x		
0	secure environment provided (<i>Guide</i> , <u>p 51</u>)	X		
0	durable, nontoxic materials in good repair and no risk of injury (<i>Guide</i> , $p 51$)	X		
	flooring is safe and appropriate for species (<i>Guide</i> , p.51)	X		
0	adequate bedding and structures for resting, sleeping, breeding (<i>Guide</i> , <u>p 52</u>)	X		
0	objective assessments of housing and management are made (<i>Guide</i> , $p \le 2$)	x		
0	procedures for routine husbandry are documented (<i>Guide</i> , <u>p.52</u>)	x		
0	socially housed animals can escape or hide to avoid aggression (<i>Guide</i> , $p \cdot 55$)	x		
0	cage height provides adequate clearance (<i>Guide</i> , p <u>56</u>)	X		
0	animals express natural postures, can turn around, access food and water, and			
0	animals express natural positires, call turn around, access rood and water, and	x		
	rest away from urine and feces (<i>Guide</i> , <u>p 56</u>) [must] rationale ⁱⁱⁱ for <i>Guide</i> /USDA space exceptions approved by IACUC and based on			
0		x		
	performance indices (Guide, p 56) dogs and cats allowed to exercise and provided human interaction (Guide, p 58)			
0	dogs and cats allowed to exercise and provided numan interaction (Guide, <u>p. 56</u>)			
0	nonhuman primates are socially housed except for scientific, veterinary or			
	behavior reasons (<i>Guide</i> , pp 58-59)			
0	single housing of nonhuman primates is for shortest duration possible (Guide, p			
	<u>60)</u>			
0	opportunities for release into larger enclosures is considered for single caged			
	nonhuman primates (<i>Guide</i> , <u>p 60</u>)			2
0	agricultural animals are housed socially (Guide, p 60)	x		
0	food troughs and water devices for agricultural animals allow access for all			
	animals (<i>Guide</i> , <u>p 60</u>)	X		
• En	vironmental Enrichment, Behavioral and Social Management:		1	
0	structures and resources promote species typical behavior (<i>Guide</i> , pp 52-54)	X		
0	novelty of enrichment is considered (Guide, p 53)	X		

	• species specific plans for housing including enrichment, behavior and activity are					
	developed and reviewed regularly by IACUC, researchers and veterinarian				Ì	
	(<i>Guide</i> , pp 53, 58, 60, 63)	X				
	o animal care personnel receive training to identify abnormal animal behaviors					
	(<i>Guide</i> , <u>p 53</u>)	Х				
	 stability of pairs or groups is monitored for incompatibility (<i>Guide</i>, <u>p 64</u>) 	X				Τ
		x		-		+
	 single housing is justified for social species (<i>Guide</i>, <u>p 64</u>) 				_	
	 single housing is limited to the minimum period necessary (Guide, p 64) 	X				
	o additional enrichment for single housed animals is provided (<i>Guide</i> , <u>p 64</u>)	Х				
	• single housing is reviewed regularly by IACUC and veterinarian (<i>Guide</i> , <u>p 64</u>)	x				
		x				+
	 habituation to routine procedures is part of enrichment program (Guide, p 64) 		1			
0	Sheltered or Outdoor Housing: (e.g., barns, corrals, pastures, islands)	r	1			
	 weather protection and opportunity for retreat (<i>Guide</i>, <u>p 54</u>) [must] 	Х				
	o appropriate size (<i>Guide</i> , <u>p 54</u>)	х				
	f(x) = f(x) +	х				
	 animal acclimation (Guide, p 55) 	X				
	o social compatibility (<i>Guide</i> , <u>p.55</u>)	X				
	 roundup/restraint procedures (<i>Guide</i>, <u>p 55</u>) 	х				
	 appropriate security (<i>Guide</i>, <u>p 55</u>) 	х				
0	Naturalistic Environments:		1			-
	 animals added /removed with consideration of effect on group (Guide, p 55) 	Х				
	 adequate food, fresh water, and shelter ensured (<i>Guide</i>, <u>p 55</u>) 	Х				
•	Food:					
	a literation of the literation			T		Τ
	<u>65-67)</u>	Х				_
	 contamination prevention (<i>Guide</i>, <u>p</u> 65) 	Х		_		
	• vendor quality control (<i>Guide</i> , <u>p 66</u>)	х				
			x	1		
	 expiration date labeling (Guide, p 66) 	Х				+
	o vermin control (<i>Guide</i> , <u>p 66</u>)	Х				
	 rotation of stocks (Guide, p 66) 	х				
	Water:					
•		х	-	1		T
	o ad libitum unless justified (<i>Guide</i> , pp 67-68)					-
	 QC procedures (Guide, pp 67-68) 	Х				
•	Bedding and Nesting Materials:					
	o species appropriate (<i>Guide</i> , <u>pp 68-69</u>)	Х				
		х	1			T
				-		+
	- OC procedures $1(2udo pp 69-60)$					
	 QC procedures (Guide, pp 68-69) 	Х				
		X X				T
•	o minimizes scientific variables (<i>Guide</i> , pp 68-69)					
•	 minimizes scientific variables (<i>Guide</i>, pp 68-69) Sanitation: 	Х				
•	 minimizes scientific variables (<i>Guide</i>, pp 68-69) Sanitation: frequency of bedding/substrate change (<i>Guide</i>, p 70) 	X X				
•	 minimizes scientific variables (<i>Guide</i>, pp 68-69) Sanitation: frequency of bedding/substrate change (<i>Guide</i>, p 70) cleaning and disinfection of microenvironment (<i>Guide</i>, pp 70-71) 	X X X				
•	 minimizes scientific variables (<i>Guide</i>, pp 68-69) Sanitation: frequency of bedding/substrate change (<i>Guide</i>, p 70) cleaning and disinfection of microenvironment (<i>Guide</i>, pp 70-71) cleaning and disinfection of macroenvironment (<i>Guide</i>, p 72) 	X X				
\$ 	 minimizes scientific variables (<i>Guide</i>, pp 68-69) Sanitation: frequency of bedding/substrate change (<i>Guide</i>, p 70) cleaning and disinfection of microenvironment (<i>Guide</i>, pp 70-71) cleaning and disinfection of macroenvironment (<i>Guide</i>, p 72) 	X X X				
•	 minimizes scientific variables (<i>Guide</i>, pp 68-69) Sanitation: frequency of bedding/substrate change (<i>Guide</i>, p 70) cleaning and disinfection of microenvironment (<i>Guide</i>, pp 70-71) cleaning and disinfection of macroenvironment (<i>Guide</i>, p 72) assessing effectiveness (<i>Guide</i>, p 73) 	X X X X				
•	 minimizes scientific variables (<i>Guide</i>, pp 68-69) Sanitation: frequency of bedding/substrate change (<i>Guide</i>, p 70) cleaning and disinfection of microenvironment (<i>Guide</i>, pp 70-71) cleaning and disinfection of macroenvironment (<i>Guide</i>, p 72) assessing effectiveness (<i>Guide</i>, p 73) Waste Disposal: 	X X X X X				
•	 minimizes scientific variables (<i>Guide</i>, pp 68-69) Sanitation: frequency of bedding/substrate change (<i>Guide</i>, p 70) cleaning and disinfection of microenvironment (<i>Guide</i>, pp 70-71) cleaning and disinfection of macroenvironment (<i>Guide</i>, p 72) assessing effectiveness (<i>Guide</i>, p 73) Waste Disposal: procedures for collection (<i>Guide</i>, pp 73-74) 	X X X X X X				
•	 minimizes scientific variables (<i>Guide</i>, pp 68-69) Sanitation: frequency of bedding/substrate change (<i>Guide</i>, p 70) cleaning and disinfection of microenvironment (<i>Guide</i>, pp 70-71) cleaning and disinfection of macroenvironment (<i>Guide</i>, p 72) assessing effectiveness (<i>Guide</i>, p 73) Waste Disposal: procedures for collection (<i>Guide</i>, pp 73-74) procedures for storage and disposal (<i>Guide</i>, pp 73-74) 	X X X X X				
•	 minimizes scientific variables (<i>Guide</i>, pp 68-69) Sanitation: frequency of bedding/substrate change (<i>Guide</i>, p 70) cleaning and disinfection of microenvironment (<i>Guide</i>, pp 70-71) cleaning and disinfection of macroenvironment (<i>Guide</i>, p 72) assessing effectiveness (<i>Guide</i>, p 73) Waste Disposal: procedures for collection (<i>Guide</i>, pp 73-74) procedures for storage and disposal (<i>Guide</i>, pp 73-74) 	X X X X X X				
•	 minimizes scientific variables (<i>Guide</i>, pp 68-69) Sanitation: frequency of bedding/substrate change (<i>Guide</i>, p 70) cleaning and disinfection of microenvironment (<i>Guide</i>, pp 70-71) cleaning and disinfection of macroenvironment (<i>Guide</i>, p 72) assessing effectiveness (<i>Guide</i>, p 73) Waste Disposal: procedures for collection (<i>Guide</i>, pp 73-74) procedures for storage and disposal (<i>Guide</i>, pp 73-74) hazardous wastes are rendered safe before removal from facility (<i>Guide</i>, pp 73-74) 	X X X X X X X				
•	 minimizes scientific variables (<i>Guide</i>, pp 68-69) Sanitation: frequency of bedding/substrate change (<i>Guide</i>, p 70) cleaning and disinfection of microenvironment (<i>Guide</i>, pp 70-71) cleaning and disinfection of macroenvironment (<i>Guide</i>, p 72) assessing effectiveness (<i>Guide</i>, p 73) Waste Disposal: procedures for collection (<i>Guide</i>, pp 73-74) hazardous wastes are rendered safe before removal from facility (<i>Guide</i>, pp 73-74) must 	x x x x x x x x x x				
•	 minimizes scientific variables (<i>Guide</i>, pp 68-69) Sanitation: frequency of bedding/substrate change (<i>Guide</i>, p 70) cleaning and disinfection of microenvironment (<i>Guide</i>, pp 70-71) cleaning and disinfection of macroenvironment (<i>Guide</i>, p 72) assessing effectiveness (<i>Guide</i>, p 73) Waste Disposal: procedures for collection (<i>Guide</i>, pp 73-74) hazardous wastes are rendered safe before removal from facility (<i>Guide</i>, pp 73-74) [must] animal carcasses (<i>Guide</i>, pp 73-74) 	X X X X X X X				
•	 minimizes scientific variables (<i>Guide</i>, pp 68-69) Sanitation: frequency of bedding/substrate change (<i>Guide</i>, p 70) cleaning and disinfection of microenvironment (<i>Guide</i>, pp 70-71) cleaning and disinfection of macroenvironment (<i>Guide</i>, p 72) assessing effectiveness (<i>Guide</i>, p 73) Waste Disposal: procedures for collection (<i>Guide</i>, pp 73-74) procedures for storage and disposal (<i>Guide</i>, pp 73-74) hazardous wastes are rendered safe before removal from facility (<i>Guide</i>, pp 73-74) [must] animal carcasses (<i>Guide</i>, pp 73-74) 	X X X X X X X X				
•	 minimizes scientific variables (<i>Guide</i>, pp 68-69) Sanitation: frequency of bedding/substrate change (<i>Guide</i>, p 70) cleaning and disinfection of microenvironment (<i>Guide</i>, pp 70-71) cleaning and disinfection of macroenvironment (<i>Guide</i>, p 72) assessing effectiveness (<i>Guide</i>, p 73) Waste Disposal: procedures for collection (<i>Guide</i>, pp 73-74) hazardous wastes are rendered safe before removal from facility (<i>Guide</i>, pp 73-74) [must] animal carcasses (<i>Guide</i>, pp 73-74) Pest Control: regularly scheduled (<i>Guide</i>, p 74) 	x x x x x x x x x x				
•	 minimizes scientific variables (<i>Guide</i>, pp 68-69) Sanitation: frequency of bedding/substrate change (<i>Guide</i>, p 70) cleaning and disinfection of microenvironment (<i>Guide</i>, pp 70-71) cleaning and disinfection of macroenvironment (<i>Guide</i>, p 72) assessing effectiveness (<i>Guide</i>, p 73) Waste Disposal: procedures for collection (<i>Guide</i>, pp 73-74) hazardous wastes are rendered safe before removal from facility (<i>Guide</i>, pp 73-74) [must] animal carcasses (<i>Guide</i>, pp 73-74) Pest Control: regularly scheduled (<i>Guide</i>, p 74) 	X X X X X X X X				
•	 minimizes scientific variables (<i>Guide</i>, pp 68-69) Sanitation: frequency of bedding/substrate change (<i>Guide</i>, p 70) cleaning and disinfection of microenvironment (<i>Guide</i>, pp 70-71) cleaning and disinfection of macroenvironment (<i>Guide</i>, p 72) assessing effectiveness (<i>Guide</i>, p 73) Waste Disposal: procedures for collection (<i>Guide</i>, pp 73-74) procedures for storage and disposal (<i>Guide</i>, pp 73-74) hazardous wastes are rendered safe before removal from facility (<i>Guide</i>, pp 73-74) animal carcasses (<i>Guide</i>, pp 73-74) Pest Control: regularly scheduled (<i>Guide</i>, p 74) documented program including control of rodent pests and insecticide use 	x x x x x x x x x x x x x				
•	 minimizes scientific variables (<i>Guide</i>, pp 68-69) Sanitation: frequency of bedding/substrate change (<i>Guide</i>, p 70) cleaning and disinfection of microenvironment (<i>Guide</i>, pp 70-71) cleaning and disinfection of macroenvironment (<i>Guide</i>, p 72) assessing effectiveness (<i>Guide</i>, p 73) Waste Disposal: procedures for collection (<i>Guide</i>, pp 73-74) procedures for storage and disposal (<i>Guide</i>, pp 73-74) hazardous wastes are rendered safe before removal from facility (<i>Guide</i>, pp 73-74) [must] animal carcasses (<i>Guide</i>, pp 73-74) Pest Control: regularly scheduled (<i>Guide</i>, p 74) documented program including control of rodent pests and insecticide use (<i>Guide</i>, p 74) 	X X X X X X X X				
•	 minimizes scientific variables (<i>Guide</i>, pp 68-69) Sanitation: frequency of bedding/substrate change (<i>Guide</i>, p 70) cleaning and disinfection of microenvironment (<i>Guide</i>, pp 70-71) cleaning and disinfection of macroenvironment (<i>Guide</i>, p 72) assessing effectiveness (<i>Guide</i>, p 73) Waste Disposal: procedures for collection (<i>Guide</i>, pp 73-74) procedures for storage and disposal (<i>Guide</i>, pp 73-74) hazardous wastes are rendered safe before removal from facility (<i>Guide</i>, pp 73-74) [must] animal carcasses (<i>Guide</i>, p 73-74) Pest Control: regularly scheduled (<i>Guide</i>, p 74) documented program including control of rodent pests and insecticide use (<i>Guide</i>, p 74) Emergency, Weekend, and Holiday Animal Care: 	x x x x x x x x x x x x x x				
•	 minimizes scientific variables (<i>Guide</i>, pp 68-69) Sanitation: frequency of bedding/substrate change (<i>Guide</i>, p 70) cleaning and disinfection of microenvironment (<i>Guide</i>, pp 70-71) cleaning and disinfection of macroenvironment (<i>Guide</i>, p 72) assessing effectiveness (<i>Guide</i>, p 73) Waste Disposal: procedures for collection (<i>Guide</i>, pp 73-74) procedures for storage and disposal (<i>Guide</i>, pp 73-74) hazardous wastes are rendered safe before removal from facility (<i>Guide</i>, pp 73-74) [must] animal carcasses (<i>Guide</i>, p 73-74) Pest Control: regularly scheduled (<i>Guide</i>, p 74) documented program including control of rodent pests and insecticide use (<i>Guide</i>, p 74) Emergency, Weekend, and Holiday Animal Care: 	x x x x x x x x x x x x x				
•	 minimizes scientific variables (<i>Guide</i>, pp 68-69) Sanitation: frequency of bedding/substrate change (<i>Guide</i>, p 70) cleaning and disinfection of microenvironment (<i>Guide</i>, pp 70-71) cleaning and disinfection of macroenvironment (<i>Guide</i>, p 72) assessing effectiveness (<i>Guide</i>, p 73) Waste Disposal: procedures for collection (<i>Guide</i>, pp 73-74) procedures for storage and disposal (<i>Guide</i>, pp 73-74) hazardous wastes are rendered safe before removal from facility (<i>Guide</i>, pp 73-74) [must] animal carcasses (<i>Guide</i>, pp 73-74) Pest Control: regularly scheduled (<i>Guide</i>, p 74) documented program including control of rodent pests and insecticide use (<i>Guide</i>, p 74) Emergency, Weekend, and Holiday Animal Care: care provided by qualified personnel every day (<i>Guide</i>, p 74) 	x x x x x x x x x x x x x x x x x x x				
•	 minimizes scientific variables (<i>Guide</i>, pp 68-69) Sanitation: frequency of bedding/substrate change (<i>Guide</i>, p 70) cleaning and disinfection of microenvironment (<i>Guide</i>, pp 70-71) cleaning and disinfection of macroenvironment (<i>Guide</i>, p 72) assessing effectiveness (<i>Guide</i>, p 73) Waste Disposal: procedures for collection (<i>Guide</i>, pp 73-74) procedures for storage and disposal (<i>Guide</i>, pp 73-74) hazardous wastes are rendered safe before removal from facility (<i>Guide</i>, pp 73-74) [must] animal carcasses (<i>Guide</i>, pp 73-74) Pest Control: regularly scheduled (<i>Guide</i>, p 74) documented program including control of rodent pests and insecticide use (<i>Guide</i>, p 74) Emergency, Weekend, and Holiday Animal Care: care provided by qualified personnel every day (<i>Guide</i>, p 74) provision for accessible contact information (<i>Guide</i>, p 74) 	x x x x x x x x x x x x x x x x x x x				
•	 minimizes scientific variables (<i>Guide</i>, pp 68-69) Sanitation: frequency of bedding/substrate change (<i>Guide</i>, p 70) cleaning and disinfection of microenvironment (<i>Guide</i>, pp 70-71) cleaning and disinfection of macroenvironment (<i>Guide</i>, p 72) assessing effectiveness (<i>Guide</i>, p 73) Waste Disposal: procedures for collection (<i>Guide</i>, pp 73-74) procedures for storage and disposal (<i>Guide</i>, pp 73-74) hazardous wastes are rendered safe before removal from facility (<i>Guide</i>, pp 73-74) [must] animal carcasses (<i>Guide</i>, p 73-74) Pest Control: regularly scheduled (<i>Guide</i>, p 74) documented program including control of rodent pests and insecticide use (<i>Guide</i>, p 74) care provided by qualified personnel every day (<i>Guide</i>, p 74) provision for accessible contact information (<i>Guide</i>, p 74) monitoring of backup systems (<i>Guide</i>, p 143) 	x x x x x x x x x x x x x x x x x x x				
•	 minimizes scientific variables (<i>Guide</i>, pp 68-69) Sanitation: frequency of bedding/substrate change (<i>Guide</i>, p 70) cleaning and disinfection of microenvironment (<i>Guide</i>, pp 70-71) cleaning and disinfection of macroenvironment (<i>Guide</i>, p 72) assessing effectiveness (<i>Guide</i>, p 73) Waste Disposal: procedures for collection (<i>Guide</i>, pp 73-74) procedures for storage and disposal (<i>Guide</i>, pp 73-74) hazardous wastes are rendered safe before removal from facility (<i>Guide</i>, pp 73-74) [must] animal carcasses (<i>Guide</i>, pp 73-74) Pest Control: regularly scheduled (<i>Guide</i>, p 74) documented program including control of rodent pests and insecticide use (<i>Guide</i>, p 74) Emergency, Weekend, and Holiday Animal Care: care provided by qualified personnel every day (<i>Guide</i>, p 74) provision for accessible contact information (<i>Guide</i>, p 74) 	x x x x x x x x x x x x x x x x x x x				

	\circ a disaster plan that takes into account both personnel and animals (<i>Guide</i> , <u>p 75</u>)	X		
6	Identification:	•		
	 cage/rack cards contain required information (<i>Guide</i>, <u>p.75</u>) 	х		
	 genotype information included and standardized nomenclature used when applicable (<i>Guide</i>, <u>p 75</u>) 	x		
•	Recordkeeping:			
	o clinical records accessible and contain appropriate information (<i>Guide</i> , pp 75-76)	х		
	 records are provided when animals are transferred between institutions (<i>Guide</i>, <u>p</u> 75) 			
6	Breeding Genetics and Nomenclature:			
	• appropriate genetic records, management and monitoring procedures (<i>Guide</i> , \underline{p} 76)		x	
	 phenotypes that affect wellbeing are reported to IACUC and effectively managed (<i>Guide</i>, <u>p 77</u>) 	x		
0	Storage:			
	o adequate space for equipment, supplies, food, bedding and refuse (<i>Guide</i> , <u>p 141</u>)	х		
	o bedding in vermin-free area and protected from contamination(<i>Guide</i> , <u>p 141</u>)	х		
	 food in vermin-free, temperature and humidity controlled area and protected from contamination (<i>Guide</i>, <u>p 141</u>) 	х		
	• refuse storage is separate (<i>Guide</i> , <u>p 141</u>)	х		
	 carcass and animal tissue storage is separate, refrigerated below 7°C and cleanable (<i>Guide</i>, p 141) 	x		
6	Personnel:	х		
	o adequate space for locker rooms, administration and training (<i>Guide</i> , <u>p 135</u>)	х		

 \mathbf{M} = minor deficiency

S = significant deficiency (is or may be a threat to animal health or safety)
 C = change in program (PHS Policy <u>IV.A.1.a.-i.</u>) (include in semiannual report to IO and in annual report to OLAW)

NA = not applicable

NOTES: