



CFR:3.84(c)

**Photographer:** Sara Tobias

**Certificate:** 21-R-0223

**Date and Time:** 5/26/2022 1:38 PM **Legal Name:** NEW YORK STATE PSYCHIATRIC INSTITUTE

**Inspection No:** 2016090000794408 **Facility Name:** NEW YORK STATE PSYCHIATRIC INSTITUTE

**Description:** Damaged ceiling and hole in dirtyside cagewash



CFR:3.84(c)

**Photographer:** Sara Tobias

**Certificate:** 21-R-0223

**Date and Time:** 5/26/2022 1:48 PM **Legal Name:** NEW YORK STATE PSYCHIATRIC INSTITUTE

**Inspection No:** 2016090000794408 **Facility Name:** NEW YORK STATE PSYCHIATRIC INSTITUTE

**Description:** Damaged ceiling above cagewash entrance



CFR:3.84(c)

**Photographer:** Sara Tobias

**Certificate:** 21-R-0223

**Date and Time:** 5/26/2022 1:38 PM **Legal Name:** NEW YORK STATE PSYCHIATRIC INSTITUTE

**Inspection No:** 2016090000794408 **Facility Name:** NEW YORK STATE PSYCHIATRIC INSTITUTE

**Description:** Dirty side cagewash