



## Inspection Report

Zoetis LLC  
10 Sylvan Way  
Parsippany, NJ 07054

Customer ID: **334734**  
Certificate: **22-R-0155**  
Site: 002

ZOETIS GLOBAL MANUFACTURING AND SUPPLY

Type: ROUTINE INSPECTION  
Date: 20-MAY-2019

### 3.53(a)(1) CRITICAL

#### PRIMARY ENCLOSURES.

In December 2018, a rabbit was found with its head entrapped between the floor grate and the enclosure door. Upon release it was determined the animal had expired. There have been no further incidents of this nature.

Primary enclosures shall be structurally sound and maintained in good repair to protect the rabbits from injury and to contain them.

The facility instituted a review of all rabbit enclosures, door and floor connections and potential solutions to prevent future entrapments. All of the enclosures currently being used have been modified to correct the issue between the doors and grate to prevent the rabbits from becoming entrapped.

Facility needs to continue to monitor the primary enclosures and implement engineering modifications when deemed necessary to ensure the welfare of the animals. The facility must ensure that the primary enclosures are suitable for the animals in order to safeguard the animals from injury.

Exit interview took place at the end of the inspection.

Prepared By:

UNCK AUTUMN, D V M

UNCK AUTUMN, D V M USDA, APHIS, Animal Care

Title: VETERINARY MEDICAL OFFICER 6118

Received By:

Title:

Date:  
23-MAY-2019

Date:  
23-MAY-2019



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
334734	22-R-0155	002	ZOETIS GLOBAL MANUFACTURING AND SUPPLY	20-MAY-19

Count	Scientific Name	Common Name
000113	<i>Canis lupus familiaris</i>	DOG ADULT
000382	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000024	<i>Felis silvestris catus</i>	CAT ADULT
001549	<i>Mesocricetus auratus</i>	SYRIAN / GOLDEN HAMSTER (COMMON PET/RESEARCH TYPE)
000314	<i>Oryctolagus cuniculus</i>	DOMESTIC RABBIT / EUROPEAN RABBIT
<b>002382</b>	<b>Total</b>	