Withheld IACUC committee members with permission of the requester.



Memorandum to: Ms. Cece Gassner, Vice President for Research

From: Institutional Animal Care and Use Committee

Subject: Semiannual Evaluation of Animal Care and Use Program and

Inspection of Facilities

Date: June 18, 2019

This report summarizes the Institutional Animal Care and Use Committee (IACUC) results of its most recent program review and facility inspection as required by the Public Health Service (PHS) Policy on Humane Care and Use of Laboratory Animals (Policy), Section IV.B1.-3.; the Guide for the Care and Use of Laboratory Animals (Guide) and the Animal Welfare Act (AWA) regulations, as applicable. Submission of semiannual reports to the Institutional Official is a condition of this institution's Animal Welfare Assurance with the NIH Office of Laboratory Animal Welfare (OLAW).

Evaluation of the Animal Care and Use Program

The IACUC conducted its semiannual evaluation of the institution's animal care and use program on May 16, 2019, using the *Guide for the Care and Use of Laboratory Animals*, 8th Ed. (Guide), and the *Guide for the Care and Use of Agricultural Animals in Research and Teaching (AG Guide)* and as applicable, as applicable, 9 CFR Chapter I, 2.31.

This evaluation covers the period from November 12, 2018 through May 15, 2019. Annual reports to OLAW will be due by Jan. 31 of each year.

The Program evaluation was conducted by polling IACUC members using the Sample Program Review Checklist provided by OLAW, responses tabulated and any comments discussed. Member checklists are collected and kept on file. All IACUC members were allowed to read and comment on the report generated before finalization.

The following deficiencies (minor) were found in the animal care and use program:

• The current Disaster Plans fails to address the preservation of critical or irreplaceable animals, or any plan for evacuation of the facility. There is a reference to another procedure, must be approved by the institution and incorporated into overall response plan. Law enforcement and emergency personnel should be provided a copy of the disaster plan, the ACF Staging/Evacuation/Relocation procedure, but there is not sufficient detail given in the disaster plan. This was noted during the previous inspection.

Misty Lair., Chair Institutional Animal Care And Use Committee P. O. Box 3011 • Commerce, TX 75429-3011 • Phone: 903.886.5355 www.tamuc.edu



Due to the prior director leaving, this is being noted again and will be presented to the current director. Please remember that all Disaster Plans must be approved by the institution and incorporated into the overall responsible plan that is coordinated by the Institutional Official (IO) or another senior-level administrator before November 15, 2019.

Inspection of Animal Facilities

The IACUC inspected the Animal Care Facility (*Vivarium*) and the Farm animal facility (*Farm*) on May 16, 2019, using the *Guide* and *AG Guide*, and, as applicable, 9 CFR Chapter I, 2.31.

The bulk of animal facilities are devoted to livestock. The Livestock Center serves mainly as an instructional facility, and devotes nearly 600 acres to cattle pasture for approximately 350 head of Angus, Hereford and crossbred cattle. Other species of livestock represented include small herds of goats (approximately 16 head), sheep (approximately 14 head), swine (approximately 4 head) and a horse breeding group (approximately 12 head). There are six buildings that are regularly used to work with and house animals.

The Equine Center, physically adjacent to the livestock pastures, utilizes another 45 acres and includes an instructional and riding program. The Equine Center buildings include a covered arena, several barns as well as boarding facilities for privately owned horses.

The Animal Care Facility, housed in the Science and Technology Center, is a small laboratory animal facility currently housing colonies of mice, rats and zebrafish.

The following deficiencies were found in the animal facilities:

• Animal Care Facility deficiencies (all minor):

- o Paint chipping on walls
- o Temperature reading were inadequate for species
- o Chemical bottles without expiration dates
- o Food being provided for fish had expired dates
- Daily health records for fish were incomplete. Fish should be checked daily including weekends. Tank temperatures should be recorded
- o Personal items (body lotion, aloe, etc.) should be removed from storage areas
- o Card board boxes should be removed or stored in containers
- Current eyewash station is expired and should be replaced. A faucet mounted eyewash station should be installed
- Cage wash records (SOPs, AUPs, temperature readings, etc.)were not available for review. Copies should be made available for review.
- Mouse being housed singly. Mice should be housed in pairs or groups. Not justification was presented for the single housing

Misty Lair., Chair
Institutional Animal Care And Use Committee
P. O. Box 3011 • Commerce, TX 75429-3011 • Phone: 903.886.5355
www.tamuc.edu



• Farm (all minor)

- o Exposed wiring and electrical plug was found in Equine Barn
- o Insulation was falling from the ceiling in the Equine Barn

Minority Views

No minority views were presented regarding this semi-annual report.

Misty Lair., Chair Institutional Animal Care And Use Committee P. O. Box 3011 • Commerce, TX 75429-3011 • Phone: 903.886.5355 www.tamuc.edu

Signatures

Names of IACUC Members

Misty Lair, Chair

Dustin Dorris, Attending Veterinarian

Signatures

Semiannual Program Review and Facility Inspection Checklist

About the checklist

The Semiannual Program Review and Facility Inspection Checklist is provided to assist institutions in conducting their semiannual reviews of programs and facilities for the care and use of animals. The Public Health Service (PHS) Policy on Humane Care and Use of Laboratory Animals (Policy), section IV.B.1.-2., requires the Institutional Animal Care and Use Committee (IACUC) to review the institution's program for humane care and use of animals and inspect all of the institution's animal facilities at least once every 6 months using the *Guide for the Care and Use of Laboratory Animals: Eighth Edition (Guide)* as a basis for evaluation.

How to use the checklist

This checklist is a tool to assist IACUCs in conducting thorough semiannual reviews. IACUCs are not required to use this checklist but are encouraged to amend it as necessary to reflect institutional programs and needs, or to develop their own checklist. If the checklist is modified, periodic review of the checklist is recommended to ensure relevant topics are considered as the animal care and use program changes.

The checklist covers the major topics of the *Guide* and the requirements of the PHS Policy. The checklist does not replace the *Guide*, but should be utilized in conjunction with the *Guide*. The *Guide* provides the standards, recommendations, and descriptions of desired outcomes necessary to evaluate and inspect an animal care and use program. Relevant references for the *Guide* and the PHS Policy are noted. Endnotes are included to reference specific U.S. Department of Agriculture (USDA) regulatory requirements that differ from the PHS Policy. Topics that are new to this version of the checklist or identified as a "must" in the *Guide* are highlighted. A column to identify changes that have occurred in the institution's program for animal care and use (PHS Policy IV.A.1.a.-i.) since the last review is also a new feature.

The checklist consists of the following sections:

- I. Semiannual Program Review Checklist
 - Institutional Policies and Responsibilities
 - Veterinary Care
- II. Semiannual Facility Inspection Checklist
 - Terrestrial Animal Housing and Support Areas
 - Aquatic Animal Housing and Support Areas
 - Cagewash
 - Special Facilities: Aseptic Surgery
 - Special Facilities: Procedure Areas, Non-survival Surgeries, Laboratories, Rodent Surgeries, Imaging, Whole Body Irradiation, Hazardous Agent Containment, Behavioral Studies
- III. Semiannual Program Review and Facility Inspection Report
- IV. Endnotes

It is recommended that the Program Review section be completed during an IACUC meeting. Because physical aspects of a program require visual observation to evaluate, it is recommended that the Facility Inspection section be completed during an inspection of the facilities, including satellite facilities.

A table is provided, "Semiannual Program Review and Facility Inspection Report," as a format for the IACUC to organize and track information regarding deficiencies, and plans and schedules for correction. IACUCs may choose to attach the table to the Semiannual Report to the Institutional Official.

Questions or comments?

Suggestions or comments about this checklist should be e-mailed to: olawdpe@mail.nih.gov.

I. Semiannual Program Review Checklist

Institutional Policies and Responsibilities

Date: May 16, 2019

1. F	nimal Care and Use Program NEW		A	M	S	C	NA
•	Responsibility for animal well-being is assumed by all members of the program ($p 1$) [must]	Guide	, X				
•	IO has authority to allocate needed resources (Guide, p 13)		Χ				
•	Resources necessary to manage program of veterinary care are provided (<i>Guide</i> [must]	, <u>p 14</u>)	X				
•	Sufficient resources are available to manage the program, including training of personnel in accord with regulations and the <i>Guide</i> (<i>Guide</i> , pp 11, 15)		X				
•	Program needs are regularly communicated to IO by AV and/or IACUC (Guide, p	13)	X				
•	Responsibilities for daily animal care and facility management are assigned to spindividual(s) when a full-time veterinarian is not available on site (Guide, p 14)	ecific must]	Х				
	Inter-institutional collaborations are described in formal written agreements (Gu , 15)						X
•	Written agreements address responsibilities, animal ownership, and IACUC overs ($Guide$, p 15)		X				
2. D	isaster Planning and Emergency Preparedness №		A*	М	S	_	NA
•	Disaster plans for each facility to include satellite locations are in place (<i>Guide</i> , p	35, p		X	3		147
•	Plans include provisions for euthanasia (Guide, p 35) [must]		X				
•	Plans include triage plans to meet institutional and investigators' needs (Guide,		X				
•	Plans define actions to prevent animal injury or death due to HVAC or other failu (Guide, p 35)	res	X				
•	Plans describe preservation of critical or irreplaceable animals (Guide, p 35)			X			
•	Plans include essential personnel and their training (Guide, p 35)		X				
•	Animal facility plans are approved by the institution and incorporated into overall response plan (<i>Guide</i> , p 35)	I		X			
•	Law enforcement and emergency personnel are provided a copy and integration overall plan is in place ($Guide$, p 35)	with		X			
3. I	ACUC NEW		A*	М	S	C	NA
•	Meets as necessary to fulfill responsibilities (Guide, p 25) [must]		X		3	·	11/
•	IACUC Members named in protocols or with conflicts recuse themselves from prodecisions (<i>Guide</i> , p 26) [must]	tocol	X				
•	Continuing IACUC oversight after initial protocol approval is in place (Guide, p 33		X				
•	IACUC evaluates the effectiveness of training programs (<i>Guide</i> , p 15)	Acres	X				
т					_		
•	ACUC Protocol Review - Special Considerations Humane endpoints are established for studies that involve tumor models, infection diseases, vaccine challenge, pain modeling, trauma, production of monoclonal antibodies, assessment of toxicologic effects, organ or system failure, and model		A	М	S	С	NA
	cardiovascular shock (Guide, p 27)		Χ				
•	For pilot studies, a system to communicate with the IACUC is in place (Guide, p. 2		X				
•	For genetically modified animals, enhanced monitoring and reporting is in place (Guide, p 28)	12.000,000	X				
•	Restraint devices are justified in the animal use protocols (Guide, p 29) [must]		Χ				
•	Alternatives to physical restraint are considered (Guide, p 29)		X				
•	Period of restraint is the minimum to meet scientific objectives (Guide, p 29)		X				
•	Training of animals to adapt to restraint is provided (Guide, p 29)		X				
•	Animals that fail to adapt are removed from study (Guide, p 29)		X				
•	Appropriate observation intervals of restrained animals are provided (Guide, p 29)	X				
•	Veterinary care is provided if lesions or illness result from restraint (Guide, p 30)		X				

7.	Semiannual report to the IO (PHS Policy, IV.B.)	\mathbf{A}^*	M	S	C	NA
	o Ongoing training/education (<i>Guide</i> , <u>p 17</u>)	X				
	(Guide, p 17) o Training on how to review protocols as well as evaluate the program (Guide, p 17)	X				
	 Training on how to inspect facilities and labs where animal use or housing occurs 	^				
	 Formal orientation to institution's program (Guide, p 17) Training on legislation, regulations, guidelines, and policies (Guide, p 17) 	X				
	All IACUC members should receive: Formal prioritation to institution's program (Cuido p. 17)					
6.	IACUC Training NEW	\mathbf{A}^*	M	S	C	NA
	to USDA/APHIS ^{iv} (Guide, p 30) [must]	X				
	Requests for exemptions from major survival surgical procedure restrictions are made	9				1
	agricultural animals) (<i>Guide</i> , <u>p 27-32</u>)	X				
	restraint, multiple survival surgery, food and fluid regulation, field investigations,					
	 Policies are in place for special procedures (e.g., genetically modified animals, 	X				
	 Procedures are in place for review and approval of significant changes to approved activities (PHS Policy, IV.B.) 	~				
-	(PHS Policy, <u>IV.B.</u>)	X				-
	Procedures are in place for review, approval, and suspension of animal activities (PUS Police TV P.)					
	Policy, IV.B.)	X				
	Reviews and investigates concerns about animal care and use at institution ⁱⁱ (PHS)					
	 Methods for reporting and investigating animal welfare concerns are in place (Guide, 23) [must] 	ΣX				
	 IACUC organizationally reports to the Institutional Official (PHS Policy, IV.A.1.b.) Methods for reporting and investigating animal welfare concerns are in place (Guide) 	X				
	Conducts semiannual inspections of institutional animal facilities (PHS Policy, <u>IV.B.</u>) TAGUE TAGUE TO SEMIATE THE PROPERTY OF THE PR	Χ				
	(PHS Policy, <u>IV.B.</u>)	X				
	• IACUC conducts semiannual evaluations of institutional animal care and use program					
	are provided (<i>Guide</i> , p 14)	X				
	IACUC authority and resources for oversight and evaluation of institution's program	X				-
	 Members include a veterinarian, a scientist, a nonscientist, and a nonaffiliated non-la animal user (Guide, p 24)ⁱ 					
	IACUC is comprised of at least 5 members, appointed by CEO (PHS Policy, IV.A.3.) Marghara include a victoria victo	. X				1
5.	IACUC Membership and Functions	\mathbf{A}^*	M	S	C	N
	(Guide, <u>p 75</u>)	X				
	• Toe-clipping only used when no alternative, performed aseptically and with pain relie					
	• Disposition plans are considered for species removed from the wild (<i>Guide</i> , p 32)	Χ				
	regulations applicable in study area (Guide, p 32)	Χ				
	 Investigators conducting field studies know zoonotic diseases, safety issues, laws and 					
	(Guide, p 31)	X				
	procedures (<i>Guide</i> , p 31) Non-pharmaceutical grade chemicals are described, justified, and approved by IACUC	X		-		
	Pharmaceutical grade chemicals are used , when available, for animal-related procedures (Cuido p. 31).					
	 Daily written records are maintained for food/fluid restricted animals (Guide, p 31) 	Х				
	$\frac{31}{2}$	X				No.
	 Body weights for food/fluid restricted animals are recorded at least weekly (Guide, p 	^		-		-
	 Animals on food/fluid restriction are monitored to ensure nutritional needs are met (Guide, p 31) 	X				
ļ	species standards (<i>Guide</i> , p 30)	X	-			-
	 Multiple survival procedure justifications in non-regulated species conform to regulate 					
	p 30)	z, X				
-	 (Guide, p 30) Major versus minor surgical procedures are evaluated on a case-by-case basis (Guide) 	X				-
	 Multiple surgical procedures on a single animal are justified and outcomes evaluated 					
	(Guide, p 30)	Χ				
	 Explanations of purpose and duration of restraint are provided to study personnel 					
	[must]					

PHONE P							
		 Submitted to IO every 6 months 	X				
		o Compiles program review and facility inspection(s) results (includes all program				4	
		and facility deficiencies)	X				
		Includes minority IACUC views	X			-	-
		Describes IACUC-approved departures from the <i>Guide</i> or PHS Policy and the	^		-		
		reasons for each departure vi					
-			X		-	-	1
		 Distinguishes significant from minor deficiencies 	X				
		 Includes a plan and schedule for correction for each deficiency identified vii 	X				
	•	Reports to OLAW (PHS Policy, IV.F.)					
		 Annual report to OLAW documents program changes, dates of the semiannual 					
		program reviews and facility inspections and includes any minority views	X				
		Promptly advises OLAW of serious/ongoing <i>Guide</i> deviations or PHS Policy	^	-			-
		noncompliance (NOT-OD-05-034)	\/				
			X				
		o Institute must promptly advise OLAW of any suspension of an animal activity by		1			
		the IACUC (NOT-OD-05-034)	X			<u> </u>	
	0	Reports to U.S. Department of Agriculture (USDA) or Federal funding agency agency					
		 Annual report to USDA contains required information including all 					
		exceptions/exemptions	X				
		 Reporting mechanism to USDA is in place for IACUC-approved exceptions to the 				İ	
		regulations and standards	X				
		Reports are filed within 15 days for failures to adhere to timetable for correction of	f	-			
		significant deficiencies					
			X	-			
		i i i i i i i i i i i i i i i i i i i	1.			i i	
		funding agency	X			1	1
	•	Records (PHS Policy, <u>IV.E.</u>)					
		 IACUC meeting minutes and semiannual reports to the IO are maintained for 3 					
		years	X				
		 Records of IACUC reviews of animal activities include all required information^{ix} 	X				
		o Records of IACUC reviews are maintained for 3 years after the completion of the					
		study	X				
	Fi pa						
8.	Ve	eterinary Care (See also next section - Veterinary Care)	A*	М	S	C	NA
		An arrangement for veterinarian(s) with training or experience in lab animal medicine		1-1	3	C	IAM
		is in place including backup veterinary care ^x	X				
	•	Veterinary access to all animals is provided (Guide, p 14) [must]	Χ				
	•	Direct or delegated authority is given to the veterinarian to oversee all aspects of					
		animal care and use (Guide, p 14) [must]	X				
	•	Veterinarian provides consultation when pain and distress exceeds anticipated level in					
		protocol (Guide, p 5) [must]	Χ				
	•	Veterinarian provides consultation when interventional control is not possible (Guide,	1				
		<u>5) [must]</u>	X				
_	•	If part time /consulting veterinarian, visits meet programmatic needs (Guide, p 14)					120000
	•	Regular communication occurs between veterinarian and IACUC (<i>Guide</i> , p 14)	X				
	•	Veterinarian(c) have experience and training in engine and (C) id (C)	X				ļ
		Veterinarian(s) have experience and training in species used (<i>Guide</i> , p 15) [must]	X				
	•	Veterinarian(s) have experience in facility administration/management (Guide, p 15)	X				
_							
9.	Pe	rsonnel Qualifications and Training	\mathbf{A}^*	M	S	C	NA
	•	All personnel are adequately educated, trained, and/or qualified in basic principles of					1
		laboratory animal science. Personnel included: [must]					
		laboratory armital science. I crossific included.					
			Y				
		 Veterinary/other professional staff (Guide, p 15-16) 	X				
		 Veterinary/other professional staff (Guide, p 15-16) IACUC members (Guide, p 17) 	Χ				
		 Veterinary/other professional staff (Guide, p 15-16) IACUC members (Guide, p 17) Animal care personnel (Guide, p 16) 					
		 Veterinary/other professional staff (Guide, p 15-16) IACUC members (Guide, p 17) Animal care personnel (Guide, p 16) Research investigators, instructors, technicians, trainees, and students (Guide, pp 	X				
		 Veterinary/other professional staff (Guide, p 15-16) IACUC members (Guide, p 17) Animal care personnel (Guide, p 16) Research investigators, instructors, technicians, trainees, and students (Guide, pp 16-17) 	Χ				
	•	 Veterinary/other professional staff (Guide, p 15-16) IACUC members (Guide, p 17) Animal care personnel (Guide, p 16) Research investigators, instructors, technicians, trainees, and students (Guide, pp 16-17) Continuing education for program and research staff provided to ensure high quality 	X				
	•	 Veterinary/other professional staff (Guide, p 15-16) IACUC members (Guide, p 17) Animal care personnel (Guide, p 16) Research investigators, instructors, technicians, trainees, and students (Guide, pp 16-17) Continuing education for program and research staff provided to ensure high quality care and reinforce training (Guide, pp 16-17) 	X				
	•	 Veterinary/other professional staff (Guide, p 15-16) IACUC members (Guide, p 17) Animal care personnel (Guide, p 16) Research investigators, instructors, technicians, trainees, and students (Guide, pp 16-17) Continuing education for program and research staff provided to ensure high quality care and reinforce training (Guide, pp 16-17) 	X X				
		 Veterinary/other professional staff (Guide, p 15-16) IACUC members (Guide, p 17) Animal care personnel (Guide, p 16) Research investigators, instructors, technicians, trainees, and students (Guide, pp 16-17) Continuing education for program and research staff provided to ensure high quality 	X X X				

	0	Methods for reporting concerns (Guide, p 17)	X				
	0	Humane practices of animal care (e.g., housing, husbandry, handling) xi	Χ				
	0	Humane practices of animal use (e.g., research procedures, use of anesthesia,					
		pre- and post-operative care, aseptic surgical techniques and euthanasia ($Guide$, p) xii	X				
	0	Research/testing methods that minimize numbers necessary to obtain valid results (PHS Policy, IV.A.1.g.)	X				
	0	Research/testing methods that minimize animal pain or distress (PHS Policy, IV.A.1.q.)	X				
	0	Use of hazardous agents, including access to OSHA chemical hazard notices where applicable (<i>Guide</i> , p 20)					
	0	Animal care and use legislation (<i>Guide</i> , p 17)	X				
	0	IACUC function (<i>Guide</i> , p 17)	X	-			
	0	Ethics of animal use and Three R's (<i>Guide</i> , p 17)	X				
		Edites of driffind disc and three it's (Galac, p 17)	^				
10.	Oc	cupational Health and Safety of Personnel	\mathbf{A}^*	M	S	C	NA
•	Pro	gram is in place and is consistent with federal, state, and local regulations (Guide, 7) [must]	X				
•	Pro	gram covers all personnel who work in laboratory animal facilities (Guide, p 18)	X				
•	Cha	anging, washing, and showering facilities are available as appropriate (Guide, p 19)					
•	Haz	zardous facilities are separated from other areas and identified as limited access					
	(Gu	<i>uide</i> , <u>p 19</u>)	X				
•		sonnel training is provided based on risk (e.g., zoonoses, hazards, personal giene, special precautions, animal allergies) (Guide, p 20)	х				
•		sonal hygiene procedures are in place (e.g., work clothing, eating/drinking/smoking					-
	pol	icies) (Guide, p 20)	X				
•	age		Χ				
•	Per 21)	sonal Protective Equipment for the work area is appropriate and available (Guide, p	X				
•		gram for medical evaluation and preventive medicine for personnel includes:	/ .				
	0		Χ				
	0	Immunizations as appropriate (e.g., rabies, tetanus) and tests as appropriate	X				
	0	Zoonosis surveillance as appropriate (e.g., Q-fever, tularemia, Hantavirus, plague)					
	0	Procedures for reporting and treating injuries, including accidents, bites, allergies,	X				
	0		X				
	0	Promotes early diagnosis of allergies including preexisting conditions ($Guide$, p 22) Considers confidentiality and other legal factors as required by federal, state and	Х				
		local regulations (Guide, p 22) [must]	Χ				
	0	If serum samples are collected, the purpose is consistent with federal and state					
	Wa	laws (Guide, p 22) [must]	.,				X
•	VV a:	ste anesthetic gases are scavenged (Guide, p 21)	X				
	Pac	pring protection is provided in high noise areas (Guide, p 22) piratory protection is available when performing airborne particulate work (Guide,	X				
	p 2	<u>2</u>)	X				
•	bod	cial precautions for personnel who work with nonhuman primates, their tissues or y fluids include:					
	0	Tuberculosis screening provided for all exposed personnel (Guide, p 23)					X
	0	Training and implementation of procedures for bites, scratches, or injuries associated with macaques (<i>Guide</i> , p 23)					X
		PPE is provided including gloves, arm protection, face masks, face shields, or				-	^
		goggles (Guide, p 21)					X
		Injuries associated with macaques are carefully evaluated and treatment					^
		implemented (Guide, p 23)		about the same			X
•	(Gu	upational safety and health of field studies is reviewed by OSH committee or office					

11.	Personnel Security NEW	A *	M	S	C	NA
•	Preventive measures in place include pre-employment screening, and physical and IT security ($Guide$, p 23)	X		6		
12.	Investigating & Reporting Animal Welfare Concerns	A*	М	S	С	NA
•	Methods for investigating and reporting animal welfare concerns are established (Guide, p 23) [must]	X		, m. P. J. S.		
•	Reported concerns and corrective actions are documented (Guide, p 24)	Χ				
•	Mechanisms for reporting concerns are posted in facility and at applicable website with instructions (Guide, p 24)	X				
	o Includes multiple contacts (<i>Guide</i> , p 24)	Χ				
	 Includes anonymity, whistle blower policy, nondiscrimination and reprisal protection (Guide, p 24) 	X				

A = acceptable

M = minor deficiency

S = significant deficiency (is or may be a threat to animal health or safety)
 C = change in program (PHS Policy IV.A.1.a.-i.) (include in semiannual report to IO and in annual report to OLAW)

NA = not applicable

NOTES:

Veterinary Care

Date: May 16, 2019

 Clinical Care and Management NEW Veterinary program offers high quality of care and ethical standards (Guide, p 105) 	A*	M	S	C	N/
[must]	Х				
vote: marian provides gardance to an personner to chaire appropriate nusbandry,					
handling, treatment, anesthesia, analgesia, and euthanasia (<i>Guide</i> , p 106)	X				
 Veterinarian provides oversight to surgery and perioperative care (Guide, p 106) 	Χ				
 Veterinary care program is appropriate for program requirements (Guide, pp 113-114) 	<u>↓</u>) X				
 Veterinarian(s) is familiar with species and use of animals and has access to medical and experimental treatment records (Guide, p 114) 	Х				
 Procedures to triage and prioritize incident reports are in place (Guide, p 114) 	X		1		1
Procedures are in place to address:			.1	1	
 Problems with experiments to determine course of treatment in consultation with investigator(Guide, p 114) 	X				
 Recurrent or significant health problems with the IACUC and documentation of 					
treatments and outcomes (Guide, p 114)	X				
 Veterinary review and oversight of medical and animal use records (Guide, p 115) X				
 Procedures established for timely reporting of animal injury, illness, or disease (Guide p 114) [must] 	X				
 Procedures established for veterinary assessment, treatment, or euthanasia (Guide, 114) [must] 	2 X				
 Veterinarian is authorized to treat, relieve pain, and/or euthanize (Guide, p 114) [must] 	X				
Animal Procurement and Transportation/Preventive Medicine	A *	М	S	C	N
Procedures for lawful animal procurement are in place (Guide, p 106) [must]	X		T		
• Sufficient facilities and expertise are confirmed prior to procurement (Guide, p 106)	X				
• Procurement is linked to IACUC review and approval (<i>Guide</i> , p 106)	X		-		-
Random source dogs and cats are inspected for identification (<i>Guide</i> , p 106)					-
Population status of wildlife species is considered prior to procurement (Guide, p 106)	Y				-
• Appropriate records are maintained on animal acquisition (<i>Guide</i> , p 106)	X	-	-		
• Animal vendors are evaluated to meet program needs and quality (<i>Guide</i> , p 106)	X		-		-
Breeding colonies are based on need and managed to minimize numbers (<i>Guide</i> , <u>p</u> 107)					
Procedures for compliance with animal transportation regulations, including	X				
international requirements, are in place (Guide at 107)					
international requirements, are in place (<i>Guide</i> , p 107) [must]	Χ				
Transportation is planned to ensure safety, security and minimize risk (<i>Guide</i> , p 107) Movement of animals is planned to minimize transit time and deliveries are planned to	X				
 Movement of animals is planned to minimize transit time and deliveries are planned to ensure receiving personnel are available (Guide, pp 107-108) 					
Appropriate loading and unloading facilities are available (<i>Guide</i> , p 109)	X				
Environment at receiving site is appropriate (<i>Guide</i> , p 109)	X				
Policies in place on separation by species, source, and health status (<i>Guide</i> , pp 109)	Χ				
111-112)	Х				
Procedures in place for quarantine to include zoonoses prevention (<i>Guide</i> , p 110)	X	-		Water Street	-
Quarantined animals from different shipments are handled separately or physically separated (<i>Guide</i> , p 110)		The second secon			
Procedures in place for stabilization/acclimation (<i>Guide</i> , pp 110-111)	X				
FIGUREOUS III DIACE INCSTANIIZATION/ACCUMATION///AUGO NO 110/111	X				
Policies in place for isolation of side primary (C. 1)	Χ				
Policies in place for isolation of sick animals (<i>Guide</i> , p 112) Program is in place for surveillance, diagnosis, treatment and control of disease to					
 Policies in place for isolation of sick animals (<i>Guide</i>, p 112) Program is in place for surveillance, diagnosis, treatment and control of disease to include daily observation (<i>Guide</i>, p 112) 	X				
 Policies in place for isolation of sick animals (<i>Guide</i>, p 112) Program is in place for surveillance, diagnosis, treatment and control of disease to include daily observation (<i>Guide</i>, p 112) 	X X				
 Policies in place for isolation of sick animals (<i>Guide</i>, p 112) Program is in place for surveillance, diagnosis, treatment and control of disease to include daily observation (<i>Guide</i>, p 112) Diagnostic resources are available for preventive health program (<i>Guide</i>, p 112) 	Χ	М	S	C	N
 Policies in place for isolation of sick animals (<i>Guide</i>, <u>p 112</u>) Program is in place for surveillance, diagnosis, treatment and control of disease to include daily observation (<i>Guide</i>, <u>p 112</u>) 		M	S	С	N

17		[must]			T	I	T	
	•	Pre-surgical plans are developed and include veterinary input (e.g., location, supp	lies,					
		anesthetic and analgesic use, peri-operative care, recordkeeping) (Guide, p 116)		X				
	•	Aseptic surgery is conducted in dedicated facilities or spaces, unless exception jus and IACUC approved (<i>Guide</i> , p 116)		X	and the second			
	•	Surgical procedures including laparoscopic procedures are categorized as major or minor (<i>Guide</i> , pp 117-118)		X				
	•	For nonsurvival surgery, the site is clipped, gloves are worn and instruments and are clean (<i>Guide</i> , p 118)	area	X				
	•	Aseptic technique is followed for survival surgical procedures (Guide, pp 118-119)		X				+
	•	Effective procedures for sterilizing instruments and monitoring expiration dates on sterile packs are in place (<i>Guide</i> , p 119)	1	X				
	•	Procedures for monitoring surgical anesthesia and analgesia are in place ($Guide$, g 119)	-	X				
	•	For aquatic species, skin surfaces are kept moist during surgical procedures ($Guide 119$)		X				
	•	Post-operative monitoring and care are provided by trained personnel and docume (e.g., thermoregulation, physiologic function, analgesia, infection, removal of skin closures) (<i>Guide</i> , pp 119-120)		X				
4.	Pa	ain, Distress, Anesthesia and Analgesia		A*	М	S	C	NIA
•	0	Guidelines for assessment and categorization of pain, distress and animal wellbein are provided during training (<i>Guide</i> , p 121)	-		IAI	3	C	NA
	•	Selection of analgesics and anesthetics is based on professional veterinary judgme $(Guide, p 121)$	ent	X				
	•	Painful procedures are monitored to ensure appropriate analgesic management (Guide, p 122)		X				
	•	Nonpharmacologic control of pain is considered as an element of postprocedural ca (<i>Guide</i> , p 122)	are	X X				
	•	Procedures are in place to assure antinoception before surgery begins (<i>Guide</i> , p 12 must)	22)	X				
	•	Guidelines for selection and use of analgesics and anesthetics are in place and regularly reviewed and updated (<i>Guide</i> , p 122)		X				
	•	Special precautions for the use of paralytics are in place to ensure anesthesia $(Guide, p 123)$		X				
5	E.,	ithanasia	Jan 18 Sage	0				
J.	•	Methods are consistent with AVMA Guidelines on Euthanasia unless approved by the IACUC (Guide, p 123)		A *	М	S	С	NA
10000011200	•	Standardized methods are developed and approved by the veterinarian and IACUC		X				
	•	that avoid distress and consider animal age and species (<i>Guide</i> , pp 123-124) Training is provided on appropriate methods for each species and considers		X				
	•	psychological stress to personnel (<i>Guide</i> , p 124) Procedures and training are in place to ensure death is confirmed (<i>Guide</i> , p 124)		X				
		[must]		X				
6.	Dr	rug Storage and Control NEW		\mathbf{A}^*	M	S	C	NA
		Program complies with federal regulations for human and veterinary drugs(<i>Guide</i> , 115) [must]		X				
	•	Drug records and storage procedures are reviewed during facility inspections ($Guid$ 115)	le, p	X				
		Procedures are in place to ensure analgesics and anesthetics are used within expiration date (<i>Guide</i> , p 122) [must]		X				
	•	Anesthetics and analgesics are acquired, stored, and their use and disposal are recorded legally and safely (<i>Guide</i> , p 122)		X				
	A = M = S =	acceptable minor deficiency significant deficiency (is or may be a threat to animal health or safety)						
	NA:	change in program (PHS Policy <u>IV.A.1.ai.</u>) (include in semiannual report to IO and in annual not applicable	ı repo	ort to	OLA	W)		

Semiannual Program Review II.

Date: May 16, 2019

Deficiency Category*	√	Location	Deficiency and Plan for Correction	Responsible Party	Correction Schedule and Interim Status	Date Complete
M	X	ACF	Disaster Plan fails to address preservation of critical or irreplaceable animals, or any plan for evacuation of the facility. There is a reference to another procedure, the ACF Staging/Evacuation/Relocation procedure, but there is not detail given in the disaster plan. Due to the prior Director leaving, this is being presented to the new Director.	ACF Director	To be integrated by the ACF Director	11/15/2019

A = acceptable

Obtained by Rise for Animals. Uploaded 07/08/2020

M = minor deficiency

S = significant deficiency (is or may be a threat to animal health or safety)
C = change in program (PHS Policy <u>IV.A.1.a.-i.</u>) (include in semiannual report to IO and in annual report to OLAW)

NA = not applicable

Check if repeat deficiency

III. Semiannual Facility Inspection Checklist

Terrestrial Animal Housing and Support Areas

Date: May 16, 2019

Location: Animal Care Facility (ACF)

	Location:	A*	М	S	С	N
	o animal areas separate from personnel areas (Guide, p 134)	X				
	o separation of species (<i>Guide</i> , p 111)	X	-			
	o separation by disease status (<i>Guide</i> , p 111)	X				
	o security and access control (<i>Guide</i> , p 151)	X				-
	Construction:	Λ.	1			
	o corridors (<i>Guide</i> , p 136)	X				T
	o animal room doors (<i>Guide</i> , p 137)	X				-
	o exterior windows (<i>Guide</i> , p 137)					X
	o floors (Guide, p 137)	X				^
	o drainage (<i>Guide</i> , p 138)	X	-			-
	o walls and ceilings (<i>Guide</i> , p 138)	^	X			-
	o heating ventilation and air conditioning (<i>Guide</i> , p 139)	Х	^			H
	o power and lighting (<i>Guide</i> , p 141)	X				-
	o noise control (<i>Guide</i> , p 142)	X				-
	o vibration control (<i>Guide</i> , p 142)	X				
	o environmental monitoring (<i>Guide</i> , p 143)	X				
	Room/Cage:	^	L			_
	o temperature and humidity (<i>Guide</i> , p 43)		X			1
	o ventilation and air quality (<i>Guide</i> , p 45)	X	^			
	o illumination (<i>Guide</i> , p 47)	X			-	
	o noise and vibration (<i>Guide</i> , p 49)	X				
	Primary Enclosure:	^				
	o space meets physiologic, behavioral xiv, and socialxv needs (<i>Guide</i> , pp 51, 55-63)	V	I 1			1
	o secure environment provided (<i>Guide</i> , $p ext{ } ext{51}$)	x				
	o durable, nontoxic materials in good repair and no risk of injury (<i>Guide</i> , p 51)	x				-
	o flooring is safe and appropriate for species (<i>Guide</i> , p 51)	X				
- 100	adequate bedding and structures for resting, sleeping, breeding (<i>Guide</i> , p 52)	X			tee moteral	
	objective assessments of housing and management are made (<i>Guide</i> , p.52)	X				-
	o procedures for routine husbandry are documented (<i>Guide</i> , p. 52)					-
	socially housed animals can escape or hide to avoid aggression (<i>Guide</i> , p. 55)	X				-
-	cage height provides adequate clearance (<i>Guide</i> , p 56)	X				
	animals express natural postures, can turn around, access food and water, and	X				
	rest away from urine and feces (Guide, p 56) [must]	X				
	rationale ^{xvi} for <i>Guide</i> /USDA space exceptions approved by IACUC and based on	Λ				
	performance indices (Guide, p 56)	V				
	dogs and cats allowed to exercise and provided human interaction (<i>Guide</i> , p 58)	X				·
	nonhuman primates are socially housed except for scientific, veterinary or					X
	behavior reasons (<i>Guide</i> , pp 58-59)					v
	single housing of nonhuman primates is for shortest duration possible (<i>Guide</i> , p					X
	60)					V
Saletonia Y	opportunities for release into larger enclosures is considered for single caged					X
	nonhuman primates (<i>Guide</i> , p 60)			1		V
2	agricultural animals are housed socially (<i>Guide</i> , p 60)	-				X
	food troughs and water devices for agricultural animals allow access for all					X
	animals (Guide, p 60)					V
	Environmental Enrichment, Behavioral and Social Management:	1				X

	o structures and resources promote species typical behavior (<i>Guide</i> , pp 52-54)	X	7	
	o novelty of enrichment is considered (<i>Guide</i> , p 53)	X	-	1
	 species specific plans for housing including enrichment, behavior and activity are 			
	developed and reviewed regularly by IACUC, researchers and veterinarian (<i>Guide</i> , pp 53, 58, 60, 63)			
		Χ		1
	 animal care personnel receive training to identify abnormal animal behaviors (Guide, p 53) 	X		
	 stability of pairs or groups is monitored for incompatibility (Guide, p 64) 		X	
	o single housing is justified for social species (Guide, p 64)		X	
	o single housing is limited to the minimum period necessary (Guide, p 64)		X	
	o additional enrichment for single housed animals is provided (Guide, p 64)	X		
	o single housing is reviewed regularly by IACUC and veterinarian (Guide, p 64)	X		
	o habituation to routine procedures is part of enrichment program (Guide, p 64)	X		
•	Sheltered or Outdoor Housing: (e.g., barns, corrals, pastures, islands)			
	 weather protection and opportunity for retreat (Guide, p 54) [must] 			
	o appropriate size (<i>Guide</i> , <u>p 54</u>))
	o ventilation and sanitation of shelter (no waste/moisture build-up) (Guide, p 54)		11.40-01	>
	o animal acclimation (<i>Guide</i> , p 55))
	o social compatibility (<i>Guide</i> , <u>p 55</u>)			>
	o roundup/restraint procedures (<i>Guide</i> , p 55)			>
	o appropriate security (<i>Guide</i> , <u>p 55</u>))
•	Naturalistic Environments:			
	o animals added /removed with consideration of effect on group (Guide, p 55)	X		
	o adequate food, fresh water, and shelter ensured (<i>Guide</i> , p 55)	X	To the second	
•	Food:	_ []		
	 feeding schedule and procedures including caloric intake management (Guide, p 65-67) 	D X		
	o contamination prevention (<i>Guide</i> , p 65)	X		
	o vendor quality control (<i>Guide</i> , <u>p 66</u>)	X		
	o storage in sealed containers (<i>Guide</i> , p 66)	X		
	o expiration date labeling (<i>Guide</i> , p 66)	X		
	o vermin control (<i>Guide</i> , <u>p 66</u>)	X	1	
	o rotation of stocks (<i>Guide</i> , <u>p 66</u>)	X		
•	Water:		1	1
	o ad libitum unless justified (<i>Guide</i> , pp 67-68)	X		
	o QC procedures (<i>Guide</i> , pp 67-68)	X		
•	Bedding and Nesting Materials:			
	o species appropriate (<i>Guide</i> , pp 68-69)	X		
	o keeps animals dry (Guide, pp 68-69)	X		
	o QC procedures (<i>Guide</i> , pp 68-69)	X		
	o minimizes scientific variables (Guide, pp 68-69)	X		
•	Sanitation:	- Le Ti		
	o frequency of bedding/substrate change (Guide, p 70)	X		
	o cleaning and disinfection of microenvironment (<i>Guide</i> , pp 70-71)	X		
	o cleaning and disinfection of macroenvironment (Guide, p 72)	X		
	o assessing effectiveness (<i>Guide</i> , p 73)	X		
	Waste Disposal:	Lastrons		
•	o procedures for collection (<i>Guide</i> , pp 73-74)	X	T	
•	o procedures for storage and disposal (Guide, pp 73-74)	X	1	
	brocedares for storage and disposar (duide, pp 75-74)	11-	1	
	hazardous wastes are rendered safe before removal from facility (<i>Guide</i> , pp 73-74) [must]	X		
•	 hazardous wastes are rendered safe before removal from facility (Guide, pp 73-74) [must] 	X		
	hazardous wastes are rendered safe before removal from facility (<i>Guide</i> , pp 73-74) [must]	X X		
	 hazardous wastes are rendered safe before removal from facility (<i>Guide</i>, pp 73-74) must animal carcasses (<i>Guide</i>, pp 73-74) Pest Control: 	Χ		
•	 hazardous wastes are rendered safe before removal from facility (<i>Guide</i>, pp 73-74) [must] animal carcasses (<i>Guide</i>, pp 73-74) Pest Control: regularly scheduled (<i>Guide</i>, p 74) documented program including control of rodent pests and insecticide use 	X X		
	 hazardous wastes are rendered safe before removal from facility (<i>Guide</i>, pp 73-74) must animal carcasses (<i>Guide</i>, pp 73-74) Pest Control: regularly scheduled (<i>Guide</i>, p 74) 	Χ		

	o provision for accessible contact information (Guide, p 74)		X	
	o monitoring of backup systems (<i>Guide</i> , p 143)	X		
	o veterinary care available after hours, weekends, and holidays (<i>Guide</i> , pp 74, 114) [must]	X		
	a disaster plan that takes into account both personnel and animals (Guide, p. 7.			-
•	Identification:	2) /		
	cage/rack cards contain required information (Guide, p 75)	X		
	 genotype information included and standardized nomenclature used when applicable (Guide, p 75) 	Х		
•	Recordkeeping:			
	o clinical records accessible and contain appropriate information (Guide, pp 75-7	5)	X	
	records are provided when animals are transferred between institutions (<i>Guide</i> p 75)	,		×
•	Breeding Genetics and Nomenclature:			
	appropriate genetic records, management and monitoring procedures (<i>Guide</i> , 76)	D X		
	 phenotypes that affect wellbeing are reported to IACUC and effectively manage (Guide, p 77) 	d X		
•	Storage:	X		
	adequate space for equipment, supplies, food, bedding and refuse (<i>Guide</i> , <u>p</u> <u>141</u>)	X		
	bedding in vermin-free area and protected from contamination(Guide, p 141)	X		
	food in vermin-free, temperature and humidity controlled area and protected from contamination (<i>Guide</i> , p 141)	Х		
	refuse storage is separate (Guide, p 141)	X		
	carcass and animal tissue storage is separate, refrigerated below 7°C and cleanable (Guide, p 141)	Х		
•	Personnel:	1		7
	adequate space for locker rooms, administration and training (Guide, p 135)	X		

A = acceptable

M = minor deficiency

S = significant deficiency (is or may be a threat to animal health or safety)
C = change in program (PHS Policy <u>IV.A.1.a.-i.</u>) (include in semiannual report to IO and in annual report to OLAW)

NA = not applicable

NOTES:

Aquatic Animal Housing and Support Areas NEW

Date: May 16, 2019

Location: Animal Care Facility (ACF)

•	Location:	A	M	S	С	N
	o animal areas separate from personnel areas (Guide, p 134)	X				
	o separation of species (<i>Guide</i> , p 111)	X				
	o separation by disease status (<i>Guide</i> , p 111)		-			-
	o security and access control (<i>Guide</i> , p 151)	X				-
	Construction:	X				
	o corridors (<i>Guide</i> , p 136)	Χ				
	o animal room doors (<i>Guide</i> , pp 137, 150)					-
	o exterior windows (<i>Guide</i> , p. 137)	X				
	o floors (<i>Guide</i> , pp 137, 150)	V				X
	o drainage (<i>Guide</i> , pp 138, 150)	X				
	o walls and ceilings (<i>Guide</i> , pp 138, 150)	174-7				
		Χ				-
-	heating ventilation and air conditioning (<i>Guide</i> , pp 139, 150-151)	X				
	o power and lighting (Guide, pp 141, 150)	X				
7.50	o noise control (Guide, p 142)	Χ				
	o vibration control (<i>Guide</i> , <u>p 142</u>)	Χ				
	o environmental monitoring (<i>Guide</i> , p 143)	Χ				
	Water Quality:					
***********	standards for acceptable quality are established (<i>Guide</i> , p 78)	X				
	chlorine, chloramines, chemical, and reactive bioproducts are removed or					
	neutralized prior to use in aquatic systems (Guide, pp78, 86) [must]		Χ			
0	Life Support System:					
1	water source is based on appropriate controls and research requirements (Guide,					
	p 79)	X				
	biofilter is of sufficient size to process bioload (Guide, p 80) [must]	X				
	Temperature, Humidity and Ventilation/Illumination/Noise and Vibration:					
	temperature and humidity (<i>Guide</i> , pp 43, 80-81)	X				
(ventilation and air quality (Guide, pp 45, 81)	X				
(illumination (Guide, pp 47, 81)	X				
(noise and vibration (Guide, pp 49, 81)	X				
	Primary Enclosure:	^				il.
	allows for normal physiological and behavioral needs (Guide, p 82)	Χ				
	allows social interaction for social species (<i>Guide</i> , p 82)	X				
	provides a balanced, stable environment (<i>Guide</i> , p 82)	X				
	provides appropriate water quality and monitoring (<i>Guide</i> , p.82)	X				
	allows access to food and waste removal (Guide, p 82)	X				
	restricts escape and entrapment (Guide, p 82)	X				
	allows undisturbed observation (Guide, p 82)	X				
	constructed of nontoxic materials (<i>Guide</i> , p 82)	X				
	prevents electrical hazards (<i>Guide</i> , p 82)	X				
	space needs of species are evaluated by IACUC during program evaluations and	^				
	facility inspections (<i>Guide</i> , p 83)	Х				
	Environmental Enrichment, Social Housing, Behavioral and Social Manageme					
	enrichment elicits appropriate behaviors and is safe (Guide, p 83)	X	-		1	
	The series series is all to said (bulde, p os)	^		-		X
l	semi-aquatic reptiles are provided terrestrial areas (Guide n 83)				- '	^
l	semi-aquatic reptiles are provided terrestrial areas (Guide, p 83)					
(semi-aquatic reptiles are provided terrestrial areas (<i>Guide</i> , p 83) handling is kept to a minimum and appropriate techniques are in place at facility	x				
(semi-aquatic reptiles are provided terrestrial areas (<i>Guide</i> , p 83) handling is kept to a minimum and appropriate techniques are in place at facility or protocol level (<i>Guide</i> , p 84)	x				

	0	storage to prevent contamination, preserve nutrients and prevent pests (<i>Guide</i> , 84)	р	X	
	0	delivery ensures access to all , minimizing aggression and nutrient loss (<i>Guide</i> , § 84)	2 X		
	0	storage times are based on manufacturer recommendations or accepted practice (Guide, p 84)			
	0	a nutritionally complete diet is provided (Guide, p 84)			1
•	Su	ibstrate:		- L	1
	0		2	T T	1 1
	Ŭ	species (Guide, p.85)	=	X	
•	Sa	unitation, Cleaning and Disinfection	1	^	1 1
	0	frequency of tank/cage cleaning and disinfection is determined by water quality,			
	0	permits adequate viewing and health monitoring (Guide, p 86)		X	
	0	cleaning and disinfection of macroenvironment (<i>Guide</i> , p 86)	X	^	
•		aste Disposal:	^		-
	0	procedures for collection (<i>Guide</i> , pp 73-74)	V		
	0	hazardous wastes are rendered safe before removal from facility (<i>Guide</i> , pp 73-	X		
	U	74) [must]			
			X		-
•	0	animal carcasses (Guide, pp 73-74)	X		
•					
	0	regularly scheduled (<i>Guide</i> , p 74)	X		ļ <u> </u>
120	0	documented program including control of pests and insecticide use (Guide, p 74)	X		
•		nergency, Weekend, and Holiday Animal Care:			
	0	care provided by qualified personnel every day (Guide, pp 74, 87)		X	
	0	provision for accessible contact information (<i>Guide</i> , pp 74, 87)		Χ	
	0	emergency response plans in place to address major system failures (Guide, 87)	X		
	0	veterinary care available after hours, weekends, and holidays (<i>Guide</i> , pp 74, 114 must)) X		
•	Id	entification:			.l
	0	cage/tank cards contain required information (Guide, pp 75, 87)	X		
	0	genotype information included and standardized nomenclature used when applicable (<i>Guide</i> , pp 75, 87)	X		
•	Re	cordkeeping:	X		
	0	water quality parameters and frequency of testing recorded (Guide, p 88)	X		
	0	records kept on feeding, nonexpired food supplies, live cultures (Guide, p 88)	X	1 1	
•	Sto	orage:	X		
	0	adequate space for equipment, supplies, food, substrate and refuse (<i>Guide</i> , <u>p</u> 141)	X		
C1190802_1100-300	0	substrate protected from contamination (<i>Guide</i> , p 141)	X		
	0	food in vermin-free, temperature and humidity controlled area and protected	^		
		from contamination (<i>Guide</i> , p 141)		X	1
	0	refuse storage is separate (<i>Guide</i> , <u>p 141</u>)	X	1 1	
	0	carcass and animal tissue storage is separate, refrigerated below 7°C and			
		cleanable (<i>Guide</i> , p 141)	X		
•		rsonnel:			
	0	adequate space for locker rooms, administration and training (Guide, p 135)	X		

* **A** = acceptable

M = minor deficiency

S = significant deficiency (is or may be a threat to animal health or safety)

C = change in program (PHS Policy <u>IV.A.1.a.-i.</u>) (include in semiannual report to IO and in annual report to OLAW)

NA = not applicable

NOTES:

Cagewash

Date: May 16, 2019 Location: Cage Wash

		A*	M	S	C	NA
C	onstruction and Operation:				2002074	
0	dedicated central area for sanitizing cages and equipment is provided ($Guide$, p 143)	X				
0	cage-washing equipment meets need (Guide, p 143)	Χ				
0	doors, windows, floors, drainage, walls, ceilings (Guide, pp 136-138)	X				***************************************
0	convenient to animal areas/waste disposal (Guide, p 143)	Χ				
0	ease of access (including door size) facilitates use (Guide, p 143)	Χ				
0	sufficient space for staging and maneuvering (Guide, p 143)	X				
0	safety precautions/clothing/equipment used for waste disposal/prewash/acid wash ((Guide, p 143)		X			
0	traffic flow clean to dirty with no contamination of clean equipment by dirty equipment and appropriate air pressurization (<i>Guide</i> , p 143)	Х				
0		X				
0	utilities are appropriate (Guide, p 143)	X				
0	ventilation meets heat and humidity load (Guide, p 143)	X				
0	safety features (e.g., SOPs, warning signs, eyewash stations) are in use (<i>Guide</i> , p 143)		X			
0	functioning safety devices to prevent entrapment in washer/sterilizers ($Guide$, p 143)		X			
0	cage wash temperatures are monitored and records are available (Guide, p. 73)	Χ				
0	appropriate clean cage storage (Guide, p 141)	X				

A = acceptable

M = minor deficiency

S = significant deficiency (is or may be a threat to animal health or safety)

C = change in program (PHS Policy <u>IV.A.1.a.-i.</u>) (include in semiannual report to IO and in annual report to OLAW)

NA = not applicable

IV(a)Semiannual Facility Inspection Report - Animal Care Facility (ACF)

Date: May 16, 2019

Deficiency Category*	√	Location	Deficiency and Plan for Correction	Responsible Party	Correction Schedule and Interim Status	Date Complete
1	X	Animal Rooms		ACF Director & SSC	To be integrated by the ACF Director & SSC	11/15/2019
1	X	Animal Rooms	Temperature readings inadequate. Thermometers should be changes. Any room not being used should still be checked for temperatures and humidity or decommissioned.	ACF Director	To be integrated by the ACF Director	11/15/2019
1		ACF	Chemicals found in rooms did not have expiration dates	ACF Director	To be integrated by the ACF Director	11/15/2019
1	X	Aquatic	and within the expiration period.	ACF Director and Principal Investigator	To be integrated by the ACF Director & Principal Investigator	08/01/2019
1		Storage	Personal items (body lotion, aloe, etc.) should be removed Card board boxes should be removed or stored in container	ACF Director	To be integrated by the ACF Director	08/01/2019

A = acceptable

Obtained by Rise for Animals.

Uploaded 07/08/2020

M = minor deficiency

S = significant deficiency (is or may be a threat to animal health or safety)
C = change in program (PHS Policy <u>IV.A.1.a.-i.</u>) (include in semiannual report to IO and in annual report to OLAW)

NA = not applicable

Check if repeat deficiency

IV (b) Semiannual Facility Inspection Report – Animal Care Facility (ACF)

Date: May 16, 2019

Deficiency Category*	√	Location	Deficiency and Plan for Correction	Responsible Party	Correction Schedule and Interim Status	Date Complete
1	X	Cage Wash	Current eye station is expired. A faucet mounted eye wash station should be installed	ACF Director & Campus Operations & Safety (COS)	To be integrated by the ACF Director & COS	11/15/2019
1	X	Cage Wash	No records could be found (SOPs, AUP, temperature readings). Copies should be made available for review.		To be integrated by the ACF Director	11/15/2019
1		Room 248 (Lemanski)	Mouse being housed singly. Mice should be housed in pairs or groups. No justification for single housing		To be integrated by the ACF Director & PI	08/01/2019
						3
* A = accep						
C = chang	cant e in	deficiency (is program (PH:	s or may be a threat to animal health or safety) S Policy <u>IV.A.1.ai.</u>) (include in semiannual report to IO and in annual report	t to OLAW)		
NA = not	appli	icable t deficiency		· · · · · · · · · · · · · · · · · · ·		

A = acceptable

M = minor deficiency

S = significant deficiency (is or may be a threat to animal health or safety)
C = change in program (PHS Policy <u>IV.A.1.a.-i.</u>) (include in semiannual report to IO and in annual report to OLAW)

NA = not applicable

Check if repeat deficiency


ACF Pictures



Aquatic Log



Cardboard Boxes



Chemical – No Expiration date



Chemical – Expired Date



Fish Food Expired



Single housed mouse

V. Semiannual Facility Inspection Checklist

Terrestrial Animal Housing and Support Areas

Date: May 16, 2019 Location: Farm

	1.	cation	A*	M	S	C	NA
•		cation:					7
	0	animal areas separate from personnel areas (Guide, p 134)	Χ				
	0	separation of species (Guide, p 111)	Χ	ļ			ļ
	0	separation by disease status (<i>Guide</i> , p 111)	Χ	-			
	0	security and access control (Guide, p 151)	Χ	1			
•		nstruction:					
	0	corridors (<i>Guide</i> , p 136)					X
	0	animal room doors (<i>Guide</i> , <u>p 137</u>)					X
	0	exterior windows (<i>Guide</i> , <u>p 137</u>)					X
	0	floors (Guide, p 137)	X				
	0	drainage (Guide, p 138)	X				
	0	walls and ceilings (Guide, p 138)	X				
	0	heating ventilation and air conditioning (Guide, p 139)	Χ				
	0	power and lighting (<i>Guide</i> , p 141)		Χ			
	0	noise control (Guide, p 142)	X				
	0	vibration control (<i>Guide</i> , p 142)	X				
	0	environmental monitoring (<i>Guide</i> , p 143)	X				
•	Ro	om/Cage:		i			
	0	temperature and humidity (Guide, p 43)	Χ				
	0	ventilation and air quality (Guide, p 45)	X				
	0	illumination (<i>Guide</i> , p 47)	X				
	0	noise and vibration (<i>Guide</i> , p 49)	X				
•		mary Enclosure:	^	l			-
	0	space meets physiologic, behavioral xvii, and socialxviii needs (Guide, pp 51, 55-63)	V				
	0	secure environment provided (<i>Guide</i> , p.51)					- HOUSE
	0	durable, nontoxic materials in good repair and no risk of injury (<i>Guide</i> , p 51)	X				
	0	flooring is safe and appropriate for species ($Guide$, $p ext{ 51}$)	X				
	0	adequate bedding and structures for resting, sleeping, breeding ($Guide$, p 52)	X				
		objective accomments of bouring and management are made (Guide, p. 52)	X				
	0	objective assessments of housing and management are made (<i>Guide</i> , p 52)	X				
	0	procedures for routine husbandry are documented (<i>Guide</i> , p 52)	X				
	0	socially housed animals can escape or hide to avoid aggression (<i>Guide</i> , p 55)	Χ				
	0	cage height provides adequate clearance (Guide, p 56)					X
	0	animals express natural postures, can turn around, access food and water, and					
		rest away from urine and feces (<i>Guide</i> , p 56) [must]	X				
	0	rationalexix for Guide/USDA space exceptions approved by IACUC and based on					
		performance indices (<i>Guide</i> , p 56)	Χ				
	0	dogs and cats allowed to exercise and provided human interaction (Guide, p 58)	X				
	0	nonhuman primates are socially housed except for scientific, veterinary or					
		behavior reasons (<i>Guide</i> , pp 58-59)					Χ
	0	single housing of nonhuman primates is for shortest duration possible ($Guide$, p $\underline{60}$)					X
	0	opportunities for release into larger enclosures is considered for single caged nonhuman primates ($Guide$, p 60)					X
		agricultural animals are housed socially (Guide, p 60)	X				^
	0						
	0	food troughs and water devices for agricultural animals allow access for all animals					

•		vironmental Enrichment, Behavioral and Social Management:		
	0	structures and resources promote species typical behavior (Guide, pp 52-54)	X	
	0	novelty of enrichment is considered (Guide, p 53)		×
	0	species specific plans for housing including enrichment, behavior and activity are		1
		developed and reviewed regularly by IACUC, researchers and veterinarian (Guide	,	
		pp 53, 58, 60, 63)	X	
	0	animal care personnel receive training to identify abnormal animal behaviors		
		(Guide, p 53)	X	ę
	0	stability of pairs or groups is monitored for incompatibility (Guide, p 64)	- <u> </u>	
	0	single housing is justified for social species (<i>Guide</i> , p 64)		X
	0	single housing is limited to the minimum period necessary (<i>Guide</i> , p 64)	-	
	0	additional enrichment for single housed animals is provided (<i>Guide</i> , p 64)		X
	0	single housing is reviewed regularly by IACUC and veterinarian (<i>Guide</i> , p 64)		X
		babituation to reviewed regularly by facult and veterinarian (Guide, p. 64)		X
	O	habituation to routine procedures is part of enrichment program (Guide, p 64)		X
•		eltered or Outdoor Housing: (e.g., barns, corrals, pastures, islands)		1
	0	weather protection and opportunity for retreat (Guide, p 54) [must]	X	
	0	appropriate size (<i>Guide</i> , <u>p 54</u>)	X	
	0	ventilation and sanitation of shelter (no waste/moisture build-up) (Guide, p 54)	X	
	0	animal acclimation (<i>Guide</i> , <u>p 55</u>)	X	
	0	social compatibility (<i>Guide</i> , p 55)	X	
	0	roundup/restraint procedures (Guide, p 55)	X	
	0	appropriate security (Guide, p 55)	X	
•	Na	turalistic Environments:	N	1
	0	animals added /removed with consideration of effect on group (Guide, p 55)	V	
1.19	0	adequate food, fresh water, and shelter ensured (<i>Guide</i> , p.55)	X	
•		od:	X	
	0	feeding schedule and procedures including caloric intake management (Guide, pp		
	0	65-67)	V	
	0	contamination prevention (<i>Guide</i> , p 65)	X	
			X	
	0	vendor quality control (<i>Guide</i> , p 66)	X	
	0	storage in sealed containers (Guide, p 66)	X	
	0	expiration date labeling (<i>Guide</i> , <u>p 66</u>)	Χ	
	0	vermin control (<i>Guide</i> , <u>p 66</u>)	X	
	0	rotation of stocks (Guide, p 66)	X	
•	Wa	ter:		
	0	ad libitum unless justified (Guide, pp 67-68)	X	
	0	QC procedures (Guide, pp 67-68)	X	
		dding and Nesting Materials:	(C)	l — — l —
	0	species appropriate (Guide, pp 68-69)	X	
Salt of the	0	keeps animals dry (<i>Guide</i> , pp 68-69)	X	
73-7-7-8-8-8-8-8-8-8-8-8-8-8-8-8-8-8-8-8		QC procedures (<i>Guide</i> , pp 68-69)		
	0	minimizes scientific variables (<i>Guide</i> , pp 68-69)	X	
)		nitation:	X	
	0	frequency of bedding/substrate change (Guide, p 70)	X	
	0	cleaning and disinfection of microenvironment (Guide, pp 70-71)	X	
	0	cleaning and disinfection of macroenvironment (Guide, p 72)	X	
	0	assessing effectiveness (Guide, p 73)	X	
•	Wa	ste Disposal:		*
	0	procedures for collection (Guide, pp 73-74)	X	
	0	procedures for storage and disposal (Guide, pp 73-74)	X	
	0	hazardous wastes are rendered safe before removal from facility (<i>Guide</i> , pp 73-	1	
		74) [must]		Х
2811	0	animal carcasses (Guide, pp 73-74)	X	X
•		st Control:	^	Lll
		regularly scheduled (<i>Guide</i> , p 74)	V	1 1
			X	
	U	documented program including control of rodent pests and insecticide use (<i>Guide</i> , p.74)		
		ergency, Weekend, and Holiday Animal Care:	X	

	0	care provided by qualified personnel every day (Guide, p 74)	Χ	
	0	provision for accessible contact information (Guide, p 74)	X	
	0	monitoring of backup systems (<i>Guide</i> , p 143)	X	
	0	veterinary care available after hours, weekends, and holidays (<i>Guide</i> , pp 74, 114) [must]	x	
	0	a disaster plan that takes into account both personnel and animals (Guide, p 75)	X	
•	Id	entification:		
	0	cage/rack cards contain required information (Guide, p 75)	X	
	0	genotype information included and standardized nomenclature used when applicable (<i>Guide</i> , p 75)		x
•	Re	cordkeeping:		
	0	clinical records accessible and contain appropriate information (Guide, pp 75-76)	X	
	0	records are provided when animals are transferred between institutions (<i>Guide</i> , p. 75)	X	
•	Br	eeding Genetics and Nomenclature:	F	1 1
	0	appropriate genetic records, management and monitoring procedures (<i>Guide</i> , <u>p</u> 76)	Х	
	0	phenotypes that affect wellbeing are reported to IACUC and effectively managed (<i>Guide</i> , p 77)	X	
•	Sto	orage:		
	0		X	
	0		X	
	0	food in vermin-free, temperature and humidity controlled area and protected from contamination (<i>Guide</i> , p 141)		
	0	refuse storage is separate (Guide, p 141)	X	
	0	carcass and animal tissue storage is separate, refrigerated below 7°C and	X	
•	Pe	•	X	
	0		X	
A =	acc	eptable	Λ 1	

A = acceptable

M = minor deficiency

S = significant deficiency (is or may be a threat to animal health or safety)

C = change in program (PHS Policy <u>IV.A.1.a.-i.</u>) (include in semiannual report to IO and in annual report to OLAW)

NA = not applicable

Semiannual Facility Inspection Report - Farm VI.

Date: May 16, 2019

Deficiency Category*	√	Location	Deficiency and Plan for Correction	Responsible Party	Correction Schedule and Interim Status	Date Complete
1		Equine Barn	Exposed wiring & electrical plug in stall	Farm Manager	To be integrated by the Farm Manager	11/15/2019
1		Equine Barn	Insulation falling from ceiling in Equine Barn	Farm Manager	To be integrated by the Farm Manager	11/15/2019
* A = accept M = minor S = signific C = chang NA = not a / Check if re	deficant ant in ippli	iciency deficiency (is program (PHS cable	or may be a threat to animal health or safety) S Policy <u>IV.A.1.ai.</u>) (include in semiannual report to IO and in a	annual report to OLAW)		

^{*} A = acceptable

M = minor deficiency

S = significant deficiency (is or may be a threat to animal health or safety)
C = change in program (PHS Policy <u>IV.A.1.a.-i.</u>) (include in semiannual report to IO and in annual report to OLAW)

NA = not applicable

Check if repeat deficiency

Farm Pictures



Expired wiring & plug



Insulation falling in Equine Barn

VII. Endnotes

- 2.31(b)(2) "The Committee shall be composed of a Chairman and at least two additional members;... at least one shall not be affiliated in any way with the facility...such person will provide representation for general community interests in the proper care and treatment of animals." [PHS policy requires 5 members]
- ⁱⁱ 2.32(c)(4) "...No facility employee, Committee member, or laboratory personnel shall be discriminated against or be subject to any reprisal for reporting violations of any regulation or standards under the Act." [USDA requirement additional to PHS Policy]
- ⁱⁱⁱ 2.31(d)(5) "...shall conduct continuing reviews of activities...not less than annually." [PHS Policy requires a complete new review every 3 years utilizing all the criteria for initial review]
- iv 2.31(d)(1)(x) "...no animal will be used in more than one major operative procedure from which it is allowed to recover unless...(it is) justified for scientific reasons...(or is) required as routine veterinary procedure...or other special circumstances as determined by the Administrator on an individual basis." [this last point is an additional USDA justification for multiple survival surgeries]
- ^v 2.36 "...each reporting facility shall submit an annual report to the APHIS, AC sector supervisor for the State where the facility is located on or before December 1 of each calendar year." [The USDA annual report has a list of requirements which differ from PHS annual report]
- vi 2.36(b)(3) "...exceptions to the standards and regulations be specified and explained by the principal investigator and approved by the IACUC. A summary of all such exceptions must be attached to the facility's annual report." [Refers to USDA annual report]
- vii 2.31(c)(3) "...Any failure to adhere to the plan and schedule that results in a significant deficiency remaining uncorrected shall be reported in writing within 15 business days by the IACUC, through the institutional official, to APHIS and any Federal agency funding that activity." [PHS Policy requires prompt reporting to OPRR of serious or continuing noncompliance with the PHS Policy or serious deviations from the provisions of the *Guide*]
- viii 2.36 "...each reporting facility shall submit an annual report to the APHIS, AC sector supervisor for the State where the facility is located on or before December 1 of each calendar year." [The USDA annual report has a list of requirements which differ from PHS annual report]
- In addition to PHS requirements for IACUC review/application for funding, USDA regulations require: 2.31(d)(1)(ii) "The principal investigator (PI) consider alternatives to procedures that cause more than momentary or slight pain or distress to the animals, and has provided a written narrative description of the methods and sources...used to determine that alternatives were not available."
 - 2.31(d)(1)(iii) "The PI has provided written assurance that the activities do not unnecessarily duplicate previous experiments."
 - 2.31(d)(1)(iv) "Procedures that may cause more than momentary or slight pain or distress to the animals will:
 - involve in their planning, consultation with the attending veterinarian or his or her designee; [PHS Policy does not specify veterinary consultation]
 - not include paralytics without the use of anesthesia;"
 - 2.31(d)(1)(x) "No animal will be used in more than one major operative procedure from which it is allowed to recover, unless justified for scientific reasons by the principal investigator, in writing..."

Part 2 Subpart C - Research Facilities

- ^x 2.33(a)(1) "In the case of a part-time attending veterinarian or consultant arrangements, the formal arrangements shall include a written program of veterinary care and regularly scheduled visits to the research additional]
- xi 2.32(c) "Humane methods of animal maintenance and experimentation, including the basic needs of each species, proper handling and care for the various species of animals used by the facility, proper pre-procedural and post-procedural care of animals, and aseptic surgical methods and procedures."
- xii 2.32(c) additional specifications include:
- "proper use of anesthetics, analgesics, and tranquilizers for any species of animals used by the facility"
- "methods whereby deficiencies in animal care and treatment are reported, including deficiencies in animal care and treatment reported by any employee of the facility..."
- "utilization of services (e.g., National Agricultural Library, National Library of Medicine) to provide information on appropriate animal care and use, alternatives to the use of live animals in research, that could prevent unintended and unnecessary duplication of research involving animals, and regarding the intent and requirements of the Act." [USDA training specifications are more detailed than PHS Policy].
- xiii 2.31(d)(iv)(C) "Procedures that may cause more than momentary or slight pain or distress to the animals will...not include the use of paralytics without anesthesia."
- xiv Part 3 Subpart A 3.8 "...research facilities must develop, document, and follow an appropriate plan to provide dogs with the opportunity for exercise. In addition the plan must be approved by the attending veterinarian. The plan must provide written standard procedures..."
- xv Part 3 Subpart D 3.81 "...research facilities must develop, document, and follow an appropriate plan for environment enhancement adequate to promote the psychological well-being of nonhuman primates."
- Part 3 Subpart A 3.6(c)(1) "Each dog housed in a primary enclosure must be provided with a minimum amount of floor space, calculated as follows: (length of dog in inches + 6)²/144 = required floor space in square feet)."
- Part 3 Subpart D 3.80 (b) "Primary enclosures [for nonhuman primates] must meet the minimum space requirements provided in this subpart."
- In situations where the USDA regulations and the *Guide* differ with respect to space requirements, the larger of the two must be followed.
- Part 3 Subpart A 3.8 "...research facilities must develop, document, and follow an appropriate plan to provide dogs with the opportunity for exercise. In addition the plan must be approved by the attending veterinarian. The plan must provide written standard procedures..."
- xviii Part 3 Subpart D 3.81 "...research facilities must develop, document, and follow an appropriate plan for environment enhancement adequate to promote the psychological well-being of nonhuman primates."
- Part 3 Subpart A 3.6(c)(1) "Each dog housed in a primary enclosure must be provided with a minimum amount of floor space, calculated as follows: (length of dog in inches +6)²/144 = required floor space in square feet)."
- Part 3 Subpart D 3.80 (b) "Primary enclosures [for nonhuman primates] must meet the minimum space requirements provided in this subpart."
- In situations where the USDA regulations and the *Guide* differ with respect to space requirements, the larger of the two must be followed.

Signatures

Names of IACUC Members

Misty Lair, Chair

Dustin Dorris, Attending Veterinarian

Signatures