



Inspection Report

San Diego Mesa College
7250 Mesa College Drive, P-300
San Diego, CA 92111

Customer ID: 1153
Certificate: 93-R-0124
Site: 001
SAN DIEGO MESA COLLEGE

Type: ROUTINE INSPECTION
Date: 26-JAN-2017

2.33(b)(2) REPEAT

ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE.

-Dexmedetomidine, with an expiration date of October 2016, was used in November 2016 on covered animals according to the controlled drug log.

Utilizing expired medical materials on covered animals is not consistent with adequate veterinary care. Each research facility shall establish and maintain programs of adequate veterinary care that include the use of appropriate methods to prevent, control, diagnose, and treat diseases and injuries.

3.125(a)

FACILITIES, GENERAL.

In the alpaca and goat enclosures, there were sharp points that have the potential to cause injury to the animals. The goat pen had chicken wire with exposed or damaged ends, exposing sharp points to the animals. The alpaca pen had fencing that was no longer secure along the bottom and creates a hazard.

Animal enclosures should be free of objects that could cause injury to the animals and maintained in good repair. A system of maintenance should be in place to ensure that areas of the enclosure that could pose a hazard are identified and repaired.

Correction date: 30 February 2017

Exit interview conducted with facility representative.

Prepared By:

KATHARINE FRANK, D V M

KATHARINE FRANK USDA, APHIS, Animal Care

Title: VETERINARY MEDICAL OFFICER 6091

Date:
31-JAN-2017

Received By:

Title:

Date:
31-JAN-2017